

kohama).

Distr. Japan, Korea, China.

subsp. *laticollis* LEWIS, 1887, s. str. ヒゲコガネ

*Polyphylla laticollis* LEWIS, Ent. Monthly Maf., 1887, p. 231, ♂ (Sakami: between Fujisan and Yokohama).

Distr. Japan (Honshu, Shikoku, Kyushu).

Subgenus *Granida* MOTSCHULSKY, 1861

*Granida* MOTSCHULSKY, 1861, Etud. ent., 10, p. 8.

(type-species: *Granida albolineata* MOTSCHULSKY, 1861)

*Polyphylla (Granida) albolineata* (MOTSCHULSKY, 1861) シロスジコガネ

*Granida albolineata* MOTSCHULSKY, Etud. Ent. X, p. 8, 1861 (Japan).

Distr. Japan (Hokkaido, Honshu, Sado, Izu Is.-Oshima, Nii-jima, Kozu-jima, Miyake-jima, Shikoku, Kyushu, Iki, Goto Is.).

*Polyphylla (Granida) schoenfeldti* BRENSKE, 1890 オキナワシロスジコガネ

*Polyphylla schoenfeldti* BRENSKE, Ent. Nachr., XIII, p. 198, 1890 (Liuliu Iseln: Oshima).

Distr. Japan (Takara-jima, Amami-Oshima, Tokuno-shima, Okinoerabu-jima, Yoron, Okinawa, Kume-jima, Kerama Is.).

Subfamily RUTELINAE スジコガネ亜科

Tribe ADORETINI コイチャコガネ族

Genus *Adoretus* LAPORTE, 1840 コイチャコガネ属

*Adoretus* LAPORTE, 1840, Hist. Nat. Col. 2:142.

(type-species: *Adoretus hirtellus* LAPORTE, 1840)

Subgenus *Adoretus* LAPORTE, 1840, s. str.

*Adoretus* (s. str.) *falciungulatus* NOMURA, 1965 シヤミセンコイチャコガネ

*Adoretus* (s. str.) *falciungulatus* NOMURA, Entom. Rev. Japan 18(1):6-7, pl. 1, f. 8 et 9, text f. 4~7, 1965 (Iriomote Is., Ishigaki Is.).

Distr. Japan (Iriomote Is., Ishigaki Is.).

Subgenus *Chaetaboretus* OHAUS, 1914

*Chaetaboretus* OHAUS, Deutsch Ent. Zeit. 1914, p. 475 u 492.

(type-species: *Adoretus timoriensis* OHAUS, 1914)

*Adoretus (Chaetadoretus) formosanus* OHAUS, 1914

*Adoretus formosanus* OHAUS, 1914, Dtsch. Ent. Zeit., 1914:503, f. 38.

Distr. Japan, Taiwan.

subsp. *sakishimanus* H. KOBAYASHI, 1982      サキシマコイチャコガネ

*Adoretus (C.) formosanus sakishimmanus* H. KOBAYASHI, New Entom. 31(3):53, 1982 (Loochoo Archipelago).

Distr. Japan (Ishigaki-jima, Iriomote-jima).

Subgenus *Lepadoretus* REITTER, 1903

*Lepadoretus* REITTER, Verh. Nat. Ver. Brünn., XLI. p. 30, 1903.

(type-species: *Adoretus tenuimaculatus* WATERHOUSE, 1875)

*Adoretus (Lepadoretus) sinicus* BURMEISTER, 1855      シナコイチャコガネ

*Adoretus sinicus* BURMEISTER, Handb Ent. N(2):474, 1855.

Distr. Japan (Ishigaki-jima, Miyako-jima, Iriomote-jima, Hateruma-jima, Yonaguni-jima), Taiwan, China, Korea.

*Adoretus (Lepadoretus) tenuimaculatus* WATERHOUSE, 1875      コイチャコガネ

*Adoretus tenuimaculatus* WATERHOUSE, Trans. ent. Soc. London, 1875, p. 112 (Japan).

Distr. Japan (Honshu, Shikoku, Kyushu), Saisyu-to, Korea, Taiwan, China, Hawaii, Burma.

Tribe      PARASTASSINI      ヨツバコガネ族

Genus      *Ohkubous* SAWADA, 1938      ヨツバコガネ属

*Ohkubous* SAWADA, Nippon no Kochu 2(2):73, 1938.

(type-species: *Ohkubous quadridentatus* SAWADA, 1938 = *Ohkubous ferrieri quadridentatus* SAWADA, 1938)

*Ohkubous ferrieri* (NONFRIED, 1895)      ヨツバコガネ

*Parastasia ferrieri* NONFRIED, Berl. Ent. Zeit. 40, 1895, p. 289 (Ôshima).

Distr. Japan, Taiwan.

subsp. *boninensis* NAKANE, 1983      オガサワラヨツバコガネ

*Ohkubous ferrieri boninensis* NAKANE, 1983, Frag. Coleop. (35/37):142, fig. 9 (Chichijima, Hahajima).

Distr. Japan (Chichijima, Hahajima-Bonin Is.)

subsp. *ferrieri* (NONFRIED, 1895)      アマミヨツバコガネ

*Parastasia ferrieri* NONFRIED, Berl. ent. Zeitschr. 40, p. 289, 1895 (Ôshima).

Distr. Japan (Amami-Ôshima, Tokuno-shima).

subsp. *ichikawai* NAKANE, 1983      イズヨツバコガネ

*Ohkubous ferrieri ichikawai* NAKANE, 1983, Frag. Coleop. (35/37):142, fig. 11 (Mikurajima).

Distr. Japan (Mikura-jima, Miyake-jima-Izu Is.).

subsp. *quadridentatus* SAWADA, 1938      ヨツバコガネ

*Ohkubous quadridentatus* SAWADA, Nippon no Kochu 2(2):74, pl. IX, 1938 (Shikoku).

Distr. Japan (Hokkaido, Honshu, Shikoku, Okino-shima, Kochi Pref. Kyushu, Tsushima, Yakushima).

subsp. *sakishimana* NOMURA, 1965      サキシマヨツバコガネ

*Parastasia ferrieri sakishimana* NOMURA, Entom. Rev. Japan 18(1):4, 1965 (Ishigaki Is.).

Distr. Japan (Ishigaki Is.).

subsp. *tokarana* NOMURA, 1964      トカラヨツバコガネ

*Paraserica ferrieri tokarana* NOMURA, Entom. Rev. Japan 16(2):56-57, pl. 7, f. 11, 1964 (Tokara Is.).

Distr. Japan (Nakanoshima-Tokara Is.).

Genus      *Parastasia* WESTWOOD, 1841      オオヨツバコガネ属  
*Parastasia* WESTWOOD, Ann. Mag. Nat. Hist. VII, 1841, p. 204.  
(type-species: *Parastasia canaliculata* WESTWOOD, 1841)

*Parastasia oberthüri* OHAUS, 1900      オオヨツバコガネ

*Parastasia oberthüri* OHAUS, Deut. Ent. Zeit., 1900, p. 245 (Tonkin; Bao-Loc.).

Distr. Japan, Taiwan, Indochina Pen.

subsp. *ishigakiana* NOMURA, 1964      オオヨツバコガネ

*Parastasia oberthüri ishigakiana* NOMURA, Entom. Rev. Japan 16(2):55-56, pl. 7, f. 10, 1964 (Ishigaki Is.).

Distr. Japan (Ishigaki-jima).

Tribe      ANOMALINI      スジコガネ族

Genus      *Popillia* SERVILLE, 1825      マメコガネ属  
*Popillia* SERVILLE, Encycl. méth. X, 1825, p. 367.  
(type-species: *Trichius bipunctatus* FABRICIUS, 1787)

*Popillia insularis* LEWIS, 1895      ツキガタマメコガネ

*Popillia insularis* LEWIS, Ann. Mag. Nat. Hist. (6)XVI, p. 403, 1895 (Loo-Choo).

*Popillia circumcinota* KRAATZ, Deutsch Ent. Zeitschr. 2, p. 327, 1897.

*Popillia comma* NIJIMA et KINOSHITA, Res. Bull. Coll. Exp. Forest, Coll. Agr. Hokkaido Imp. Univ. Japan 2(2):139, 228, pl. i, f. 9, 1923 (Formosa).

Distr. Japan (Amami-Oshima, Tokunoshima, Okinawa, Miyako-jima, Iriomoe-jima).

*Popillia japonica* NEWMAN, 1838      マメコガネ

*Popillia japonica* NEWMAN, Ann. Mag. Nat. Hist. (2)II:337, 1838 (Japan).

Distr. Japan (Hokkaido, Honshu, Shikoku, Kyushu, Tsushima, Goto Is. Yakushima), N. China, N. America.

*Popillia lewisi* ARROW, 1913      オキナワマメコガネ

*Popillia lewisi* ARROW, Ann. Mag. Nat. Hist. 8, XII, p. 45, 1913 (Okinawa Is.).  
Distr. Japan (Amami-Oshima, Okinawa Is.).

Genus *Proagopertha* REITTER, 1903 ナラノチャイロコガネ属  
*Proagopertha* REITTER, Verh. Nat. Ver. Brünn, XLI, p. 50, 1903.  
(type-species: *Anomala lucidula* FALDERMANN, 1835)

*Proagopertha ohbayashii* NOMURA, 1965 フタモンコガネ  
*Proagopertha ohbayashii* NOMURA, Entom. Rev. Japan 18(1):6-7, pl. 1, f. 5, 6, text fig. 1-3, 1965  
(Okinawa Is.).  
Distr. Japan (Okinawa Is.).

*Proagopertha pubicollis* (WATERHOUSE, 1875) ナラノチャイロコガネ  
*Anomala pubicollis* WATERHOUSE, Trans. ent. Soc. London, 1875, p. 111 (Nagasaki, Hiogo).  
Distr. Japan (Honshu, Shikoku, Kyushu).

Genus *Phyllopertha* STEPHENS, 1830 ウスチャコガネ属  
*Phyllopertha* STEPHENS, Ill. Brit. Ent. Mandib. III, p. 223, 1830.  
(type-species: *Scarabaeus horticola* LINNÉ, 1758)

*Phyllopertha diversa* WATERHOUSE, 1875 ウスチャコガネ  
*Phyllopertha diversa* WATERHOUSE, Trans. ent. Soc. London, 1875, p. 106, pl. III, f. 5 (Nagasaki).  
*Phyllopertha maculicollis* REITTER 1803, Verh. naturw. Ver. Brünn. 41, p. 84.  
*Phyllopertha diversa koreana* OHAUS, 1915, Stett. ent. Ztg., 76, p. 325?  
Distr. Japan (Honshu, Shikoku, Kyushu), Quelpart Is.

*Phyllopertha intermixta* (ARROW, 1913) アオウスチャコガネ  
*Anomala intermixta* ARROW, Ann. Mag. Nat. Hist. (8) XII, 1913, p. 396 (Nikko, Sapporo, Chuzenji).  
*Phyllopertha fuscate* NIJIMA et KINOSHITA, Res. Bull. Coll. Exp. Forest, Coll. Agr., Hokkaido  
Imp. Univ., Sapporo, II, 2, 1923, pp. 129, 227.  
Distr. Japan (Hokkaido, Honshu, Shikoku, Kyushu).

*Phyllopertha irregularis* WATERHOUSE, 1875 キスジコガネ  
*Phyllopertha irregularis* WATERHOUSE, Trans. ent. Soc. London, 1875, p. 107, pl. III, f. 4, (Nagasaki, Kawachi).  
Distr. Japan (Honshu, Shikoku, Kyushu).

Genus *Blitopertha* REITTER, 1903 セマダラコガネ属  
*Blitopertha* REITTER, Verh. Nat. Ver. Brünn, XLI, p. 85, 113.  
(type-species: *Melolontha lineata* FABRICIUS, 1798)

*Blitopertha conspurcata* (HAROLD, 1878) カタモンコガネ  
*Phyllopertha conspurcata* HAROLD, Deut. Ent. Zeit., XXII, 1878, p. 71.  
*Phyllopertha kiotoensis* NIJIMA et KINOSHITA (female), Res. Bull. Coll. Exp. Forest Coll. Agr.,

Hokkaido Imp. Univ., Sapporo II, 2, 1933, pp.126,226.

Distr. Japan (Hokkaido, Honshu, Shikoku, Kyushu), Korea, Manchuria, China, Siberia.

*Blitopertha ohdaiensis* (SAWADA, 1941) オオダイセマダラコガネ

*Phyllopertha ohdaiensis* SAWADA, Nippon no Kochu 4(1):49-50, pl. II, f.5,20, pl. III, f.1,2, pl. V, f.7, 1941 (Ohdaigahara).

Distr. Japan (Honshu, Shikoku, Kyushu).

*Blitopertha okinawaensis* (OHAUS, 1925) オキナワセマダラコガネ

*Phyllopertha okinawaensis* OHAUS, Archiv. f. Naturg. XCI, p.130, 1925.

Distr. Japan (Okinawa Is.).

*Blitopertha orientalis* (WATERHOUSE, 1875) セマダラコガネ

*Phyllopertha orientalis* WATERHOUSE, Trans. ent. Soc. London, 1875, p.108 (Kawachi, Nagasaki, Hakodate).

*Phyllopertha xanthogastra* HAROLD, Mitt. Münch. Ent. Ver. V, p.90, 1881.

*Phyllopertha tanbaensis* NIJJIMA et KINOSHITA, Res. Bull. Coll. Exp. Forest, Coll. Agr. Hokkaido Imp. Univ. Sapporo II (2):128,225, Taf. VI, f.21, 1923.

Distr. Japan (Hokkaido, Honshu, Sado, Nii-jima, Shikine, Kozu, Hachijyo, Torishima, -Izu Is., Shikoku, Kyushu, Tsushima, Yakushima), Korea, E.Siberia, Manchuria, Hawaii, N.America (New Jersey).

Genus *Mimela* KIRBY, 1825 コガネムシ属

*Mimela* KIRBY, 1825, Trans. Linn. Soc. London, 14:101.

(type-species: *Mimela chinensis* KIRBY, 1825)

*Mimela difficilis* (WATERHOUSE, 1875) ツヤスジコガネ

*Anomala difficilis* WATERHOUSE, Trans. ent. Soc. London, p.11, 1875 (Japan).

*Anomala difficilis* var. *cuprea* OHAUS, Stett. Ent. Zeit., LXXVI, p.321, 1915.

*Anomala lenzi* OHAUS, Stett. Ent. Zeit., LXXVI, p.323, 1915.

Distr. Japan (Hokkaido, Honshu, Shikoku, Kyushu).

*Mimela flavilabris* (WATERHOUSE, 1875) ヒメスジコガネ

*Anomala flavilabris* WATERHOUSE, Trans. ent. Soc. London, p.110, 1875 (Japan).

*Paramimela flavilabris* var. *cuprifulgens* OHAUS, 1915, Stett. ent. Ztg., 76, p.91.

*Paramimela flavilabris* var. *sculpticollis* OHAUS, 1915, Stett. ent. Ztg., 76, p.91.

Distr. Japan (Hokkaido, Honshu, Shikoku, Kyushu), Kuriles.

*Mimela ignicauda* BATES, 1866 ベーツツヤコガネ

*Mimela ignicauda* BATES, 1866, Proc. Zool. Soc. London:345.

Distr. Japan, Taiwan.

subsp. *sakishimana* NOMURA, 1973 ベーツツヤコガネ

*Mimela ignicauda sakishimana* NOMURA, Ent. Rev. Japan 25(1/2):19-20, Text. fig.7, pl.4, f.8, 1973.

Distr. Japan (Iriomote-jima).

- Mimela inouei* NOMURA, 1967      イノウエスジコガネ  
*Mimela inouei* NOMURA, Entom. Rev. Japan 19(2):56-57, Text. f. 4, pl. 8, 1967 (Honshu-Izu Peninsula).  
 Distr. Japan (Honshu-Izu Peninsula).
- Mimela ishigakiensis* (SAWADA, 1950)      イシガキコガネ  
*Anomala ishigakiensis* SAWADA, Jour. Agr. Sci. Tokyo Nogyo Daigaku II (2):272, 302, f. 1, 1950 (Ishigaki Is.).  
 Distr. Japan (Ishigaki-jima).
- Mimela splendens* (GYLLENHAL, 1817)      コガネムシ  
*Melolontha splendens* GYLLENHAL, Sys. Ins. I (3) Append p. 110, 1817 (China).  
*Mimela lucidula* HOPE, Trans. ent. Soc. London, I, 1835, p. 113 (Japan).  
*Mimela gashkevitchi* MOTSCHULSKY, Etud. Ent. VI, 1857, p. 32 (Japan).  
*Mimela simplex* BATES, Proc. Zool. Soc. London, p. 345, 1866 (Formosa).  
*Mimela splendens* var. *cyanicollis* OHAUS, Stett. ent. Ztg., 76, p. 96, 1915.  
*Mimela splendens* f. *takemurai* SAWANO et KOMETANI, 1939, Ent. World, Tokyo (7)62, p. 205.  
*Mimela splendens* var. *murasaki* CHŪJŌ, 1940, Nippon no Kochu 3(2):76.  
 Distr. Japan (Hokkaido, Honshu, Sado, Shikoku, Kyushu), Saisyu-to, Korea, Taiwan, China, Burma, Tonkin.
- Mimela takemurai* SAWADA, 1976      タケムラスジコガネ  
*Mimela takemurai* SAWADA, Trans. Kansai Ent. Soc. 12(1):38-40, 1942 (Mt. Takatiho Kirishima, S. Kyushu).  
 Distr. Japan (Honshu, Shikoku, Kyushu).
- Mimela testaceoviridis* BLANCHARD, 1850      キイロツヤコガネ  
*Mimela testaceoviridis* BLANCHARD, Cat. Coll. Ent. Col., p. 197, 1950 (China).  
*Mimela chryseis* BATES, Zool. Soc. London, p. 345, 1846.  
*Anomala surigera* HEYDEN, Deut. Ent. Zeit. XXX, p. 291, 1886.  
 Distr. Japan (Okinawa Is.), Korea, Taiwan, China.
- Mimela yonaguniensis* NOMURA, 1965      ヨナグニスジコガネ  
*Mimela sauteri yonaguniensis* NOMURA, Entom. Rev. Japan 18(1):5, 1965 (Yonaguni Is.).  
*Mimela ishigakiensis yonaguniensis* NOMURA, Entom. Rev. Japan 25(1·2):19, 1973.  
 Distr. Japan (Yonaguni-jima, Ishigaki-jima).
- Genus      *Anomala* SAMOUELLE, 1819      スジコガネ属  
*Anomala* SAMOUELLE Ent. uscf. Compend. 1819, p. 191.  
 (type-species: *Scarabaeus dubia* SCOPOLI, 1763)
- Anomala albopilosa* (HOPE, 1839)      アオドウガネ  
*Euchlora albopilosa* HOPE, Proc. Zool. Soc. London, VII, 1839, p. 70.  
*Heteroplia multistriata* MOTSCHULSKY, 1861, Etudes Ent. 10:7.  
 Distr. Japan, Taiwan, Korea, Saisyu-to.

- subsp. *albopilosa* (HOPE, 1839)      アオドウガネ  
*Euchlora albopilosa* HOPE, Proc. Zool. Soc. London, VII, 1839, p. 70.  
 Distr. Japan (Honshu, Shikoku, Okino-shima-Kochi Pref. Kyushu, Hirato-jima, Goto Is., Danjo Is., Iki, Tsushima, Hekura-jima).
- subsp. *gracilis* SCHONFELDT, 1890      アマミアオドウガネ  
*Anomala albopilosa* var. *gracilis* SCHONFELDT, Ent. Nachr. XVI, 1890, p. 171.  
 Distr. Japan (Danjo Is., Amami-Oshima, Tokunoshima, Tokara Is.-Kuchinoshima, Nakano-shima, Takarajima, Suwanose-jima, Akuseki-jima), Kakeroma-jima.
- subsp. *sakishimana* NOMURA, 1964      サキシマアオドウガネ  
*Anomala albopilosa sakishimana* NOMURA, Tōhō Gakuho (14):65, pl. 1, f. 6, 1964 (Iriomote Is., Ishigaki Is., Miyako Is.).  
 Distr. Japan (Ishigaki Is., Iriomote Is., Miyako Is., Hateruma Is., Irabu Is., Shimoji Is.).
- f. *chocolata* Y. MIYAKE, 1986  
*Anomala albopilosa sakishimana* NOMURA forma *chocolata* Y. MIYAKE, LAMELLICORNIA (2):5, 1986 (Ishikaki Is.).  
 Distr. Japan (Ishigaki Is.).
- subsp. *yashiroi* SAWADA, 1950      オキナワアオドウガネ  
*Anomala albopilosa yashiroi* SAWADA, Jour. Agr. Sci. Tokyo Nogyo Daigaku II (2):279, 307, pl. 26, f. 15, 1950 (Naha, Okinawa Is.).  
 Distr. Japan (Yoronto, Okinoerabu, Okinawa-jima, Kume-jima).
- subsp. *yonaguniana* NOMURA, 1964      ヨナグニアオドウガネ  
*Anomala albopilosa yonaguniana* NOMURA, Tōhō Gakuho (14):65, pl. 1, f. 7, 1964 (Yonaguni Is.).  
 Distr. Japan (Yonaguni Is.).
- Anomala chloroderma* ARROW, 1913      オオシマドウガネ  
*Anomala chloroderma* ARROW, Ann. Mag. Nat. Hist. (8)XII, p. 403, 1913 (Loo-Choo).  
 Distr. Japan (Amami-Oshima, Tokunoshima, Okinoerabu-jima).
- Anomala costata* (HOPE, 1839)      オオスジコガネ  
*Euchlora costata* HOPE, Proc. Zool. London, VII, p. 73, 1839 (China).  
*Anomala costata* var. *flavipennis* OHAUS, Stett. Ent. Zeit., LXXVI, p. 90, 1915.  
*Anomala costata* var. *incuprea* OHAUS, Stett. Ent. Zeit., LXXVI, p. 91, 1915.  
 Distr. Japan (Hokkaido, Honshu, Shikoku, Kyushu, Thushima, Yakushima).
- Anomala cpustulatus* HIRAYAMA, 1940      リュウキュウスジコガネ  
*Anomala cpustulatus* HIRAYAMA, Gensyoku-kochu-Zufu, pl. 25, f. 6, p. 62-63, 1940 (Ishigaki-jima).  
 Distr. Japan.
- subsp. *cpustulatus* HIRAYAMA, 1940      リュウキュウスジコガネ  
*Anomala cpustulatus* HIRAYAMA, Genshoku-kochu-Zufu, pl. 25, f. 6, p. 62-63, 1940 (Ishigaki-jima).  
*Anomala matsumurai* SAWADA, Journ. Agr. Sci. Tokyo Nodai II (2):277, 305, pl. 26, f. 11~13, pl. 27, f. 6, 1950 (Ishigaki Is.).  
 Distr. Japan (Ishigaki Is., Miyako Is., Iriomote Is., Yonaguni Is.).
- subsp. *tokarana* NOMURA, 1961      トカラスジコガネ  
*Anomala matsumurai tokarana* NOMURA Tōhō Gakuho (11):74, pl. 1, f. 11~14, 1961 (Tokara Is.).

Distr. Japan (Tokara Is.).

*Anomala cuprea* (HOPE, 1839) ドウガネブイブイ

*Euchlora cuprea* HOPE, Proc. Zool. Soc. London, VII, p. 72, 1839.

Distr. Japan (Hokkaido, Honshu, Sado Is., Shikoku, Kyushu, Tanegashima, Yakushima),  
S. Saghalien, Kuriles, Korea, Manchuria, Ussurie.

*Anomala daimiana* HAROLD, 1877 サクラコガネ

*Anomala daimiana* HAROLD, Deut. Ent. Zeit. XXI, 1877, p. 354.

Distr. Japan (Hokkaido, Honshu, Izu-Oshima, Shikoku, Kyushu), Korea, China.

*Anomala edentula* OHAUS, 1925 ムシスジコガネ

*Anomala edentula* OHAUS, Archiv. f. Naturg., XCI, A, 5, p. 128, f. 5, 1925.

Distr. Japan, Taiwan, China, Indochina Pen.

subsp. *amamiana* NOMURA, 1962 アマミムシスジコガネ

*Anomala edentula amamiana* NOMURA, Tōhō Gakuho (12):39, pl. 1, f. 7, 1962 (Yuwan, Amami-Oshima).

Distr. Japan (Amami-Oshima).

subsp. *okinawana* NOMURA, 1965 オキナワムシスジコガネ

*Anomala edentula okinawana* NOMURA, Entom. Rev. Japan, 18(1):6, 1965 (Okinawa Is., Kumejima Is.).

Distr. Japan (Okinawa Is. Kumejima Is.).

subsp. *yaeyamana* NOMURA, 1965 サキシマムシスジコガネ

*Anomala edentula yaeyamana* NOMURA, Entom. Rev. Japan 18(1):5-6, pl. 1, f. 7, 1965 (Ishigaki Is. Iriomote Is.).

Distr. Japan (Ishigaki Is., Iriomote Is.).

*Anomala esakii* SAWADA, 1950 エサキスジコガネ

*Anomala esakii* SAWADA, Journ. Agr. Sci. Tokyo Nodai II (2):273, 303, pl. 25, f. 7~9, pl. 26, f. 1~6, pl. 27, f. 3, 1950 (Yonakuni Is. Ishigaki Is.).

Distr. Japan (Ishigaki Is., Yonaguni Is., Iriomote Is.).

*Anomala geniculata* (MOTSCHULSKY, 1866) ヒメサクラコガネ

*Rhinoplia geniculata* MOTSCHULSKY, Bull. Mosc. 1866, i, p. 171.

Distr. Japan (Hokkaido, Honshu, Sado-Is., Oshima, Kozu-jima, Miyake-jima-Izu Is., Shikoku, Kyushu, Amami-Oshima), Korea, China.

*Anomala holoserica* (FABRICIUS, 1787) キンスジコガネ

*Melolontha holoserica* FABRICIUS, Mant. Ins. I. 21, 1787 (Siberia).

Distr. Japan, Sahalin, Korea, E. Siberia.

subsp. *japonica* (MACHATSCHKE, 1952) キンスジコガネ

*Mimela holoserica japonica* MACHATSCHKE, Beitr. Ent., 2(4/5):358, 1952 (Nikko, Yechigo).

Distr. Japan (Hokkaido, Honshu, Sado, Shikoku, Kyushu).

*Anomala horii* NOMURA, 1963 ホリイスジコガネ

*Anomala horii* NOMURA, Tōhō Gakuho (14):65-67, pl. 1, f. 8, 1964 (Yokoate-jima).

Distr. Japan (Tokara Is. -Yokoate-jima).



*Anomala japonica* ARROW, 1913 ヤマトアオドウガネ

*Anomala japonica* ARROW, Ann. Mag. Nat. Hist. (8) XII, p. 4d, 1813 (Niigata & Korea).

Distr. Japan (Honshu, Tobishima, Sado, Izu Is.-Oshima, Toshima, Nii-jima, Shikine-jima, Kozu-jima, Miyake-jima, Hachijyo-jima, Hachijyo-kojima, Awogashima, Shikoku, Kyushu, Goto Is., Danjyo Is., Hekura-jima, Ogasawara Is.).

*Anomala limbifera* OHAUS, 1915

*Anomala limbifera* OHAUS, Stett. ent. Ztg., 76, p. 330, 1915.

Distr. Japan, Taiwan.

subsp. *yanoi* NOMURA, 1959 ヤノスジコガネ

*Anomala yanoi* NOMURA, Tohō Gakuho (9):50, pl. III, f. 23, 24, 1959 (Ishigaki Is.).

*Anomala sauteri yanoi* NOMURA, Tohō Gakuho (14):68, 1964.

Distr. Japan (Ishigaki Is., Iriomote Is.).

*Anomala lucens* BALLION, 1871 ツヤコガネ

*Anomala lucens* BALLION, Bull. Mosc. 1871, p. 155.

*Rhombonyx lucidulus* MOTSCHULSKY, 1866, Bull. Soc. Imp. Nat. Moscou 39(1):171.

*Anomala rufocuprea* var. *impresibasis* REITTER, 1903, Verh. naturw. Ver. Brunn. 41, p. 73.

*Anomala difficilis* OHAUS, 1908, Deutsche ent. Zeitschr. 52, p. 655.

*Anomala tokioensis* NIJIMA et KINOSHITA, 1923, Res. Bull. Coll. Agr. Hokkaido Imp. Univ. Sapporo Japan 2(2):105, 225, Taf. I, f. 8, Taf. VII, f. 11.

Distr. Japan (Hokkaido, Honshu, Sado, Shikoku, Kyushu, Yakushima), S. Kuril.

*Anomala miyakona* NOMURA, 1977 ミヤコドウガネ

*Anomala miyakona* NOMURA, Tohō Gakuho (27):79, f. 14, 1977 (Miyako-jima).

Distr. Japan (Miyako-jima).

*Anomala mongolia* (FALDERMANN, 1835) ヒメドウガネ

*Euchlora mongolia* FALDERMANN, Mém. Acad. St. Petersb. II, 1835, p. 379 (Mongolia).

*Anomala subaruata* BALLION, Bull. Moscou XLIII, 4, 1870, p. 345.

*Mimela anomala* KRAATZ, Deut. Ent. Zeit. XXIII, 1879, p. 234 (Amur).

Distr. Japan (Hokkaido, Kyushu), Korea, Manchuko, Mongolia, Amur, Samarukando, E. Siberia.

*Anomala niijimae* OHAUS, 1925 ニイジマスジコガネ

*Anomala niijimae* OHAUS, Archiv. f. Naturg., XCI, A, 5, p. 126, f. 3, 1925.

Distr. Japan (Ishigaki Is., Iriomote Is.).

*Anomala octiescostata* (BURMEISTER, 1844) ヒラタアオコガネ

*Phyllopertha octiescostata* BURMEISTER, Handb. Ent. IV(1), 1844, p. 243.

*Anomala octocostata* MOTSCHULSKY, Etud. Ent., IX, 1860, p. 14.

Distr. Japan (Honshu, Shikoku, Kyushu, Hirato-jima, iki Is., Hekura-jima, Tanegashima, Yakushima, okinawa Is.).

*Anomala osakana* SAWADA, 1942 オオサカスジコガネ

*Anomala osakana* SAWADA, Trans. Kansai Ent. Soc. 12(1):40, 1942 (Osaka).

Distr. Japan (Honshu, Kyushu, Yakushima).

- Anomala polyanor* OHAUS, 1916      ヒメスジコガネ  
*Anomala polyanor* OHAUS, Archiv. f. Naturg. A, 4, p.4, 1916 (Formosa).  
 Distr. Japan (Senkaku Is.), Taiwan, Korea.
- Anomala puncticollis* HAROLD, 1877      ハンノヒメコガネ  
*Anomala puncticollis* HAROLD, Deut. Ent. Zeit., 21:352, 1877.  
*Heteroplia multistriata* MOTSCHULSKY, Etudes Ent. 10, p.7, 1861.  
 Distr. Japan (Hokkaido, Honshu, Miyake-jima, Shikoku, Kyushu, Tsushima, Ishigaki-jima).
- Anomala rufocuprea* (MOTSCHULSKY, 1860)      ヒメコガネ  
*Anomala rufocuprea* MOTSCHULSKY, Etud. Ent., IX, p.14, 1860 (Japan).  
*Anomala motschulski* HAROLD, 1877, Deutsche ent. Zeitschr. 21, p.351.  
*Anomala rufocuprea* var. *viridicuprea* OHAUS, 1915, Stett. ent. Ztg., 76, p.320.  
*Anomala rufocuprea* var. *viridiaenea* OHAUS, 1915, Stett. ent. Ztg., 76, p.320.  
*Anomala rufocuprea* var. *violacea* OHAUS, 1915, Stett. ent. Ztg., 76, p.320.  
*Anomala rufocuprea* var. *castanipennis* OHAUS, 1915, Stett. ent. Ztg., 76, p.320.  
*Anomala motschulski* var. *viridicuprea* OHAUS, 1915, Stett. ent. Ztg., 76, p.321.  
*Anomala motschulski* var. *violacea* OHAUS, 1915, Stett. ent. Ztg., 76, p.321.  
*Anomala motschulski* var. *rufoviolacea* OHAUS, 1915, Stett. ent. Ztg., 76, p.321.  
*Anomala motschulski* var. *aptena* OHAUS, 1915, Stett. ent. Ztg., 76, p.321.  
*Anomala rufocuprea hachijoensis* NOMURA, 1969, Ent. Rev. Japan 21(2):74.  
 Distr. Japan (Hokkaido, Honshu, Oshima, Toshima, Nii-jima, Kozu, Shikine, Miyake, Mikura  
 -Izu Is., Shikoku, Kyushu, Tsushima, Goto Is., Yakushima, Tokara Is.), Kuriles,  
 Saisyu-to, Korea.
- Anomala schoenfeldti* OHAUS, 1915      チビサクラコガネ  
*Anomala schoenfeldti* OHAUS, Stett. Ent. Zeit, LXXVI, p.322, 1915.  
*Anomala schoenfeldti miyakensis* NOMURA, Entom. Rev. Japan, 19(2):57, 1967 (Izu Miyake-jima).  
 Distr. Japan (Honshu, Kyushu, Izu Is.-Oshima, Shikine-jima, Miyake-jima, Mikura-jima,  
 Kozu-jima, Yakushima), Korea.
- Anomala shirakii* NOMURA, 1959      キペリアオドウガネ  
*Anomala shirakii* NOMURA, Tōhō Gakuho (9):49-50, pl. III, f.21,22, 1959 (Iriomote Is.).  
 Distr. Japan (Iriomote Is., Ishigaki Is., Taketomi-jima).
- Anomala sieversi* HEYDEN, 1887      チョウセンヒラタアオコガネ  
*Anomala sieversi* HEYDEN, Horae Soc. Ent. Ross., XXI, 1887, p.266.  
 Distr. Japan (Tsushima?), Qulepart Is., Korea, S. Manchuria, China.
- Anomala testaceipes* (MOTSCHULSKY, 1860)      スジコガネ  
*Rhomobonyx testaceipes* MOTSCHULSKY, Etud. Ent. IX, p.14, 1860 (Japan).  
*Mimela (Paramimela) testaceipes* var. *ochrochalcea* OHAUS, 1915, Stett. ent. Ztg., 76, p.91.  
*Mimela (Paramimela) testaceipes* var. *ochroptera* OHAUS, 1915, Stett. ent. Ztg., 76, p.91.  
*Mimela (Paramimela) testaceipes* var. *anocypria* OHAUS, 1915, Stett. ent. Ztg., 76, p.92.  
*Mimela (Paramimela) testaceipes* var. *cypriptera* OHAUS, 1915, Stett. ent. Ztg., 76, p.92.  
 Distr. Japan (Hokkaido, Honshu, Sado, Izu Is.-Oshima, Nii-jima, Toshima, Shikine-jima,

Kozu-jima, Shikoku, Kyushu, Goto, Hirato, Iki, Tsushima, Yakushima, Tokara), Sa-ghalin, Korea, China, E. Siberia.

subsp. *yusai* NOMURA, 1969

*Anomala testaceipes yusai* NOMURA, Entom. Rev. Japan 21(2):73, 1969 (Miyake-jima, Mikura-jima, Izu-Is.).

Distr. Japan (Miyake-jima, Mikura-jima).

*Anomala triangularis* SCHOENFELDT, 1890 サンカクスジコガネ

*Anomala triangularis* SCHOENFELDT, Ent. Nachr. XVI, 11, 1890, p. 171 (Oshima).

Distr. Japan.

subsp. *kyushuensis* NOMURA, 1964 キュウシュウスジコガネ

*Anomala triangularis kyushuensis* NOMURA, Tōhō Gakuho (14):68, 1964 (Ohsumi).

Distr. Japan (Kyushu, Hekura-jima).

subsp. *triangularis* SCHOENFELDT, 1890 サンカクスジコガネ

*Anomala triangularis* SCHOENFELDT, Ent. Nachr., XVI, 11, 1890, p. 171 (Oshima).

Distr. Japan (Tanegashima, Tokara Is. -Akuseki-jima, Takara-jima, Nakano-shima, Amami-Oshima, Tokunoshima, Okinoerabu-jima, Yoronto, Okinawa).

*Anomala xanthopleura* ARROW, 1913 リュウキュウドウガネ

*Anomala xanthopleura* ARROW, Ann. Mag. Nat. Hist. (8)XII, p. 402, 1913 (Loo-Choo).

Distr. Japan (Amami-Oshima, Okinawa Is. Ishigaki-jima, Kume-jima).

Subfamily DYNASTINAE カブトムシ亜科

Tribe DYNASTINI カブトムシ族

Genus *Allomyrina* ARROW, 1911 カブトムシ属

*Allomyrina* ARROW, Ann. Mag. Nat. Hist. (8) XII, p. 153, 1911.

(type-species: *Scarabaeus dichotomus* LINNÉ, 1771)

*Allomyrina dichotoma* (LINNÉ, 1771) カブトムシ

*Scarabaeus dichotomus* LINNÉ, Mant. Plant. VI, p. 529, 1771.

Distr. Japan, Taiwan, Korea, China, Indochina.

subsp. *inchachina* KUSUI, 1976 クメジマカブトムシ

*Allomyrina dichotoma inchachina* KUSUI, Entom. Rev. Japan, 29(1/2):52-53, pl. 5, 1976 (Kume-jima).

Distr. Japan (Kume-jima).

subsp. *septentrionalis* (KONO, 1931) カブトムシ

*Trypoxylus dichotomus* LINNÉ, var. *septentrionalis* KONO, Ins. Mats., V, p. 160, t. 3, f. 5, 1931 (Honshu-Iwate).

*Allomyrina dichotoma septentrionalis*, KUROSAWA, Coleop. Jap. Col. II, pl. 76, f. 1, p. 417, 1985.

Distr. Japan (Hokkaido, Honshu, Shikoku, Kyushu, Tsushima, Tanegashima, Yakushima, Kuchinoerabu-jima), Korea, N. China, Indo-China.