

兵庫・神戸を原産地とする甲虫

高橋 寿郎

Toshio Takahashi

1995

兵庫昆虫同好会特別報告・第2号

(兵庫県甲虫相資料・303)

はじめに.

日本の甲虫相の研究は昆虫の研究と同じく、江戸時代末期の洋学の知識が入ってくるとともに、日本を訪れる欧米人が多くなり、各種の学問がこれら欧米人によって発展を始めた。昆虫の研究、甲虫の研究もこれら欧米人によって基礎が築かれたことはよく知られていることである。

兵庫即ち神戸も、兵庫の港として古く開けたので、欧米の来訪者の多くが兵庫に立ち寄り、或いは滞在して昆虫の採集をしたり、採集品を持ち帰り研究を始めたりした。したがって、兵庫(Hiogo or Hyogo)を原産地とする昆虫は数多く記載されている。

当時の兵庫は勿論兵庫県の本郷ではなく、兵庫港の兵庫を表現しているわけで、現在の神戸市兵庫区から東須磨あたりまでが兵庫で、東は神戸村であった。神戸という名は、1879年4月に従来の神戸村と坂本村、及び兵庫村が合併したことに始まる。

ここに兵庫・神戸を原産地としている甲虫達をまとめてみた。何分にも十分な文献がないので、多くの見落としとか脱落があることを心配している。できるだけ原記載文献によってまとめてみた。浅学未熟者故大きな誤りがあるかも知れず、御叱正、御教示を得ることができれば幸いである。

本目録は、I・II部に分けてまとめている。I部とはいわゆる欧米人の手によって兵庫・神戸産甲虫に基づいて新種記載されたものであって、大体1930年代前半ぐらい迄に発表されたものになっている。それらは記載時と現在の知見からして学名の変わるものが多いので、現在の学名で表示して原記載のものを併記しておいた(原記載ではタイプの指定が無く、記載の時用いられた標本の産地が掲げられていることになる)。II部の方は、日本の学者による記載のものであるが、1934, 1935, 1943年に、欧米人によって記載された種を含んでいる。こちらは原記載のままの学名を用いた(但し、属名の変わるもの、亜種の記載で現在亜種に扱われていないもの、また、型で記載されたが現在型と扱っていないものがそれぞれ1種ずつある)。一応収録は、1994年に記載されたものまでとした。

(I)

COLEOPTERA コウチュウ目

Family Paussidae ヒゲブトオサムシ科

Eustra japonica Bates, 1982 エグリゴミムシ

Eustra batesi Lewis, Ann. Mag. Nat. Hist. Ser.6, Vol.VII, p.330, 1896
(Kyushu, <Kiushiu>, Kashiwagi. Maiyasan near Kobe)

Family Carabidae オサムシ科

Calosoma maximowiczii (Morawitz, 1863) クロカタビロオサムシ

Calosoma mikado Bates, Trans. ent. Soc. 1873-Part. II, p.235, 1873
(A single ♂ found at Hiogo <on a chestnut tree>)

Carabus maiyasanus Bates, 1873 マヤサンオサムシ

Carabus Maiyasanus Bates, Trans. ent. Soc. 1873-Part. II, p.232-233, 1873
(Only at Moon-temple <Maiyasan>, Kobe: alt. 2,000 feet)

- Carabus yaconinus* Bates, 1873 ヤコンオサムシ
Carabus yaconinus Bates, Trans. ent. Soc. 1873-Part. II:231-232, 1873
 (Nagasaki and Hiogo)
- Nebria macrogona* Bates, 1873 オオマルクビオサムシ
Nebria macrogona Bates, Trans. ent. Soc. 1873-Part. II:235-236, 1873
 (Hiogo and Kawachi)
- Nebria pulcherrima* Bates, 1873 フタモンマルクビオサムシ
Nebria pulcherrima Bates, Trans. ent. Soc. 1873-Part. II:236, 1873 (Hiogo)
- Scarites terricola pacificus* Bates, 1873 ナガヒョウタンゴミムシ
Scarites pacificus Bates, Trans. ent. Soc. London, Part. II:236, 1873 (Hiogo, Nagasaki)
- Clivina lewisi* Andrewes, 1927 クロヒメヒョウタンゴミムシ
Clivina lewisi Andrewes, Ann. Mag. Nat. Hist. Ser.9, XX:263, 1927
 (Kobe-Harada at light, J.E.A.Lewis leg.)
- Clivina niponensis* Bates, 1873 ヒメヒョウタンゴミムシ
Clivina Niponensis Bates, Trans. ent. Soc. London, Part. II:239, 1873 (Hiogo)
- Dyschirius ordinatus* Bates, 1873 チビヒョウタンゴミムシ
Dyschirius ordinatus Bates, Trans. ent. Soc. London, Part. II:240-241, 1873
 (Hiogo; Nagasaki "at Tomatsu"; many examples)
- Dyschirius hiogoensis* Bates, 1873 コチビヒョウタンゴミムシ
Dyschirius Hiogoensis Bates, Trans. ent. Soc. London, Part. II:241, 1873
 (Hiogo; many examples)
- Dyschirius sphaerulifer* Bates, 1873 マルクビチビヒョウタンゴミムシ
Dyschirius sphaerulifer Bates, Trans. ent. Soc. London, 1873-Part. II:242-243, 1873
 (Japan. Two examples "Hiogo")
- Perileptus japonicus* Bates, 1873 ホソチビゴミムシ
Perileptus Japonicus Bates, Trans. ent. Soc. London, Part. II:296, 1985 (Hiogo)
- Trechus ephippiatus* Bates, 1873 ヒラタキイログミムシ
Trechus ephippiatus Bates, Trans. ent. Soc. London, Part. II:295, 1866
 (Nagasaki, several examples of the type: the variety is found at Hiogo)
- Bembidion consummatum* (Bates, 1873) アトキミズギワゴミムシ
Bembidium (Peryphus) consummatum Bates, Trans. ent. Soc. London, Part. II:301-302, 1873
 (Kobe, on the beach)
- Bembidion hiogoensis* (Bates, 1873) ヒョウゴミズギワゴミムシ
Bembidium (Peryphus) Hiogoense Bates, Trans. ent. Soc. London, Part. II:302, 1873
 (Hiogo, sandy place. Also on beach at Kobé)
- Bembidion lissonotum* (Bates, 1873) オオアオミズギワゴミムシ
Bembidium (Peryphus) lissonotum Bates, Trans. ent. Soc. London, Part. II:302-303, 1873
 (Hiogo: sandy places)

- Perigona nigriceps* (Dejean, 1831) クロズホナシゴミムシ
Perigona tachyoides Bates, Trans. ent. Soc. London, Part. III:265, 1883
 (Nagasaki, Kobé and Kashiwagi)
- Trigonotoma Lewisii* Bates, 1873 ルイスオオゴミムシ
Trigonotoma Lewisii Bates, Trans. ent. Soc. Part. II:284, 1873
 (Hiogo; Nagasaki on Mount Mitsyama)
- Pterostichus longinquus* Bates, 1873 コホソナガゴミムシ
Pterostichus (Argutor) longinquus Bates, Trans. ent. Soc. Part. II:286, 1873
 (Hiogo; Nagasaki)
- Pterostichus prolongatus* Morawitz, 1862 オオクロナガゴミムシ
Pterostichus (Steropus) tropidurus Bates, Trans. ent. Soc. London, Part. II:288-289, 1873
 (Hiogo)
- Pterostichus sphodriiformis* Bates, 1873 ヒョウゴナガゴミムシ
Pterostichus sphodriiformis Bates, Trans. ent. Soc. London, Part. II:289-290, 1873
 (Hiogo; four examples)
- Platynus magnus* (Bates, 1873) オオヒラタゴミムシ
Anchomenus (Lindromus) magnus Bates, Trans. ent. Soc. London, Part. II:278-279, 1873
 (Hiogo; Nagasaki)
- Agonum chalconus* (Bates, 1873) アオグロヒラタゴミムシ
Anchomenus (Agonum) chalconus Bates, Trans. ent. Soc. London, Part. II:280, 1873
 (Hiogo; Nagasaki)
- Colpodes atricomes* Bates, 1873 クロモリヒラタゴミムシ
Colpodes atricomes Bates, Trans. ent. Soc. London, 1873-Part. II, p.275, 1873
 (Hiogo; several examples)
- Colpodes lampros* Bates, 1873 コハラアカモリヒラタゴミムシ
Colpodes lampros Bates, Trans. ent. Soc. London, 1873-Part. II:275,276, 1873
 (Hiogo; abundant)
- Colpodes sylphis* Bates, 1873 キンモリヒラタゴミムシ
Colpodes sylphis Bates, Trans. ent. Soc. London, 1873-Part. II:277, 1873
 (Hiogo; two examples)
- Parabroscus crassipalpis* (Bates, 1873) フトクチヒゲヒラタムシ
Taphria srassipalpis Bates, Trans. ent. Soc. London, Part II:274-275, 1873
 (Hiogo; one example)
- Synuchus callitheres* (Bates, 1873) キアシツヤヒラタゴミムシ
Dolichus callitheres Bates, Trans. ent. Soc. London, 1873-Part. II:272-273, 1873
 (Hiogo; one example)
- Synuchus dulcigradus* (Bates, 1873) ヒメツヤヒラタゴミムシ
Pristodactyla dulcigrada Bates, Trans. ent. Soc. London, 1873-Part. II:273, 1873
 (Hiogo; Nagasaki)

- Amara ampliatus* (Bates, 1873) キアシマルガタゴミムシ
Bradytus ampliatus Bates, Trans. ent. Soc. London, 1873-Part. II:291-292, 1873
 (Sand Hills at Kobe, Dark var. also at Hiogo)
- Amara chalcophaea* Bates, 1873 コアオマルガタゴミムシ
Amara (Celia) chalcophaea Bates, Trans. ent. Soc. London, 1873-Part. II:292-293, 1873
 (Hiogo; Nagasaki; abundant)
- Amara hiogoensis* (Bates, 1873) ヒョウゴマルガタゴミムシ
Curtonotus Hiogoensis Bates, Trans. ent. Soc. London, 1873-Part. II:291, 1873 (Hiogo)
- Amara laticapus* Bates, 1873 ヒロムネマルガタゴミムシ
Amara (Celia) laticapus Bates, Trans. ent. Soc. London 1873-Part. II:293, 1873
 (Hiogo; two examples)
- Harpalus chalcetus* Bates, 1873 ツヤアオゴモクムシ
Harpalus chalcetus Bates, Trans. ent. Soc. London, 1873-Part. II:263, 1873
 (Hiogo; Nagasaki)
- Harpalus platynotus* Bates, 1873 ヒラタゴモクムシ
Harpalus platynotus Bates, Trans. ent. Soc. London, 1873-Part. II:262-263, 1873
 (Hiogo; awomori)
- Harpalus rubefactus* Bates, 1873 アカゴモクムシ
Harpalus rubefactus Bates, Trans. ent. Soc. London 1873-Part. II:264-265, 1873 (Hiogo)
- Platymetopus flavilabris* (Fabricius, 1798) カラカネゴモクムシ
Platymetopus corrosus Bates, Trans. ent. Soc. London, 1873-Part. II:270-272, 1873
 (Hiogo; Nagasaki)
- Dicheirotichus tenuimanus* (Bates, 1873) キベリチビゴモクムシ
Dicheirotichus tenuimanus Bates, Trans. ent. Soc. London, 1873-Part. II:259-260, 1873
 (Hiogo; Nagasaki)
- Bradycellus subditus* (Lewis, 1879) コクロヒメゴモクムシ
Tachycellus subditus Lewis, Ann. Mag. Nat. Hist. (5) IV:459-460, 1879
 (Hiogo, very common in marsh lands)
- Stenolophus iridicolor* Redtenbacher, 1868 ツヤマメゴモクムシ
Stenolophus chalcus Bates, Trans. ent. Soc. London, 1873-Part. II:270, 1873
 (One example, Hiogo)
- Diplocheila elongata* (Bates, 1873) スナハラゴミムシ
Rembus elongatus Bates, Trans. ent. Soc. London, 1873-Part. II:256-257, 1873
 (Hiogo; one example)
- Chlaenius ocreatus* Bates, 1873 クロヒゲアオゴミムシ
Chlaenius ocreatus Bates, Trans. ent. Soc. London, 1873-Part. II:252-253, 1873
 (Hiogo; Osaka)
- Oodes vicarius* Bates, 1873 オオトックリゴミムシ
Oodes vicarius Bates, Trans. ent. Soc. London, 1873-Part. II:254, 1873 (Hiogo)

- Lachnocrepis prolixus* (Bates, 1873) トックリゴミムシ
Oodes prolixus Bates, Trans. ent. Soc. London, 1873-Part. II:254, 1873 (Hiogo)
- Calleida onoha* Bates, 1873 アオアトキリゴミムシ
Calleida onoha Bates, Trans. ent. Soc. London, 1873-Part. II:317-318, 1873 (Hiogo)
- Parena cavipennis* (Bates, 1873) ヒラタアトキリゴミムシ
Crossoglossa cavipennis Bates, Trans. ent. Soc. London, 1873-Part. II:316, 1873 (Hiogo)
- Parena latecincta* (Bates, 1873) アオヘリアトキリゴミムシ
Crossoglossa latecincta Bates, Trans. ent. Soc. London, 1873-Part. II:315-316, 1873
 (Hiogo; Yokohama)
- Parena monostigma* (Bates, 1873) ヒトツメアトキリゴミムシ
Crossoglossa monostigma Bates, Trans. ent. Soc. London, 1873-Part. II:316, 1873
 (Nagasaki; Hiogo. Many examples)
- Parena perforata* (Bates, 1873) オオヨツアナアトキリゴミムシ
Bothynoptera perforata Bates, Trans. ent. Soc. London, 1873-Part. II:313-314, 1873
 (Hiogo; three examples, on foliage)
- Lebia idae* Bates, 1873 アトグロジュウジアトキリゴミムシ
Lebia Idae Bates, Trans. ent. Soc. London, 1873-Part. II:318-319, 1873
 (Hiogo; Satsuma; Nagasaki)
- Lebia sylvarum* Bates, 1883 ミヤマジュウジアトキリゴミムシ
Lebia sylvarum Bates, Trans. ent. Soc. London, 1883, Part. II:287, 1883 (Hiogo)-Jedlička,
 Entom. Abh. Ber. Mus. Tierk Dresden, 28, Nr.7:333, 1963
 (Type Japan in Hiogo im. Mus. London)
- Dolichoctis striata striatus* Schmidt-Göbel, 1846 コヨツボシアトキリゴミムシ
Dolichoctis ornatellus Bates, Trans. ent. Soc. London, 1883, p.282
 (Yuyama and other places in Hiogo)-Jedlička, Entom. Abh. Ber. Mus. Tierk Dresden, 28, Nr.7:
 357, 1963 (Type: Japan, Yuyama, Hiogo; in Mus. London)
- Apristus cuprascens* Bates, 1873 チビミズアトキリゴミムシ
Apristus cuprascens Bates, Trans. ent. Soc. London, 1873-Part. II:309-310, 1873
 (Hiogo; several examples)
- Brachinus incomptus* Bates, 1873 ヒメホソクビゴミムシ
Brachinus incomptus Bates, Trans. ent. Soc. London, 1873-Part. II:306, 1873
 (Hiogo; Nagasaki)

Family Noteridae コツブゲンゴロウ科

- Canthydrus politus* (Sharp, 1873) ムツボシツヤコツブゲンゴロウ
Hydrocanthus politus Sharp, Trans. ent. Soc. London, 1873-Part. I:51-52, 1873
 (Common in ponds at Hiogo)

Family Dytiscidae ゲンゴロウ科

Hyphydrus japonicus Sharp, 1873 ケシゲンゴロウ

Hyphydrus japonicus Sharp, Trans. ent. Soc. London, Part. I :54, 1873
(Common at Nagasaki and Hiogo)

Laccophilus kobensis Sharp, 1873 コウベツブゲンゴロウ

Laccophilus kobensis Sharp, Trans. ent. Soc. London, Part. I :53-54, 1873
(Probabry common at Kobé (Hiogo))

Laccophilus lewisius Sharp, 1873 ルイスツブゲンゴロウ

Laccophilus Lewisius Sharp, Trans. ent. Soc. london, Part. I :52, 1873
(A single specimen of this prety species has been taken at Kobé, by Mr.Lewis)

Agabus japonicus Sharp, 1873 マメゲンゴロウ

Agabus japonicus Sharp, Trans. ent. Soc. London, Part. I :50, 1873
(Hiogo and Nagasaki)

Platambus pictipennis (Sharp, 1873) モンキマメゲンゴロウ

Agabus (*Platambus* Th.) *pictipennis* Sharp, Trans. ent. Soc. London, Part. I :49-60, 1873
(Four specimens from Hiogo, under stones in the watercoures)

Ilybius apicalis Sharp, 1873 キベリクロヒメゲンゴロウ

Ilybius apicalis Sharp, Trans. ent. Soc. London, Part. I :51, 1873
(Hiogo and Shimabara. Rare)

Cybister japonicus (Sharp, 1873) ゲンゴロウ

Hydaticus japonicus Sharp, Trans. ent. Soc. London, Part. I :48, 1873
(Very abundant in the fens of Osaka and the ponds of Hiogo)

Family Gyrinidae ミズスマシ科

Gyrinus japonicus Sharp, 1873 ミズスマシ

Gyrinus japonicus Sharp, Trans. ent. Soc. London, Part. I :55-56, 1873
(Abundant at Hiogo and Nagasaki)

Family Hydrophilidae ガムシ科

Cercyon aptus Sharp, 1873 コケシガムシ

Cercyon aptus Sharp, Trans. ent. Soc. London, Part. I :65-66, 1873
(Nagasaki and Hiogo; no doubt from under seaweed)

Cercyon laminatus Sharp, 1873 ウスモンケシガムシ

Cercyon laminatus Sharp, Trans. ent. Soc. London, Part. I :66, 1873
(Found in dung at Hiogo)

Hydrochara affinis (Sharp, 1873) コガムシ

Hydrochares affinis Sharp, Trans. ent. Soc. London, Part. I :58, 1873
(Found in pond at Hiogo)

Amphilops mater Sharp, 1873 タマガムシ

Amphilops mater Sharp, Trans. ent. Soc. London, Part. I :62-63, 1873
(Taken at Hiogo and Nagasaki)

Helochares pallens (M'Leay, 1833) ルイスヒラタガムシ

Helochares Lewisius Sharp, Trans. ent. Soc. London, Part. I :60-61, 1873
(Nagasaki and Hiogo)

Family Histeridae エンマムシ科

Platysoma (s.str.) *lewisi* Marseul, 1873 オオナガエンマムシ

Platysoma lewisi Marseul, Ann. Soc. ent. Fr., III, 1873: 222-223
(Japan, Hiogo et Nagasaki)

Atholus pirithous (Marseul, 1873) ツヤマルエンマムシ

Hister pirithous Marseul, Ann. Soc. ent. Fr. (5):III, 1873, p.224
(Nagasaki et Hiogo)

Hister simplicister Lewis, 1879 ヒメツヤエンマムシ

Hister simplicister Lewis, Ann. Mag. Nat. Hist. (5):IV:461, 1879
(Hiogo, where it is common)

Family Silphidae シデムシ科

Necrodes nigricornis Harold, 1875 モモブトシデムシ

Necrodes nigricornis Harold, Abhandl. Nat. Ver. Bremen, IV:286-287, 1875 (Hiogo)

Family Scaphidiidae デオキノコムシ科

Scaphidium reitteri Lewis, 1879 ヘリアカデオキノコムシ

Scaphidium Reitteri Lewis, Ann. Mag. Nat. Hist. (5):IV:460-461, 1879
(Hiogo, near Maiyasan temple)

Pseudobironium lewis (Achard, 1923) ツブデオキノコムシ

Scaphosoma lewis Achard, Fragm. Ent. p.118, 1923
(Hakodate, Kobe, Nagasaki)

Scaphisoma galloisi Achard, 1923 ガロアケシデオキノコムシ

Scaphisoma galloisi Achard, Fragm. Ent. p.114, 1923
(Hiogo, Chuzenji)

Family Staphylinidae ハネカクシ科

- Apatetica princeps* (Sharp, 1874) オサシデムシモドキ
Trygaeus princeps Sharp, Trans. ent. Soc. London, Part. IV:421, 1874
 (This species occurs sparingly in damp places, in the wood around Maiyasan Temple, Hiogo)
- Orochares japonica* Cameron, 1933 キバネツヤヨツメハネカクシ
Orochares japonica Cameron, Ent. Month. Mag., Ser. 69(223):168, 1933
 (Kobe, Three specimens)
- Lesteva lewisi* Cameron, 1930
Lesteva lewisi Cameron, Ent. Month. Mag. Ser. 3, 67(188):182, 1920
 (Kobe: Shinowara)
- Lesteva persimilis* Cameron, 1930
Lesteva persimilis Cameron, Ent. Month. Mag. Ser. 3, 67(188):182-183 (1930) (Kobe)
- Psephidonus caliginosus* (Sharp, 1889) クロミズギワヨツメハネカクシ
Anthophagus caliginosus Sharp, Ann. Mag. nat. Hist. 6, III, p.470, 1889
 (Hiogo: one specimen)
- Boreaphilus lewisianus* Sharp, 1874
Boreaphilus Lewisianus Sharp, Trans. ent. Soc. London, p.91, 1874
 (Kobe, a single specimen, found on the shore)
- Bledius orphanus* Sharp, 1874 ヒゲナガカワベハネカクシ
Bledius orphanus Sharp, Trans. ent. Soc. London, p.91, 1874
 (Kobe, a single specimen, found on the shore)
- Carpelimus* (s.str.) *japonicus* (Cameron, 1930)
Trogophloeus (*Carpalimus*) *japonicus* Cameron, Ent. mon. Mag. 67(188):183, 1930
 (Kobe. Unique)
- Psephidonus lewisi* (Cameron, 1930)
Geodromicus lewisi Cameron, Ent. mon. Mag. 66:183, 1930 (Kobe, Shinohara)
- Carpelimus sedatus* (Sharp, 1889)
Trogophloeus sedatus Sharp, Ann. Mag. nat. Hist. (6) III:417, 1889
 (Nagasaki and Kobe)
- Carpelimus sharpianus* (Cameron, 1933)
Trogophloeus (*Boopinus*) *sharpianus* Cameron, Ent. mon. Mag. 69(223):169, 1933
 (Kobe, Harada. Unique)
- Oxytelus incisus* Motschulsky, 1857 アカセスジハネカクシ
Oxytelus laevior Sharp, Trans. ent. Soc. London, p.92, 1874
 (A single specimen: found at Hiogo)
- Anotylus congratus* (Sharp, 1874) セスジハネカクシ
Oxytelus congratus Sharp, Trans. ent. Soc. London, p.94, 1874
 (Six specimens: found in dung at Nagasaki and Hiogo. <no doubt a common species>)

- Anotylus japonica* (Cameron, 1930) ヒラタセスジハネカクシ
Delopsis japonica Cameron, Ent. mon. Mag., 67(188):183-184, 1930
 Kobe: Gomo, 29.IV.28. Ueno, 7.VII.29
- Anotylus similis* Cameron, 1930 ツクバセスジハネカクシ
Oxytelus (Anotylus) similis Cameron, 1930, Ent. mon. Mag. 67(188):184, 1930
 (Kobe: Harada, 32.X.16. Unique)
- Oxyporus lewisi* Cameron, 1930
Oxyporus lewisi Cameron, Ent. mon. Mag. 67(188):184-185, 1930 (Kobe)
- Stenus kobensis* Cameron, 1930 ナガメダカハネカクシ
Stenus (s.str.) *kobensis* Cameron, Ent. mon. Mag. 67(189):205, 1930
 (Kobe: Cascade Valley. 30.IV.24)
- Stenus tenuipes* Sharp, 1874 フタホシメダカハネカクシ
Stenus tenuipes Sharp, Trans. ent. Soc. London, p.80-81, 1874
 (Found on the shore at Hiogo, and at Kiang-China)
- Stenus oblitus* Sharp, 1874 ホソマメメダカハネカクシ
Stenus oblitus Sharp, Trans. ent. Soc. London, p.87, 1874
 (Kobe: two specimens <both I think females>)
- Stenus rufescens* Sharp, 1874 トビイロメダカハネカクシ
Stenus rufescens Sharp, Trans. ent. Soc. London, p.88, 1874
 (Two specimens: found under dead leaves on Maiyasana)
- Edaphus piceus* Cameron, 1933
Edaphus piceus Cameron, Ent. mon. Mag., 69(223):169, 1933 (Kobe)
- Pinophilus rufipennis* Sharp, 1874 アカバクビトハネカクシ
Pinophilus rufipennis Sharp, Trans. ent. Soc. London, p.78, 1874
 (Common in marshes at Hiogo and Nagasaki)
- Palaminus japonicus* Cameron, 1930 アラハダドウナガハネカクシ
Palaminus japonicus Cameron, Ent. mon. Mag. 67(189):206, 1930
 (Kobe. 23.VII.24)
- Nazeris wollastoni* (Sharp, 1874) アバタコバネハネカクシ
Mesunitus wollastoni Sharp, Trans. ent. Soc. London, p.68, 1874
 (Four specimens; under dead leaves. Maiyasana, Hiogo, July, 1871)
- Astenus setifer* Cameron, 1930
Astenus setifer Cameron, Ent. mon. Mag. 57(189):206, 1930
 (Kobe: Shinowara, 23.II.24. A single ♀)
- Stilicopsis setigera* (Sharp, 1874) タチゲクビホソハネカクシ
Acanthoglossa (?) *setiger* Sharp, Trans. ent. Soc. London, p.67 (1874)
 (2exs., Maiyasana <Hiogo>, under dead leaves)

- Medon lewisius* (Sharp, 1874) ネアカトガリバハネカクシ
Lithocharis Lewisia Sharp, Trans. ent. Soc. Lond., p.65, 1874
 (A single ♀ individual taken on the sea-shore at Kobe)
- Scopaeus japonicus* Cameron, 1933
Scopaeus (s.str.) *japonicus* Cameron, Ent. mon. Mag., 69(223):169, 1933
 (Kobe: Maiyasana. 12.X.30. A single ♀ example)
- Scopaeus virilis* Sharp, 1874 チビヒゲボソハネカクシ
Scopaeus virilis Sharp, Trans. ent. Soc. London, p.62, 1874
 (Three specimens (all males). Hiogo and Arima)
- Domene crassicornis* (Sharp, 1874) オオマルズハネカクシ
Lathrobium crassicornis Sharp, Trans. ent. Soc. London, p.59, 1874
 (A single female individual, from Maiyasana, Hiogo, July, 1871)
- Lathrobium dignum* Sharp, 1874 アカバナガハネカクシ
Lathrobium dignum Sharp, Trans. ent. Soc. London, p.55, 1874
 (Five specimens: at Tango and Hiogo, in sandy places)
- Lathrobium kobense* Sharp, 1874 アカバチビナガハネカクシ
Lathrobium kobense Sharp, Trans. ent. Soc. London, p.57-59, 1874
 (Kobe; two specimens)
- Ochtheophilum pectorale* (Sharp, 1874) アカバナガエハネカクシ
Cryptobium pectorale Sharp, Trans. ent. Soc. London, p.60, 1874
 (Common in marshes at Hiogo and Nagasaki)
- Leptacinus angustus* (Sharp, 1874) ズグロヒメナガハネカクシ
Xantholinus (?) *angustus* Sharp, Trans. ent. Soc. London, p.54-55, 1874
 (Found once in great numbers in large fungi, growing on fir trees at Hiogo, October 2nd, 1870)
- Leptacinus japonicus* Cameron, 1933 ウスバヒメナガハネカクシ
Leptacinus japonicus Cameron, Ent. mon. Mag. 69(223):169, 1933 (Kobe)
- Xantholinus japonicus* Sharp, 1933 オオキバネナガハネカクシ
Xantholinus japonicus Sharp, Trans. ent. Soc. London, p.52, 1874
 (In Sandy districts. Shimabara and Hiogo)
- Othius medius* Sharp, 1874 ウスアカバホソハネカクシ
Othius medius Sharp, Trans. ent. Soc. London, p.52, 1874
 (Hiogo and Nagasaki. Common)
- Diochus japonicus* Cameron, 1930 コガシラホソハネカクシ
Diochus japonicus Cameron, Ent. mon. Mag., 67(189):206-207, 1930
 (Kobe, 27.XI.30. Unique)
- Erichsonius japonicus* (Cameron, 1933) ツヤヒメホソハネカクシ
Actobius japonicus Cameron, Ent. mon. Mag., 69(223):170 (Kobe)

- Erichsonius kobensis* (Cameron, 1933) クロヒメホソハネカクシ
Actobius kobensis Cameron, Ent. mon. Mag., 69(223):169, 1933
 (Kobe: Mayasan, Kyushu, Mt.Unzen)
- Gabrius egens* Sharp, 1874
Philonthus (Gabrius) egens Sharp, Trans. ent. Soc. London, p.44, 1874
 (Four specimens. Hiogo)
- Philonthus spinipes* Sharp, 1874 オオアカバコガシラハネカクシ
Philonthus spinipes Sharp, Trans. ent. Soc. London, p.39-40, 1874
 (Abundant both at Hiogo and Nagasaki, in refuse)
- Philonthus kobebsis* Sharp, 1874 フタイロコガシラハネカクシ
Philonthus Kobebsis Sharp, Trans. ent. Soc. London, p.46, 1874
 (Kobe, a single female specimen)
- Philonthus parvus* Sharp, 1874 オオズコガシラハネカクシ
Philonthus parvus Sharp, Trans. ent. Soc. London, p.46, 1874
 (A single female example only from Hiogo)
- Philonthus septempunctatus* Cameron, 1930
Philonthus (Gabrius) septempunctatus Cameron, Ent. mon. Mag., 67(189):207, 1930
 (Kobe: Gomo, 29. II. 28)
- Ocypus parvulus* Sharp, 1874 チビドウガネハネカクシ
Ocypus parvulus Sharp, Trans. ent. Soc. London, p.33-34, 1874
 (A single specimen, Maiyasana, August, 1871)
- Ocypus lewisius* Sharp, 1874 クロサビイロハネカクシ
Ocypus Lewisius Sharp, Trans. ent. Soc. London, 1874, Part. I :33, 1874
 (A single specimen taken on the beach at Kobe, Oct. 1869)
- Ocypus kobensis* Cameron, 1930
Ocypus kobensis Cameron, Ent. mon. Mag. 67(199):207-208, 1930
 (Kobe: Harada, 7.XI.19. Unique)
- Eucibdelus japonicus* Sharp, 1874 ハイイロハネカクシ
Eucibdelus japonicus Sharp, Trans. ent. Soc. London, (6), III, p.29-30, 1874
 (Beaten off trees on hill-sides at Hiogo and Nagasaki)
- Agelosus carinatus* (Sharp, 1874) オオアカバハネカクシ
Goerius carinatus Sharp, Trans. ent. Soc. London, p.32-33, 1874
 (Maiyasana, Oct. 1871, under dead leaves)
- Algon grandicollis* Sharp, 1874 ムネビロハネカクシ
Algon grandicollis Sharp, Trans. ent. Soc. London, p.23, 1874
 (Under dead leaves, Copper Temple, Nagasaki, also at Maiyasana, Hiogo)
- Velleius pectinatus* Sharp, 1874 クシヒゲハネカクシ
Velleius pectinatus Sharp, Trans. ent. Soc. London, p.24, 1874
 (In company with Cossus in May and June, both at Hiogo and Nagasaki)

- Quedius japonicus* Sharp, 1874 アカバツヤムネハネカクシ
Quedius japonicus Sharp, Trans. ent. Soc. London, p.26, 1874
 (Very common in marshy places at Hiogo and Nagasaki)
- Quedius lewisii* Sharp, 1874 ルイスツヤムネハネカクシ
Quedius Lewisii Sharp, Trans. ent. Soc. London, p.26, 1874
 (Two specimens, in a marsh at Hiogo)
- Sepedophilus kobense* (Cameron, 1933)
Conosoma kobense Cameron, Ent. mon. Mag. 69(223):171, 1933 (Kobe)
- Sepedophilus lewisi* (Cameron, 1933)
Bolithobius (Loedithoa) lewesi Cameron, Ent. mon. Mag. 69(223):171, 1933
 (Kobe, Unique)
- Tachinus kobensis* Cameron, 1933
Tachinus kobensis Cameron, Ent. mon. Mag. 69(223):179, 1933 (Kobe, Mayasan)
- Leucocraspedum pallidum* Cameron, 1933 キイロマルケシハネカクシ
Leucocraspedum pallidum Cameron, Ent. mon. Mag. 69(223):172, 1933 (Kobe)
- Myllaena lewisi* Cameron, 1933
Myllaena lewisi Cameron, Ent. mon. Mag. 69(223):173, 1933
 (Kobe: Mayasan, 12.IV.30)
- Myllaena rufotestacea* Cameron, 1933
Myllaena rufotestacea Cameron, Ent. mon. Mag. 69(223):173, 1933
 (Kobe: Mayasan, 12.IV.30)
- Myllaena torrentum* Cameron, 1933
Myllaena torrentum Cameron, Ent. mon. Mag. 69(223):172, 1933
 (Kobe: Casside Valley 20.XI.27)
- Oligota parvula* Cameron, 1933
Oligota parvula Cameron, Ent. mon. Mag. 69(223):173, 1933 (Kobe)
- Gyrophaena bisceiata* Cameron, 1933
Gyrophaena (s.str.) *bisceiata* Cameron, Ent. mon. Mag. 69(223):175, 1933
 (Kobe: Mayasan)
- Sipalia ruficornis* (Cameron, 1933)
Leptusa (s.str.) *ruficornis* Cameron, Ent. mon. Mag. 69(224):210, 1933
 (Kobe: Mayasan, 11.X.21, Unique)
- Falagria simplex* Sharp, 1874
Falagria simplex Sharp, Trans. ent. Soc. London, p.2, 1874
 (Hiogo, three specimens)
- Atheta sparsa* Bernhaver, 1907
Atheta (Metaxya) lucidula Cameron, Ent. mon. Mag. 69(124):211, 1933
 (Kagoshima (Type), Kobe: Harada)

Atheta kobensis Cameron, 1933

Atheta (Microdota) kobensis Cameron, Ent. mon. Mag. 69(224):212, 1933
(Kobe: Mayasan. Settsu: Minoo Park)

Atheta vagans Bernhauer, 1907

Atheta (Microdota) oishiensis Cameron, Ent. mon. Mag. 69(224):212-213, 1933
(Kobe: Oishi. 3.VIII.12)

Atheta pseudoparens Cameron, 1933

Atheta (Acrotona) pseudoparens Cameron, Ent. mon. Mag. 69(224):215, 1933
(Kyushu: Mt.Unzen. Kobe. Settsu: Katsuoji)

Acrotona pseudotenera (Cameron, 1933)

Atheta (Colprothassa) pseudotenera Cameron, Ent. mon. Mag. 69(224):215, 1933
(Kobe: Harada. 19.XI.32. Unique)

Acrotona taedia (Cameron, 1933)

Atheta (Acrotona) taedia Cameron, Ent. mon. Mag. 69(224):215-216, 1933
(Kobe: Harada (Type). Kyushu: Mt.Unzen)

Thamiaroea japonica Cameron, 1933

Thamiaroea japonica Cameron, Ent. mon. Mag. 69(224):216-217, 1933
(Kobe: Harada. 5.VI.12-30.X.16)

Tinotus japonicus Cameron, 1933 チビシリアゲハネカクシ

Tinotus japonicus Cameron, Ent. mon. Mag. 69(224):217, 1933 (Kobe)

Amarochara japonica Cameron, 1933

Amarochara japonica Cameron, Ent. mon. Mag. 69(224):218, 1933
(Kobe: Mayasan. 26.IX.23. Unique)

Oxypoda luridipennis Sharp, 1888 ツヤゴミハネカクシ

Oxypoda (s.str.) *luridipennis* Sharp var. *lewisi* Cameron, Ent. mon. Mag. 69(224):218, 1933
(Kobe: Mayasan 12.IV.30. Rokosan: Ice Road)

Oxypoda kobensis Cameron, 1933

Oxypoda (Demosema) kobensis Cameron, Ent. mon. Mag. 69(224):218-219, 1933
(Kobe: Ice Road, 4.X.30. A single specimen)

Actobius kobensis Cameron, 1933

Actobius kobensis Cameron, Ent. mon. Mag. 69(223):169-170, 1933
(Kobe: Mayasan. Kyushu Mt.Unzen)

Actobius japonicus Cameron, 1933

Actobius japonicus Cameron, Ent. mon. Mag. 69(223):170, 1933 (Kobe)

Atheta lewisiana Cameron, 1933

Atheta (Datomicra) lewisiana Cameron, Ent. mon. Mag. 69(224):214, 1933
(Settsu: Minoo Park 27.X.32. Type. Katsuoji. Kyushu: Mt.Unzen. 14.V.30 Kobe: Harada)

Family Pselaphidae アリヅカムシ科

- Batrisceniola dissimilis* (Sharp, 1874) アナヅアリヅカムシ
Batriscus dissimilis Sharp, Trans. ent. Soc. London, Part. I:116, 1874
 (Maiyasana, Kobe. three specimens)
- Tyrus japonicus* Sharp, 1883
Tyrus japonicus Sharp, Trans. ent. Soc. London, Part. III:302, 1883
 (Nagasaki, March. 1881: Hitoyoshi, May. 16th. Kobé June, 6th.; Wadatoge, Aug. 1st)
- Raphitreus speratus* (Sharp, 1874) ヒゲブトエクボアリヅカムシ
Tmesiphorus speratus Sharp, Trans. ent. Soc. London, Part. I:109-110, 1874
 (Maiyasana, Hiogo a single specimen) (14.VII.1881, G.Lewis leg.)
- Trissemus alienus* (Sharp, 1874) ナミエンマアリヅカムシ
Bryaxis alienus Sharp, Trans. ent. Soc. London, Part. I:120, 1874
 (About a dozen specimens from Hiogo and Nagasaki)
- Triomicrus protervus* (Sharp, 1874) マルムネアリヅカムシ
Byaxis protervus Sharp, Trans. ent. Soc. London, Part. I:121, 1874
 (Kobe; two specimens)

Family Lucanidae クワガタムシ科

- Prosopocailus inclinatus* (Motschulsky, 1857) ノコギリクワガタ
Psalidoremus inflexus Harold, Abhandl. Nat. Ver. Bremen, IV:288-289, 1875 (Hiogo)

Family Scarabaeidae コガネムシ科

- Caccobius brevis* Waterhouse, 1875 ヒメエンマコガネ
Caccobius brevis Waterhouse, Trans. ent. Soc. London, p.73, 1875
 (Hiogo, Osaka. In sandy places)
- Onthophagus japonicus* Harold, 1875 ヤマトエンマコガネ
Onthophagus japonicus Harold, Abhandl. Nat. Ver. Bremen, IV:290, 1875 (Hiogo)
 -Waterhouse, Trans. ent. Soc. London, Part. I:76-77, 1875
 (Hiogo and Osaka. "At the foot of Maiyasan it has occurred in great plenty")
- Onthophagus nitidus* Waterhouse, 1875 ツヤエンマコガネ
Onthophagus nitidus Waterhouse, Trans. ent. Soc. London, p.78, 1875
 (Hiogo and Nagasaki. In carrion and bottles set with meat)
- Onthophagus ocellato-punctatus* Waterhouse, 1875 アラメエンマコガネ
Onthophagus ocellato-punctatus Waterhouse, Trans. ent. Soc. London, Part. I:79, 1875
 (Hiogo. Sea beach)
- Onthophagus lenzi* Harold, 1875 カドマルエンマコガネ
Onthophagus lenzi Harold, Abh. Nat. Ver. Bremen, IV:298, 1875 (Hiogo)

- Onthophagus viduus* Harold, 1875 マルエンマコガネ
Onthophagus viduus Harold, Abh. Ver. Nat. Bremen, IV:291, 1875 (Hiogo)
- Aphodius (Acrossus) atratus* Waterhouse, 1875 クロツヤエンマコガネ
Aphodius atratus Waterhouse, Trans. ent. Soc. London, Part. I:91-92, 1875 (Hiogo)
- Aphodius (Orodalus) pusillus rufangulus* Waterhouse, 1875 コマグソコガネ
Aphodius rufangulus Waterhouse, Trans. ent. Soc. London, Part. I:89, 1875
(Nagasaki, Hiogo, Awomori. Common)
- Aphodius (Otophorus) brachysomus* Solsky, 1874 セマルオオマグソコガネ
Aphodius major Waterhouse, Trans. ent. Soc. London, Part. I:80, 1875 (Hiogo)
- Aphodius (Pharaphodius) rugostriatus* Waterhouse, 1875 スジマグソコガネ
Aphodius rugostriatus Waterhouse, Trans. ent. Soc. London, Part. I:92, 1875
(Kobe, Waterhouse. One specimen)
- Psammodius convexus* Waterhouse, 1875 セマルケシマグソコガネ
Psammodius convexus Waterhouse, Trans. ent. Soc. London, Part. I:94-95, 1875
(Kobé; sand hills. "Two specimens in May, 1871")
- Hoplia (s.str.) moerens* Waterhouse, 1875 クロアシナガコガネ
Hoplia moerens Waterhouse, Trans. ent. Soc. London, 1875, Part. I:100-101, 1875
(Hiogo, Nagasaki & C.)
- Maladera (s.str.) castanea* (Arrow, 1913) アカビロウドコガネ
Autoserica castanea Arrow, Ann. Mag. Nat. Hist., 8.XI, p.388, 1913
(Japan: Kobe (J.E.A.Lewis, 18.6.1912); N. China: Tientsin, Shanghai, Foochow)
- Maladera (s.str.) secreta* (Brenske, 1897) マルガタビロウドコガネ
Autoserica secreta Brenske, Berl. Ent. Zeit. p.341, 1897 (Tsuruga, Nagasaki, Fushiki, Shimomoseki, Kiushu, Nagasaki, Hagi, Hiogo, Yokohama)
- Serica boops* Waterhouse, 1875 ヒゲナガビロウドコガネ
Serica boops Waterhouse, Trans. ent. Soc. London, p.101, 1875
(End of June, on Maiyasen, Hiogo, flying at dusk)
- Holotrichia (s.str.) convexopyga* Moser, 1912 マルオクロコガネ
Holotrichia convexopyga Moser, Ann. Soc. ent. Belgique, LXI, p.435, 1912
(Japan: Kobe. China: Kiukiang)
- Melolontha frater* Arrow, 1913 オオコフキコガネ
Melolontha frater Arrow, Ann. Mag. nat. Hist. (8), 12, p.400, 1913
(S. Japan: Nara, Kyoto, Kii Wada, Kobe)
- Melolontha japonica* Burmeister, 1855 コフキコガネ
Holosternus japonica Harold, 1875, Abh. Nat. Ver. Bremen, IV:291, 1875 (Hiogo)
- Proagopertha pubicollis* (Waterhouse, 1875) ナラノチャイロコガネ
Anomala pubicollis Waterhouse, Trans. ent. Soc. London, Part. I:111, 1875
(Nagasaki and Hiogo)

Eucetonia roelofsi (Harold, 1880) アオハナムグリ
Cetonia (Eucetonia) bodemeyri Curti, Entom. Mitteil. IV:20, 1915 (Kobe)

Protaetia lenzi (Harold, 1876) レンツアオハナムグリ
Centonia lenzi Harold, Abh. Nat. Ver. Bremen, V:128, 1976 (Hiogo)
Protaetia hondana Arrow, Ann. Mag. Nat. 12(8):404, 1913
 (Kobe, 1♂, Harada 8.VII.1913., Tanegashima May, 1913., Hiroshima, Janson Coll.)

Family Ptilodactylidae ナガハナノミ科

Paralichas pectinatus (Kiesenwetter, 1874) ヒゲナガハナノミ
Odontonyx pectinata Kiesenwetter, Berl. Ent. Zeits. 18:242, 1874
 (Hiogo, Nipon)

Family Dryopidae ドロムシ科

Elmormorphus brevicornis Sharp, 1888 ムナピロツヤドロムシ
Elmormorphus brevicornis Sharp, Ann. Mag. Nat. Hist. (6)2:243, 1888
 (Kobé, South Japan: two specimens found by Mr.G.Lewis in May 1871)

Family Elmidae ヒメドロムシ科

Ordobrevia foveicollis (Schönfeldt, 1888) キスジミゾドロムシ
Stenelmis foveicollis Schönfeldt, Entom. Nachr. 183, 1888 (Hiogo)

Family Buprestidae タマムシ科

Toxoscelus auriceps (E.Saunders, 1873) クリタマムシ
Cryptodactylus auriceps E.Saunders, Linn. Journ. Zoology XI:513, 1873 (Japan)
Cryptodactylus gracilis Schönfeldt, 1888, Ent. Nachricht. XIV:244, 1888
 (Arima, near Kobe)-Lewis, Entomol. 26:151(1893) (My original specimen was taken on Maiya-san, and in 1881 I swept two more from a shady bank between Kobe and Kyoto)
Agrilus marginicollis E.Saunders, 1873 ブドウナガタマムシ
Agrilus marginicollis E.Saunders, 1873, Linn. Journ. Zoology XI:576, 1873
 (Hiogo, April, 1871 G.Lewis leg.)

Family Elateridae コメツキムシ科

Pectocera fortunei Candéze, 1873 ヒゲコメツキ
Pectocera fortunei Candéze, Mém. Soc. Sc. Liège, 2(V):8, 1873 (Hiogo)
Gambrinus vittatus (Candéze, 1873) タテジマカネコメツキ
Limonius vittatus Candéze, Mém. Soc. Sc. Liège, 2(V):22, 1873
 (Hiogo & Hong-Kong)

- Harminathous suturalis* (Candéze, 1873) フトチャイロツヤハダコメツキ
Athous suturalis Candéze, Mém. Soc. Sc. Liège, (2) V:23-24, 1873 (Hiogo)
- Hemicrepidius (Hemicrepidius) desertor* (Candéze, 1873) ヒメクロツヤハダコメツキ
Athous virens Candéze, Mém. Soc. Sc. Liège, (2) V:24, 1873
 (Hiogo; trois exemplaires)
- Pseudathous (s.str.) secessus* (Candéze, 1873) クロツヤハダコメツキ
Athous secessus Candéze, Mém. Soc. Sc. Liège, (2) V:25, 1873
 (Hiogo; plusieurs individus)
- Melanotus (Kensakulus) seniculus* Candéze, 1873 チャバネクシコメツキ
Melanotus seniculus Candéze, Mém. Soc. Sc. Liège, (2) V:21-22, 1873
 (Hiogo; dix exemplaire)
- Melanotus (Kensakulus) erythropygus* Candéze, 1873 コガタクシコメツキ
Melanotus erythropygus Candéze, Mém. Soc. Sc. Liège, (2) V:20, 1873
 (Hiogo; ungrand nombre d'individus)
- Paracardiophorus pullatus* (Candéze, 1873) コハナコメツキ
Cardiophorus pullatus Candéze, Mém. Soc. Sc. Liège, (2) V:16, 1873
 (Il est assez common a' Hiogo)

Family Omethidae ホソホタルモドキ科

- Drilonius striatulus* Kiesenwetter, 1874 ホソホタルモドキ
Drilonius striatulus Kiesenwetter, Berl. Ent. Zeits. 18:282-283, 1874
 (Hiogo, Nagasaki)

Family Cantharidae ジョウカイボン科

- Athemellus adusticollis* (Kiesenwetter, 1874) ムネアカクロジョウカイ
Cantharis adusticollis Kiesenwetter, Berl. Ent. Zeit. 18:274-275, 1874 (Hiogo)
- Stenothemus badia* (Kiesenwetter, 1874) クリイロジョウカイ
Cantharis badia Kiesenwetter, Berl. Ent. Zeits. 18:278, 1874 (Hiogo)
- Trypherus niponicus* (Lewis, 1879) キベリコバネジョウカイ
Ichthyurus niponicus Lewis, Ann. Mag. Nat. Hist. (5) IV:463, 1879
 (Hiogo, foot on Maiyasan)
- Malthodes kobensis* Lewis, 1895 コウベツマキジョウカイ
Malthodes kobensis Lewis, Ann. Mag. Nat. Hist. (6) XVI:115, 1895
 (Kobe and Kashiwagi. Three examples)

Family Lycidae ベニボタル科

- Platerous coracinus* (Kiesenwetter, 1874) クロハナボタル
Eros coracinus Kiesenwetter, Berl. ent. Zeits. 18:257, 1874
 (Hiogo, Nagasaki, frequens in sepibus)
- Lyponia quadricollis* (Kiesenwetter, 1874) カクムネベニボタル
Celetes quadricollis Kiesenwetter, Berl. Ent. Zeit., 18:252-253, 1874
 (Hiogo at Nagasaki, rarus in montibus)
- Dictyoptera velata* (Gorham, 1883) アカスジヒシベニボタル
Eros velatus Kiesenwetter, Trans. ent. Soc. London, Part. IV:402, 1883
 (Kobe on Maiyasan)

Family Cleridae カッコウムシ科

- Cladiscus obeliscus* Lewis, 1892 ホソカッコウムシ
Cladiscus obeliscus Lewis, Ann. Mag. Nat. Hist. X(6):185-186, 1892
 (Kiushiu and main island. This insect appears towards the end of July. Nagasaki, Maiyasan near Kobé and Fukushima are special localities for it.)

Family Nitidulidae ケシキスイ科

- Aphenolia pseudosoronia* Reitter, 1885 オオヒラタケシキスイ
Aphenolia pseudosoronia Reitter, Wien. Ent. Zeit., IV, Heft. 1:16-17, 1885
 (Hyogo, Konose und Yuyama)

Family Helotidae オオキシムシ科

- Helota gemmata* Gorham, 1874 ヨツボシオオキシムシ
Helota gemmata Gorham, Trans. ent. Soc. London, 1874:448 (Hiogo)

Family Languriidae コメツキモドキ科

- Anadastus praetormissa* (Janson, 1874) アオバヒメコメツキモドキ
Languria praetormissa Janson, Ent. month. Mag. 1874:186
 (One example on Maiyasan, Hiogo)
- Languriomorpha lewisi* (Crotch, 1873) ルイスコメツキモドキ
Languria geniculata Harold, 1879, Mitt. Münch. Ver. 1879:59 (Kobe)
- Anadastus filiformis* (Fabricius, 1801) アカヒメコメツキモドキ
Languria nigripes Crotch, 1874, Ent. Monthl. Mag., IX:184-185, 1874
 (Nagasaki in Kiushiu, Hiogo in Nippon)

Family Erotylidae オオキノコムシ科

- Episcapha fortunii* Crotch, 1874 ヒメオビオオキノコ
Episcapha Fortunii Crotch, 1874, Ent. Month. Mag. IX:188
 (Hiogo, in fungi on firs, in great profusion)
- Aulocochilus japonicus* Crotch, 1874 カタモンオオキノコ
Aulocochilus japonicus Crotch, Ent. Monthl. Mag. IX:189, 1874
 (On Maiyasan, Hiogo; two examples)
- Triplax japonica* Crotch, 1874 ホソチビオオキノコ
Triplax japonica Crotch, Ent. Monthl. Mag., IX:189, 1874
 (Nagasaki and Hiogo)
- Tritoma niponensis* (Lewis, 1874) クロチビオオキノコムシ
Cryptotriplax niponensis Lewis, Ent. Monthy. Mag., XI:78, 1874
 (Hiogo, Maiyasan Temple, lex., X.1871)

Family Phalacridae ヒメハナムシ科

- Phalacrus brevidens* Champion, 1925 ニセクロズマルヒメハナムシ
Phalacrus brevidens Champion, Ann. Mag. Nat. Hist. Ser.9, 16:606, fig.1f. 1925
 (Japan, Nikko and Kobe (Type) G.Lewis, VI, VII, 1981)
- Heterostibus kobensis* Champion, 1925 キイロヒメハナムシ
Heterostibus kobensis Champion, Ann. Mag. Nat. Hist. Ser.9:16-620, 1925
 (Japan, Kobe (Type), Kumamoto, G.Lewis, VII, 1981)

Family Coccinellidae テントウムシ科

- Rodolia concolor* (Lewis, 1879) アカイロテントウ
Novius concolor Lewis, Ann. Mag. Nat. Hist. (5)IV:466, 1879
 (Hiogo, Maiyasan temple, from which I possess a series)
- Anisostica kobensis* Lewis, 1896 ジュウクホシテントウ
Anisostica kobensis Lewis, Ann. Mag. Nat. Hist., (6)XVII:25-26, 1896
 (Kawasaki, near Kobe, a small series found under reeds in September)

Family Endomychidae テントウダマシ科

- Lycoperdina dux* Gorham, 1873 フチトリツヤテントウダマシ
Lycoperdina dux Gorham, Ent. Monthly Mag. IX:205-206, 1873
 (Frequent in puff balls under trees; Maizasau hills Hiogo)
- Mycetina ancoriger* Gorham, 1873 イカリモンテントウダマシ
Mycetina ancoriger Gorham, Ent. Monthly Mag., IX:206, 1873
 (Nagasaki, with the preceding, and also at Hiogo and Yokohama)

Mycetina laticollis Gorham, 1887 ムナピロテントウダマシ
Mycetina laticollis Gorham, Proc. Zool. Soc. London, XLIII:644, pl.LIII, f.2, 1887
(Main Island: Kashiwagi, Nara, Maiyasan at Kobé)

Danae orientalis (Gorham, 1873) トウヨウダナエテントウダマシ
Coniopoda orientalis Gorham, Ent. Monthly Mag., IX:205, 1803
(Two specimens; Hiogo)

Family Discolomidae ミジンムシダマシ科

Aphanocephalus hemisphaexicus Wollaston, 1873 クロミジンムシダマシ
Aphanocephalus hemisphaexicus Wollaston, Ent. month Mag., IX:280-281, 1873 (Kobe)
Aphanocephalus wollastoni Rye, 1873 コゲチャミジンムシダマシ
Aphanocephalus wollastoni Rye, Ent. Month Mag. X:167, 1873
(Two specimens were taken in 1869 by Mr.G.Lewis, under leaves near Maiyasan Temple, Hiogo, Japan)

Family Tenebrionidae ゴミムシダマシ科

Micropedis algae Lewis, 1894 ホソハマベゴミムシダマシ
Micropedis algae Lewis, Ann. Mag. Nat. Hist. Ser.6,VIII:380, 1894
(Kobe, Abundant under seaweeds on the sandy sea-coast)
Micropedis pallidipennis Lewis, 1894 ヒメホソハマベゴミムシダマシ
Micropedis pallidipennis Lewis, Ann. Mag. Nat. Hist. Ser.6, XIII:380, 1874
(Kobé. Associated with M.algae)
Phelopatrum scaphoides (Marseul, 1876) オオマルスナゴミムシダマシ
Hydrus scaphoides Marseul, Ann. Soc. Ent. France, 1876:99-100
(Niphon: Hiogo)
Gonocephalum bilineatum Walker, 1858 スジスナゴミムシダマシ
Opatrum orarium Lewis, 1894. Ann. Mag. Nat. Hist. Ser.6,XIII:380-381
(Kobé, One example)
Gonocephalum japonum Motschulsky, 1860 スナゴミムシダマシ
Opatrum expansicolle Lewis, 1894, Ann. Mag. Nat. Hist.,(6)13:380
(Kiga, Kobé, Arima, and on Maiyasan)
Gonocephalum pubens (Marseul, 1876) オオスナゴミムシダマシ
Opatrum (Gonocephalum) pubens Marseul, Ann. Soc. ent. France, 1876:97-98
(Hiogo)
Gonocephalum sexuale (Marseul, 1876) ホソスナゴミムシダマシ
Opatrum (Gonocephalum) sexual Marseul, Ann. Soc. ent. France, 1876:98-99
(Hiogo)

- Caedius marinus* Marseul, 1876 マルガタチビゴミムシダマシ
Caedius marinus Marseul, Ann. Soc. ent. France 1876:96-97 (Hiogo)
- Platydemia subfascia* (Walker, 1858) ベニモンキノコゴミムシダマシ
Alphitophagenus japonius Marseul, 1876, Ann. Soc. ent. France 1876:109-111 (Hiogo)
- Derispia maculipennis* (Marseul, 1876) クロホシテントウゴミムシダマシ
Diaperis (?) *maculipennis* Marseul, Ann. Soc. ent. France (5)6:105-106, 1876
 (Hiogo, Maiyasan)
- Lyphia exigua* Marseul, 1876 ホソヒメコクヌストモドキ
Lyphia exigua Marseul, Ann. Soc. ent. France (5)6:113-114, 1876 (Hiogo)
- Gnesis helopioides* Pascoe, 1866 ズビロキマワリモドキ
Tromosternus Haagi Harold, 1876, Abh. Ver. Bremen, 5:131 (Hiogo, Lenz leg.)
- Pseudonoutes purpurivittatus* (Marseul, 1876) ヒメニシキキマワリモドキ
Scotaeus (?) *purpurivittatus* Marseul, Ann. Soc. ent. France 6(5):130-131, 1876 (Hiogo)
- Misolampidius okumurai* Nakane, 1968 ツヤヒサゴゴミムシダマシ
Helops clavicrus Marseul, 1876, Ann. Soc. ent. Fr. (5)6:139-140 (Hiogo)
- Stenophanes rubripennis* (Marseul, 1876) ホソクビキマワリ
Helops rubripennis Marseul, 1876, Ann. Soc. ent. Fr. (5)6:137-138
 (Nippon, Hiogo (Mai-ya-san))
- Plesiophthalmus spectabilis* Harold, 1875 クロツヤキマワリ
Plesiophthalmus spectabilis Harold, Abh. Ver. Bremen, 4:293, 1875 (Hiogo)
- Plesiophthalmus nigrocyaneus* Motschulsky, 1857 キマワリ
Plesiophthalmus sericeifrons Marseul, Ann. Soc. ent. Fr., 6(5):317, 1876 (Hiogo)
Plesiophthalmus aenescens Marseul, Ann. Soc. ent. Fr., 6(5):318, 1876 (Hiogo)

Family Lagriidae ハムシダマシ科

- Arthromacra decora* (Marseul, 1876) アオハムシダマシ
Lagria decora Marseul, 1876, Ann. Soc. ent. France, 1876:339-340
 (Nippon-Hiogo)

Family Alleculidae クチキムシ科

- Allecula bilamellata* Marseul, 1876 フタマタクチキムシ
Allecula (?) *bilamellata* Marseul, Ann. Soc. ent. France, 1876:323-324 (Hiogo)
- Hymenalis rufipennis* (Marseul, 1876) アカバネツヤクチキムシ
Cistela (*Gonodera*) *rufipennis* Marseul, 1876, Ann. Soc. ent. France, 1876:328-329
 (Nagasaki, Hiogo)
- Allecula obseura* Harold, 1876
Allecula obseura Harold, Abhandl. Nat. Ver. Bremen, IV:132-133, 1876 (Hiogo)

Allecula tenuis Marseul, 1876 ホソアカクチキムシ

Allecula tenuis Marseul, Ann. Soc. ent. France, 1876:326-327 (Hiogo)

Allecula velutina Marseul, 1876 ビロードクチキムシ

Allecula velutina Marseul, Ann. Soc. ent. France, 1876:322

(Kiu-Siu (Nagasaki) et Nippon, sur le Mai-ya-san; common dans les vieux arbres)

Borboresthes acicularis (Marseul, 1876) クリイロクチキムシ

Allecula crubalis Marseul, Ann. Soc. ent. France, 1876:325-326 (Hiogo)

Borboresthes cruralis (Marseul, 1876) トビイロクチキムシ

Allecula crubalis Marseul, Ann. Soc. ent. France 1876:324-325 (Hiogo)

Hymenorus veterator Lewis, 1895 ムナビロクチキムシ

Hymenorus veterator Lewis, Ann. Mag. Nat. Hist. (6)XVI:252, 1895

(Nikko and Maiyasan near Kobé. Three examples only, taken in August)

Family Pyrochroides アカハネムシ科

Ischalia patagiata Lewis, 1879 ヘリハネムシ

Ischalia patagiata Lewis, Ann. Mag. nat. Hist. (5)IV:464, 1879

(Hiogo and Nagasaki in August)

Family Melandryidae ナガクチキムシ科

Phloeotrya rugicollis Marseul, 1876 クロホソナガクチキムシ

Phloeotrya rugicollis Marseul, Ann. Soc. ent. Fr., 1876:334-335

(Hiogo, Maiyasan)

Serropalpus filiformis Marseul, 1876 ヒメホソナガクチキムシ

Serropalpus filiformis Marseul, Ann. Soc. ent. Fr., 1876:333-334

(Mai-ya-san)

Family Oedemeridae カミキリモドキ科

Eobia florilega Lewis, 1895 ハラグロランブカミキリモドキ

Eobia florilega Lewis, Ann. Mag. Nat. Hist. (6)XV:438, 1895

(Kobé, three example)

Family Meloidae ツチハンミョウ科

Meloe auriculatus Marseul, 1876 キュウシュウツチハンミョウ

Meloe auriculatus Marseul, Ann. Soc. ent. Fr. (5)VI, p.480, 1876

(Hiogo, Osaka)

Meloe corvinus Marseul, 1876 マルクビツチハンミョウ

Meloe corvinus Marseul, 1876, Ann. Soc. ent. Fr. (5)VI, p.482-483, 1876
(Nagasaki et Hiogo)

Family Anthicidae アリモドキ科

Mecynotarsus minimus Marseul, 1876 チビイッカク

Mecynotarsus minimus Marseul, Ann. Soc. ent. France 1876:461
(Japan [Nagasaki et Hiogo])

Antelephila cribriceps (Marseul, 1876) ケオピアリモドキ

Formicomus cribriceps Marseul, Ann. Soc. ent. France, 1876:459-460
(Japan [Nagasaki et Hiogo])

Pseudoleptaleus trigibbier (Marseul, 1876) ミツヒダアリモドキ

Formicomus trigibbier Marseul, Ann. Soc. ent. France 1876:460
(Japan [Nagasaki et Hiogo])

Sapintus cohaeres (Lewis, 1895) ムナグロホソアリモドキ

Anthicus cohaeres Lewis, Ann. Mag. Nat. Hist. (6)XV:430, 1895
(Yokohama, Kobé on Maiyasan and the Usui-togé. Five examples only)

Anthicus confucii Marseul, 1876 ウスモンホソアリモドキ

Anthicus Confucii (Leferté) Marseul, Ann. Soc. ent. France, p.464-465, 1876
(Japan [Hiogo, Nagasaki])

Anthicus lepidulus Marseul, 1876 ウスイロホソアリモドキ

Anthicus lepidulus Marseul, Ann. Mag. nat. Hist. 1876:461-462
(Japan [Nagasaki et Hiogo])

Anthicus monstrosicornis Marseul, 1876 ヒゲブトホソアリモドキ

Anthicus monstrosicornis Marseul, Ann. Soc. ent. France, 1876:456-466
(Japan [Hiogo, Nagasaki])

Anthicus perileptoides Lewis, 1895 ヒラタホソアリモドキ

Anthicus perileptoides Lewis, Ann. Mag. Nat. Hist. (6)XV:431-432, 1895
(Kobé. I took an example from under a stone on the beach; *Perileptus japonicus* Bates, ホソチビゴミムシ, was running plentifully with it.)

Anthicus pilosus Marseul, 1876 コクロホソアリモドキ

Anthicus pilosus Marseul, Ann. Mag. nat. Hist. 1876:466-467 (Hiogo)

Anthicus scoticus Marseul, 1876

Anthicus scoticus Marseul, Ann. Soc. ent. France 1876:462-463
(Japan, Nagasaki et Hiogo)

Macratria cingulifera Marseul, 1876 オビクビボソムシ

Macratria cingulifera Marseul, Ann. Soc. ent. France, 1876:449 (Hiogo)

- Macratia serialis* Warseul, 1876 アカクビボソムシ
Macratia serialis Warseul, Ann. Soc. ent. France, 1876:448-449
 (Hiogo, sur le Mai-ya-san)

Family Cerambycidae カミキリムシ科

- Distenia gracilis* (Blessig, 1872) ホソカミキリ
Distenia japonica Bates, 1873, Ann. Mag. nat. Hist., ser.4,XII:9-10
 (Maiyasan, Hiogo; many examples, found at night running over fire trees)
- Aeolesthes (Pseudaeolestes) chrysothrix* (Bates, 1873) キマグラカミキリ
Neocerambyx Batesi Harold, 1875, Abhandl. Nat. Ver. Bremen, IV:295 (Hiogo)
- Stenodryas clavigera* Bates, 1873 アメイロカミキリ
Stenodryas clavigera Bates, Ann. Mag. nat. Hist. XII:8, 1873 (♂, Hiogo)
- Ceresium holophaeum* Bates, 1873 ヨコヤマヒメカミキリ
Ceresium holophaeum Bates, Ann. Mag. Nat. Hist., XII:7, 1873
 (Hiogo; three examples, apparently males)
- Leontium viride* (Thomson, 1864) ミドリカミキリ
Callichroma (Chloridolum) tenuatum Bates, 1873, Ann. Mag. Nat. Hist. XII:14, 1873
 (Kobe, several examples; also taken by Mr. Fortune on the island of Nipon)
- Chlorophorus muscosa* (Bates, 1873) フタオビミドリトラカミキリ
Clytanthus muscosus Bates, 1873, Ann. Mag. nat. Hist. Vol.XII:15-16, 1873
 (Hiogo, three examples)
- Mesossa hirsuta* Bates, 1884 カタジロゴマフカミキリ
Mesossa hirsuta Bates, Linn. Journ. Zoology XVIII:244-245, 1884 (Kobe)
- Mesossa longipennis* Bates, 1873 ナガゴマフカミキリ
Mesossa longipennis Bates, Ann. Mag. nat. Hist. Vol.XII:23, 1873
 (Hiogo; several examples)
- Microlera ptinoides* Bates, 1873 ヒシカミキリ
Microlera ptinoides Bates, Ann. Mag. nat. Hist. Vol.XII:29-30, 1873
 (Hiogo; on dead branches of *Aegle sepiaria*)
- Atimura japonica* Bates, 1873 コブスジサビカミキリ
Atimura japonica Bates, Ann. Mag. nat. Hist. Vol.XII:30, 1873
 (Hiogo; many examples)
- Sybra ordinata* Bates, 1873 アヤモンチビカミキリ
Sybra ordinata Bates, Ann. Mag. nat. Hist. Vol.XII:28, 1873
 (Hiogo; on dead *Cissus*-stems)
- Neosybra cribrella* (Bates, 1873) ヒメアヤモンチビカミキリ
Sybra cribrella Bates, Ann. Mag. nat. Hist., Vol.XII:28-29, 1873
 (Moon-temple, Kobe)

- Cleptometops bimaculatus* (Bates, 1873) ハスオビヒゲナガカミキリ
Smermus(?) bimaculatus Bates, Ann. Mag. nat. Hist. Vol.XII:31-32, 1873
 (Maiyasan; rare)
- Nipona furcata* (Bates, 1873) ハイイロヤハズカミキリ
Aelara furcata Bates, 1873, Ann. Mag. nat. Hist. Vol.XII:25, 1873
 (Hiogo, on bamboo fences; larvae feed in the interior of the stens)
- Pterolophia jugosa* (Bates, 1873) ナカジロサビカミキリ
Praonetha jugosa Bates, Ann. Mag. nat. Hist. Vol.XII:26, 1873
 (Hiogo, Nagasaki)
- Pterolophia granulata* (Motschulsky, 1866) アトモンサビカミキリ
Praonetha rigida Bates, Ann. Mag. nat. Hist. Vol.XII:26-27, 1873
 (Hiogo, Nagasaki)
- Mesechthistatus furciferus* (Bates, 1884) マヤサンコブヤハズカミキリ
Echthstatus furciferus Bates, Linn. Journ. Zoology XVII:237, 1884
 (Hiogo on Maiyasan)
- Parachthistatus gibber* (Bates, 1873) セダカコブヤハズカミキリ
Echthistatus gibber Bates, Ann. Mag. nat. Hist. Vol.XII:18-19, 1873
 (Maiyasan and Kawatchi, in September)
- Acalolepta fraudatrix* (Bates, 1873) ビロウドカミキリ
Monohammus fraudator Bates, 1873, Ann. Mag. nat. Hist. Vol.XII:20
 (Nagasaki and Hiogo, common)
- Acalolepta sejunctus* (Bates, 1873) ニセビロウドカミキリ
Monochammus sejunctus Bates, Ann. Mag. nat. Hist. Vol.XII:20-21, 1873
 (Nagasaki and Hiogo, common)
- Rhodopina lewisii* (Bates, 1873) セミスジコブヒゲナガカミキリ
Rhodopis Lewisii Bates, Ann. Mag. nat. Hist. Vol.XII:23-24, 1873
 (Hiogo; many examples)
- Pogonocherus seminiveus* Bates, 1873 ネジロカミキリ
Pogonocherus seminiveus Bates, Ann. Mag. nat. Hist. Vol.XII:31, 1873
 (Yokohama: Hiogo)
- Leiopus guttatus* Bates, 1873 ナカバヤシモモブトカミキリ
Leiopus guttatus Bates, Ann. Mag. nat. Hist. Vol.XII:32, 1873
 (Two examples, Hiogo)
- Eutetrappa ocelota* (Bates, 1873) ヤツメカミキリ
Glenea ocelota Bates, Ann. Mag. nat. Hist. Vol.XII:35, 1873
 (Hiogo, many examples)
- Nupserha marginella* (Bates, 1873) ヘリグロリンゴカミキリ
Oberea marginella Bates, Ann. Mag. nat. Hist. Vol.XII:38, 1873
 (Osaka, Hiogo; many examples)

Family Bruchidae マメゾウムシ科

- Bruchidius compactus* (Sharp, 1886) シロモンマメゾウムシ
Bruchus comptus Sharp, Ann. Mag. nat. Hist. ser.5, Vol.XVII(97):36-37, 1886
 (Kobe, June, 8.1881, Lewis leg.; Hosokute, July 22.1881. Three examples)
Kytorhinus sharpianus Bridwell, 1932 シャープマメゾウムシ
Pygobruchus scutollaris Sharp, Ann. Mag. nat. Hist. ser.5, Vol.XVII(97):38, 1886
 (Kobe, June, 8.1881, a single male example Lewis leg.)

Family Chrysomelidae ハムシ科

- Donacia (Cyphogaster) lenzi* Schönfeldt, 1888 ネクイハムシ
Donacia lenzi Schönfeldt, Ent. Nachr.,14:33, 1888 (Hiogo)
Donacia aeraria Baly, 1873, Trans. ent. Soc. London, 1873, p.69
 (Nagasaki, Hiogo)
Lema dilecta Baly, 1873 スゲクビボソハムシ
Lema dilecta Baly, Trans. ent. Soc. London, 1873:74
 (Hiogo, Japan; a single specimen)
Coptocephala orientalis Baly, 1873 ヨツボシアカツツハムシ
Coptocephala orientalis Baly, Trans. ent. Soc. London, 1873:81-82 (Hiogo)
Smaragdina semiauratiacea (Fairmaire, 1888) ムナキルリハムシ
Gynadrophthalma japonica Fleischer, 1916, Wien. Ent. Ztg., 35:223
 (Harima)
Adiscus lewisii (Baly, 1873) タマツツハムシ
Dioryctus oglobini Roubal, 1929, Soc. ent. Italian Bull. 61(5/6):97 (Kobe)
Cryptocephalus fortunatus Baly, 1873 キアシルリツツハムシ
Cryptocephalus fortunatus Baly, Trans. ent. Soc. London, 1873:94
 (Hiogo, Japan; also Chusan, brought over by Mr.A.Adams)
Cryptocephalus scitulus Baly, 1873 カシワツツハムシ
Cryptocephalus scitulus Baly, Trans. ent. Soc. London, 1873:89-90
 (Hiogo, on oak)
Demotina bipunctata Jacoby, 1885 フタモンアラゲサルハムシ
Demotina bipunctata Jacoby, Zool. Soc. London, Proc. 1885:204
 (Kobe, a single specimen was obtained by Mr. Lewis during his first journey, a second one at the last visit to Japan.)
Gonioctena (Simomela) nigroplagiata Baly, 1862 ヤツボシハムシ
Phytodecta ruboustus Jacoby, 1885, Zool. Soc. London, Proc. 1885:209
 (Miyanoshita, Hiogo [all coll. Jacoby])
Arthrotus niger Motschulsky, 1857 ムナグロツヤハムシ
Arthrotus variabilis Baly, 1874, Trans. ent. Soc. London, 1874:183
 (Nagasaki, Yokohama, Hiogo)

- Calomicrus cyaneus* (Jacoby, 1885) ハラグロヒメハムシ
Luperus (Calomicrus) japonicus Fleischer, 1916, Wien. Ent. Ztg. 35:223 (Harima)
- Fleutiauxia armata* (Baly, 1874) クワハムシ
Aemida armata Baly, Ent. Soc. Lond. Trans. 1874:179
 (Nagasaki, Hiogo, Tsusima; also Manchuria)
- Pyrrhalta annulicornis* (Baly, 1874) ブチヒゲケブカハムシ
Galleruca annulicornis Baly, Ent. Soc. London, Trans. 1874:177 (Hiogo)
- Taumacera tibialis* (Jacoby, 1885) クロバヒゲナガハムシ
Aenidea tibialis Jacoby, Proc. Zool. Soc. London, 1885:750, pl.XLVI, f.8, 1885
 (Japan: Nara, Kobe, Maiya-san, Nikko)
- Stenoluperus cyanea* (Baly, 1874) ルリウスバハムシ
Arthrotus cyaneus Baly, 1874, Ent. Soc. London, Trans. 1874:184
 (Hiogo; a single specimen)
- Stenoluperus nipponensis* (Laboissiere, 1913) ヒゲナガウスバハムシ
Luperus longicornis Jacoby, 1885, Zool. Soc. Lond. Proc. 1885:742, pl.46, fig.5
 (Nikko, Kobe, Tuyama)
- Hemipyxis flavipennis* (Baly, 1874) キバネマルノミハムシ
Sebaethe flavipennis Baly, 1874, Ent. Soc. Lond., Trans. 1874:194
 (Nagasaki, Hiogo)
- Liprus punctatostriatus* Motschulsky, 1860 ナガトビハムシ
Crepidodera (Crepidomorpha) carinulata Fleischer, 1916, Wien. Ent. Ztg. 35:222 (Harima)
- Luperomorpha tenebrosa* (Jacoby, 1885) キアシノミハムシ
Phyllotreta tenebrosa Jacoby, 1885, Zool. Soc. Lond. Proc. 1885:731
 (Kobe, Kumamoto, Yuyama)
- Dactylispa angulosa* (Solsky, 1871) ヒメキベリトゲハムシ
Hispa japonica Baly, 1874, Ent. Soc. London, Trans. 1874:215
 (Hiogo, Kawachi; also China)
- Dactylispa subquadrata* (Baly, 1874) カタビロトゲハムシ
Hispa subquadrata Baly, 1874, Ent. Soc. Lond., Trans. 1874
 (Nagasaki, Hiogo)
- Thlaspidia lewisii* (Baly, 1874) ルイスジンガサハムシ
Coptocycla Lewisii Baly, 1874, Ent. Soc. Lond. Trans. 1874:214 (Hiogo)

Family Anthribidae ヒゲナガゾウムシ科

- Aracerus tarsalis* (Sharp, 1891) アカアシヒゲナガゾウムシ
Araeocerus tarsalis Sharp, Trans. ent. Soc. London, 1891:323
 (at Kobé in August, 1871)

Tropiders naevulus Faust, 1887 キマダラヒゲナガゾウムシ
Tropiders germanus Sharp, Trans. ent. Soc. London, 1891:304
 ("the types were found at the Moon Temple Kobe")

Platystomus sellatus (Roelofs, 1879) シロヒゲナガゾウムシ
Anthrribus daimio Sharp, 1891, Trans. ent. Soc. London, 1891:319
 (Kobe in July, Yokohama in June, Kurigahara in August; Junsai)

Family Attelabidae オトシブミ科

Phymatopoderus parvens Voss, 1926 ヒメコブオトシブミ
Phymatopoderus parvens Voss, Stett. Ent. Ztg. 87:72, 74, 1926 (Harima)

Cycynotrachelus roelofsi (Harold, 1877) エゴツルクビオトシブミ
Apoderus nitens Roelofs, Ann. Soc. ent. Belg., XVII:133, 1874
 (Hiogo, Yokohama et Hakodadi)

Paracynotrachelus longicornis (Roelofs, 1874) ヒゲナガオトシブミ
Apoderus nitens Roelofs, Ann. Mag. ent. Belg. XVII:131, 1874 (Hiogo-Lewis)

Buops (Synaptopus) politus (Roelofs, 1874) ケシルリオトシブミ
Attelabu politus Roelofs, Ann. Soc. ent. Belg., XVII:140, 1874 (Kobe)

Buops (Synaptopus) splendida Voss, 1927 カシルリオトシブミ
Attelabus (Buscelus ?) splendens Roelofs, Ann. Soc. ent. Belg., XVII:139, 1874 (Hiogo)

Family Rhynchitidae チョッキリゾウムシ科

Eugnamptus (Eugnamptobius) flavipes Sharp, 1889 キアシホソチョッキリ
Eugnamptus flavipes Sharp, Trans. ent. Soc. London, 1889:70
 (Kobé and Fukushima in July, 1881, two specimens)

Mecorhis (Cyllorhynchites) ursulus (Roelofs, 1874) ハイイロチョッキリ
Rhynchites ursulus Roelofs, Ann. Soc. ent. Belg., XVII:142, 1874 (Hiogo)

Involvlus (Cartorhynchites) singularis (Roelofs, 1874) マダラケブカチョッキリ
Rhynehites singularis Roelofs, Ann. Soc. ent. Belg. XVII:147, 1874 (Hiogo)

Family Curculionidae ゾウムシ科

Wagnerinus harmandi (Hustache, 1916) アルマンサルゾウムシ
Ceuthorrhynchus Harmandi Hustache, Ann. Soc. ent. Fr., LXXXV:141, 1916
 (Kobé, G. Lewis leg., 9. juin, 1884)

Scepticus insularis Roelofs, 1873 クワヒョウタンゾウムシ
Scepticus insularis Roelofs, Ann. Soc. ent. Belg., XVI:158, Fig.1, 1873 (Hiogo)

- Mecysolobus flavosignatus* (Roelofs, 1875) キスジアシナガゾウムシ
Alcides flavosignatus Roelofs, Ann. Soc. ent. Belg., XVIII:548, 1875 (Hiogo)
- Cryptorrhynchus electus* (Roelofs, 1875) マダラクチカクシゾウムシ
Coelosternus(?) *erectus* Roelofs, Ann. Soc. ent. Belg. XVIII:170, 1875
 ("Sur une espèce du pini Kobé" Lewis)
- Acicnemis suturalis* Roelofs, 1875 ナカスジカレキゾウムシ
Acicnemis suturalis Roelofs, Ann. Soc. ent. Belg., XVIII:158, 1875 (Hiogo)
- Larinus latissimus* Roelofs, 1873 ゴボウゾウムシ
Larinus latissimus Roelofs, Ann. Soc. ent. Belg., XVI:183, 1873 (Hiogo)
- Lepyrus japonicus* Roelofs, 1873 フタキボシゾウムシ
Lepyrus japonicus Roelofs, Ann. Soc. ent. Belg., XVI:186, 1873
 (Un seul exemplaire, de Hiogo)
- Kyliparus lewisii* (Roelofs, 1873) ヒサゴアナアキゾウムシ
Molytes Lewisii Roelofs, 1873, Ann. Soc. ent. Belg., XVI:178
 (Un seul individu de Hiogo)
- Dyscerus exsculptus* (Roelofs, 1875) クリアアナアキゾウムシ
Hylobius exsculptus Roelofs, 1875, Ann. Soc. ent. Belg., Compt. Rend. XVII:CXXX
 (Kioto, Hiogo)
- Hexarthrum brevicorne* Wollaston, 1873 ムツヒゲキクイゾウムシ
Hexarthrum brevicorne Wollaston, Trans. ent. Soc. London, p.38, 1873
 (Captus ad Hiogo, in ins. Nipon)
- Stenoscelis gracilitarsis* Wollaston, 1873 マツクチブトキクイゾウムシ
Stenoscelis gracilitarsis Wollaston, Trans. ent. Soc. London, p.42, 1873
 (Captus (semel tantum) in pino quodam antiquo, Augusto, A.D.1870, ad. Hiogo, in ins. Nipon)
- Phloeophagosoma curvirostre* Wollaston, 1873 ワシバナヒメキクイゾウムシ
Phloeophagosoma curvirostre Wollaston, Trans. ent. Soc. London, 1873:26
 (Captum ad Hiogo, in ins. Nipon)
- Coprodema calandraeformis* Wollaston, 1873 アトキリキクイゾウムシ
Coprodema calandraeformis Wollaston, Trans. ent. Soc. London, 1873:21
 (Capta ad Nagasaki in ins. Kushi, necnon inter arbores antiquas ad Hiogo in ins. Nipon)
- Exodema sublutosa* Wollaston, 1873
Exodema sublutosa Wollaston, Trans. ent. Soc. London, 1873:23
 (Capta cum specie praecedenti ad Hiogo in ins. Nipon, batenus unica)
- Macrorhyncolus crassiusculus* Wollaston, 1873 マツオオキクイゾウムシ
Macrorhyncolus crassiusculus Wollaston, Trans. ent. Soc. London, 1873:34
 (Captus inter fungos pinosque ad Hiogo, in ins. Nipon mense Augusto, A.D. 1870)

Family Rhynchaphoridae オサゾウムシ科

Dryophthorus sculpturatus (Wollaston, 1873) キクイサビゾウムシ*Tetratemus sculpturatus* Wollaston, 1873, Trans. ent. Soc. London, 1873:11

(Captus inter pinos fungosque ad Hiogo, in ins. Nipon; necnon prope Nagasaki, in ins. Kushiu)

Family Scolytidae キクイムシ科

Hylastes plumbeus Blandford, 1874 マツノヒロスジキクイムシ*Hylastes plumbeus* Blandford, Trans. ent. Soc. London, 1894:57(Common; taken with *H. parallelus*, also at Nikko, Kobe, & C.)*Phlaeosinus perlatus* Chapuis, 1875 ヒバノキクイムシ*Phlaeosinus perlatus* Chapuis, Ann. Soc. ent. Belg., 1874:198 (Hiogo)*Phloeosinus rudis* Blandford, 1894 ヒノキノキクイムシ*Phloeosinus rudis* Blandford, Trans. ent. Soc. London, 1894:73

(Kashiwagi and Kobe)

(II)

Family Carabidae オサムシ科

Carabus (Ohomopterus) japonicus awajiensis Imura, Dejima et Mizusawa, 1993 アワジヒメオサムシ*Carabus (Ohomopterus) japonicus awajiensis* Imura, Dejima et Mizusawa, Gekkan Mushi (264): 14, 16, Figs.19,20,32, 1993

Holotype: ♂, Mt.Senzan, Is.Awaji-shima, Sumoto-shi, Hyogo Pref. 1.II.1984, I.Tanaka leg. in coll. National Science, Museum, Tokio.

Paratypes: 9♀♀, 9♀♀, same data as for the holotype: 2♀♀, same locality as for the holotype. 16.II.1983, I.Tanaka leg., 6♀♀, 3♀♀, same locality as for the holotype 5.I.1990, T.Dejima leg.

Carabus (Ohomopterus) japonicus chugokuensis (Nakane, 1961) アキオサムシ*Apotompterus japonicus chugokuensis* Nakane, 1961, Frag. Coleopt. Part.1:1; Insecta Japonica Ser.2, Pars.3:35, 1962 (Sasayama-Hyogo Pref.)

Paratypes. 8♂, 4♂ from Shimane, Hiroshima, Okayama and Hyogo Prefecture. Sasayama, Hyogo Pref. (Nakane, 1962)

Trechiana (s. str.) *crassilobatus* S.Uéno, 1977 トノミネメクラチビゴミムシ*Trechiana* (s. str.) *crassilobatus* S.Uéno, Bull. Natn. Sci. Mus. Ser. A (Zool.) 3(3):157-161, Fig.1-3, 1977

Holotype: ♂, allotype: ♀ Kawakami-kō Mine 30.XI.1976, S.Uéno & M.Uozumi leg.

Paratypes: 7♀♀, 3♀♀ (Kawakami-kō Mine, 30.XI.1976, S.Uéno, M.Uozumi & Y.Morimoto leg.), 4♀♀

(namles mine at Hatagiri, 10.X.1976, Y.Nishikawa & K.Katsura leg.); 3♀♀ (nameless mine at Hatagiri, 30.XI.1976, S.Uéno, M.Uozumi leg.)

All the specimens of type-series are deposited in the collection of the National Science Museum (Nat. Hist.), Tokyo.

Localities. Kawakami-ko Mine (type-locality!) and a nameles mine at Hatagiri, both at Kawakami of Okawachi-cho in Hyogo Prefecture, wester Honshu.

Trechiana (s. str.) *expectatus* S.Uéno, 1983 ムコガワメクラチビゴミムシ

Trechiana (s. str.) *expectatus* S. Uéno, Ann. Zool. Jap. 56(3):247-250, Figs.1-2, 1983

Holotype: ♂, allotype: ♀, 25.V.1982, S.Uéno leg.

Paratypes: 2♀♀, 1♀, 5.XII.1981, Y.Nishikawa & A.Noto leg.: 2♀♀, 30.IV.1982, Y.Nishikawa leg.: 12♀♀, 2♀♀ (incl. 2 teneral ♀♀), 25.V.1982, S.Uéno & Y.Nishikawa leg.: 12♀♀, 2♀♀ (incl. 2 teneral ♀♀), 25.V.1982, S.Nishikawa leg. (of three, 2 specimens (♀♀) were found in a baited trap set by Y.Nishikawa on. 30.IV.1982) all deposited in the collection of the Department of Zoology, National Science Museum (Nat. Hist.), Tokyo.

Type-locality. Takedao Mine, at Takedao of Nishinomiya-shi in Hyogo Prefecture, Central Japan.

Trechiana (s. str.) *fujitai* S.Uéno, 1969 フジタメクラチビゴミムシ

Trechiana (s. str.) *fujitai* S.Uéno, 1969, Bull. Nat. Sci. Mus. Tokyo 12(4):779-782, 1969

Holotype: ♂, allotype: ♀, paratype: 1♀ (5.V.1967 collected by S.Uéno, Y.Morimoto, K. Mizushima and K.Utsumi)

Paratype: 1♀ (11.X.1959, by K.Fujita)

All deposited in the collection of the National Science Museum, Tokyo.

Type-locality. Ruri-dera in Mt.Funakoshi-yama (270-300m in altitude) of Nanko-cho, Hyogo Pref. in Western Honshu, Japan)

Trechiana *onocoro* S.Uéno, 1983 オノコロメクラチビゴミムシ

Trechiana *onocoro* S.Uéno, Ann. Zool. Jap. 56(4):355-357, Fig.3-4, 1983

Holotype: ♂, Ayuya-gawa Valley, 26.III.1983, Y.Nishikawa leg.

Paratypes: 1♀, Ayuya-gawa Valley, 4.XII.1982, Y.Nishikawa & A.Noto leg., 5♀♀, 2♀♀,

1 mature larva, Ayuya-gawa Valley 26.III.1983, Y.Nishikawa leg., 2♀♀, Nariai-gawa Valley 26.III.1983, Y.Nishikawa & A.Noto leg.

All deposited in the collection of the Department of Zoology, National Science Museum (Nat. Hist.), Tokyo.

Type-locality, Kabuto-yama, ESE foot in the Ayuya-gawa Valley 205-220m in altitude (in Sumoto-shi) and foot in the Nariai-gawa Valley 210m in altitude (in Mihara-cho), on the Island of Awaji-shima in Hyogo Prefecture, Southwest Japan.

Trechiana (s. str.) *silicicola* S.Uéno, 1981 イチジマメクラチビゴミムシ

Trechiana (s. str.) *silicicola* S.Uéno, Bull. Natn. Sci. Mus. Tokyo, Ser.A, 7(2):79-82, Fig. 1-4, 1981.

Holotype: ♂, allotype: ♀, paratypes: 4♀♀, 2♀♀, 24.XI.1980, Y.Nishikawa leg.

Type-locality. Otagawachi Mine, at Otagawachi of Ichijimacho in Hyogo Prefecture, Central Japan.

Trechiana (s. str.) *yoshiakii* S.Uéno, 1978 テンガンメクラチビゴミムシ

Trechiana (s. str.) *yoshiakii* S.Uéno, 1978, Bull. Natn. Sci. Mus. Ser.A (Zool) 4(4):298-

301, Fig.5-8.

Holotype: ♂, allotype: ♀ (Tengan Mine-adit No.11. 26.III.1978, S.Uéno leg.)

Paratypes: 3♂♂, 3♀♀ (Tengan Mine-adit. No.10. 7.XI.1977, Y.Nishikawa leg.): 5♂♂, 9♀♀ (Tengan Mine-adit No.11. 26.III.1978, S.Uéno & Y.Nishikawa leg.): 2♂♂, 1♀ (Tengan Mine-adit. No.10. 17.IX.1978, Y.Nishikawa leg.) 2♂♂, 3♀♀ (Shinden Mine-adit No.6. 26.III. 1978, S.Uéno & Y.Nishikawa leg.): 6♂♂, 4♀♀ (Shinden Mine-adit No.6 17.IX.1978, Y.Nishikawa, K.Katsura, I.Kojima, Y.Tarumi, A.Noto & K.Mori leg.). All the specimens of the type series are deposited in the collection of National Science Museum (Nat. Hist.), Tokyo.

Localities. Tengan Mine (adits Nos.10 & 11)(type-locality!) and Shinden Mine (adit No.6) both at Shinden of Kamisasami in Taki-cho; and Tanba Mine (adit 310 M of Ohtawa No.8), at Hatayamanotsubo of Hiuchiwan in Sasayama-cho; all in Hyogo Prefecture of central Honshu, Japan.

Sakagutia marina S.Uéno, 1954 ウミミズギワゴミムシ

Sakagutia marina S.Uéno, Shin Konchu 7(3):42, 1954 (Kobe): Pub. Seto. Mar. Biol. Lab. IV (2/3):337-351, 1955.

Paratype. 1♀, Tarumi, west of Kobe, Honshu 2.IV.1940, Y.Kurosa leg.

Pterostichus (Rhagodus) thorectoides Jedička, 1958 ニセフトクビナガゴミムシ

Pterostichus (Rhagodus) thorectoides Jedička, Acta. Ent. Mus. Nat. Prage XXXI:240, 1958 (Type. Kobe)

Chlaenius (Chlanius ?) kurosawai Kasahara, 1986 ニセコガシラアオゴミムシ

Chlaenius (Chlanius ?) kurosawai Kasahara, Ent. Pap. pres. Kurosawa Tokyo, pp.147-142, fig. 1-11, 1986.

Paratype. Inagawa, Shimogawara, Hyogo Pref. 1♀, 3.III.1947, S.Uéno leg.

Parena nigrolineata nipponensis Habu, 1964 クロヘリアトキリゴミムシ

Parena nigrolineata nipponensis Habu, Akitu 11(3):33-34, 1964.

Paratype. lex., 2.VII.1921, Mt.Rokko, Hyogo.

Family Haliplidae コガシラミズムシ科

Haliphus (Liaphlus) eximius Clark, 1863 キイロコガシラミズムシ

Haliphus hiogoensis Kano et Kamiya, 1931, Trans. Kansai ent. Soc. (2):1.

Type, Kōtōen Nishinomiya City (Kōtōen Mukogun) [1♂, 13.X.1929, K.Kamiya leg.], Kobe [1♂, 13.XI.1929, K.Hasumi leg.]

Family Phreatodytidae ムカシゲンゴロウ科

Phreatodytes relictus S.Uéno, 1957 ムカシゲンゴロウ

Phreatodytes relictus S.Uéno, 1957. Arch. f. Hydrobid 53(2):257-249, Figs.1-21.

Holotype: ♂ (Aioi, 13.V.1955, collected by Y.Miura)

Allotype: ♀ (Aioi, 13.X.1953, by Y.Miura): 2♀♀ (Yatabe 10.XI.1953 by Y.Morimoto), 1 mature larva (Yatabe X.1951 by Y.Morimoto)

The Type-specimens are preserved in Uéno's coll. [Yatabe in Taishi-cho, west of Himeji]

Family Dytiscidae ゲンゴロウ科

Morimotoa phreatica S.Uéno, 1957 メクラゲンゴロウ

Morimotoa phreatica S.Uéno, 1957, Arch. f. Hydrobiol. 53(2):268-273, Figs.33-40.

Holotype: ♂ (Yatabe, VI.1952, collected by Y.Morimoto)

Allotype: ♀ (Yatabe, VI.1952, by Y.Morimoto)

Paratype: 3♀♀ (Yatabe, X.1951, by Y.Morimoto): 4♀♀ (Yatabe, VI.1952, Y.Morimoto), 2♂♂, 3♀♀ (Yatabe, IV.1953, by Y.Morimoto), 3♀♀1♀ (Yatabe, X.1953, by Morimoto), 3♀♀1♀ (Yatabe, III.1954, by Y.Morimoto): 1♀ (Aioi, 21.V.1953, by Y.Miura), 1♂ (Aioi, 18.I.1954, by Y.Miura): 1♀ (Aioi 17.VIII.1954, by Y.Miura): 1♂ (Aioi, 13.V.1955, by Y.Miura): 1♀ (Himeji, V.1954, by M.Morimoto): 2 larvae in young stage (Himeji, V.1954, by Y.Morimoto): 4 larvae in middle stage (Yatabe X.1951, by Y.Morimoto): 1 larva in middle stage (Aioi, 17.VIII.1954, by Y.Miura): 1 mature larva (Aioi, 21.I.1954, by Y.Miura)

The type-specimens are preserved in Ueno's coll. and in the collection of Otsu Hydrobiological Station.

Morimotoa phreatica miurai S.Uéno, 1957.

Morimotoa phreatica miurai S.Uéno, 1957, Arch. f. Hydrobiol. 53(2):273-274.

Holotype: ♂ (Kaibara 5.V.1954 collected by Y.Yamamoto)

Allotype: ♀ (Kaibara 10.V.1953 by Y.Miura)

Paratype: 1♂1♀ (Fukuchiyama 10.V.1953 by Y.Miura)

Hydrovatus yagii Kitayama, Mori et Matsui, 1993 ヤギマルケシゲンゴロウ

Hydrovatus yagii Kitayama, Mori et Matsui, Akitu(137):1-4, 1993.

Paratypes. Aonogahara, Kasai City 16.V.1992, Kitayama leg.

Aonogahara, Kasai City 16.V.1992, Mori leg.

Family Hydrophilidae ガムシ科

Laccobius fragilis Nakane, 1966 ヒメシジミガムシ

Laccobius fragilis Nakane, Frag. Coleop. Pars. 14, p.57-58, 1966.

Paratypes. Kaibara, Hyogo Pref. Honshu 3♂, 10.VII.1949 Y.Yamamoto leg.

Family Catopidae チビシデムシ科

Catops shibatai Hayashi, 1987

Catops shibatai Hayashi, Ent. Rev. Japan LXI, Suppl.:81-83, figs.1a-f. 1987.

Holotype: ♂, Mt.Amaishi, Sasayama-cho, Hyogo Pref. 20.X.1980, Y.Hayashi leg., allotype: ♀, same locality as holotype 9.XI.1979, Y.Hayashi leg.: paratypes, 7♀♀, 8♀♀, same locality as holotype 9.IX.XI., 22.XI.1979, 5.27.IV, 26.X., 7.25.XI, 1980, 8.V.1984, Y. Hayashi leg.

Catops tanbaensis Hayashi, 1987

Catops tanbaensis Hayashi, Ent. Rev. Japan XLI, Suppl.:84-85, Figs.20-f, 1987.

Holotype: ♂, Mt.Amaishi, Sasayama-cho Hyogo Pref. 6.III.1980, Y.Hayashi leg.

allotype: ♀, same locality as holotype, 19.XI.1980, Y.Hayashi leg.

paratypes: 4♂, 1♀, same locality as holotype, 12.I., 2.II., 6.III, 5.XI.1980. Y.Hayashi leg.

Family Staphylinidae ハネカクシ科

Stenus (Parastenus) sawadai Hromádka, 1979 サワダメダカハネカクシ

Stenus (Parastenus) sawadai Hromádka, Frag. Coleop. Pars. 25/28:108-109, Abb.4-8, Karte 1, 1979.

Holotypus. Sasayama, Pref. Hyogo, 18.VII.1956, Y.Icho, coll. Hromádka.

Stenus (Hypostenus) warabi Naomi et Nomura, 1990

Stenus (Hypostenus) warabi Naomi et Nomura, Esakia Special Issue No.1:48-49, 1990.

Holotype ♀, Hyonosen, Hyogo Pref. 5.VI.1984, S.Nomura leg. 15.IX.1986, T.Ito leg.

Paratypes. 4♂, 5♀, ditto 20.V. & 3.VI.1979 & 15.IX.1986, T.Ito leg.

Nazeris wollastoni harimanus Ito, 1991

Nazeris wollastoni harimanus Ito, Ent. Rev. Japan, 46(2):128-129, Fig.4, 1991.

Holotype ♂ Akazai Valley Hyogo Pref. 15.IX.1986, T.Ito leg.

Paratypes. 4♂, 5♀, 20.V. & 3.VI.1979 & 15.IX.1986, T.Ito leg.

Lathrobium harimanum Y.Watanabe, 1986 ハリマコバネナガハネカクシ

Lathrobium harimanum Y.Watanabe, Kontyu 54(4):688-692, f.1-5, 1986.

Holotype: 1♂, 11.V.1986, S.Uéno leg. Tanjo-san (alt.350m), Kita-ku, Kobe-shi, Hyogo Pref.

Lanthrobium mayasanense Y.Watanabe, 1992 マヤサンコバネナガハネカクシ

Lanthrobium mayasanense Y.Watanabe, 1992, Elytra, Tokyo 20(2):189-193, Fig.1-5.

Holotype: ♂, allotype: ♀ Mt.Mayasan, Hyōgo Pref., Honshu Japan. 16.IX.1980, Y.Watanabe leg.

Paratypes. 2♂♂, 1♀, same data as for the holotype: 1♂, 1♀, same locality and collector as for the holotype 16.X.1988.

Proteinus gotoi Hayashi, 1986 ゴトウチビハバヒロハネカクシ

Proteinus gotoi Hayashi, Ent. Rev. Japan 41(2):111-112, figs.15-19, 1986.

Holotype: ♂ and Allotype: ♀, Mt.Amaishi (by chicken trap) Sasayama-cho, Hyogo Pref. 25.III.1980, Y.Hayashi leg (in coll. T.Shibata)

Paratype: same locality as holotype. 2♀, 11.XI.1980, 1♀, 27.II.1980, 1♂, 25.III.1980, 1♂, 15.XI.1979, 1♀, 14.XI.1980, 1♀, 6.III.1980, 1♂, 1♀, 2.IV.1980, 1♂, 19.III.1985, Y. Hayashi leg. (in coll. Osaka Mus. Nat. Hist., T.Ito and mine)

Tachinus (Latotachinus) shibatai Hayashi, 1987 シバタマルクビハネカクシ

Tachinus (Latotachinus) shibatai Hayashi, Ent. Rev. Japan, XLI, Suppl.:13-16, figs.1-7, 1987.

Paratype. 1♂, Akazai Valley, Hyogo Pref. Valley, Hyogo Pref. Japan. 22.VII.1979, T.Ito leg.

Family Clambidae タマキノコムシモドキ科

Clambus formosanus japonicus Endrödy-Youngs, 1960. マルタマキノコムシモドキ

Clambus formosanus japonicus Endrödy-Youngs, Acta Zool. Acad. Sci. Hung. 6:274-275, 1960
(Nagasaki, Yokohama, Hiogo)

Family Pselaphidae アリヅカムシ科

Philoscotus tenuis Nomura, 1988 ホソオチバアリヅカムシ

Philoscotus tenuis Nomura, Kontyu 56(3):518-520, Figs.3,5C-D, 1988.

Paratype: 1 apterous ♂, Onzui Vall. Hyogo Pref. 6.VI.1984, S.Nomura leg.

Philoscotus sylvetris Nomura, 1988 モリオチバアリヅカムシ

Philoscotus sylvetris Nomura, Kontyu 56(4):739-740, Fig.1. 1988.

Holotype, ♀ (Type No.2649 Kyushu Univ.) Onzui Vall. Hyogo Pref. 6.VI.1984 S.Nomura leg.

Family Lucanidae クワガタムシ科

Platycerus acuticollis Y.Kurosawa, 1969 コルリクワガタ

Platycerus acuticollis Y.Kurosawa, Bull. Nat. Sci. Mus. 12(3):478-482, 1969.

Paratype: 1♂, Mt.Hyno-sen, Hyogo Pref. 5.VI.1966, H.Hatanaka leg. 1♂, Ogino-sen, Hyogo Pref. 5.V.1964, G.Kishida leg.

Family Scarabaeidae コガネムシ科

Nipponoserica pubiventris Nomura, 1976 ハラゲビロウドコガネ

Nipponoserica pubiventris Nomura, Tōhō Gahuho (26):189, 1976.

Paratype: 1♂, Takarazuka, Hyogo Pref. 26.V.1974, M.Goto leg.

(Reference data)

Gymnopleurus (Paragymnopleurus) stipes japonicus Balthasar, 1955

Gymnopleurus (Paragymnopleurus) stipes japonicus Balthasar, Mitt. Munch. Ent. Ges. XLI-XLV :393-396, 1955.

Holotypus: eingen Exemplar aus Japan: Mukogawa, Landbezirk Hyogo (Hyogo-ken).

Family Ptiloctylidae ナガハナノミ科

Macroebria lewisi Nakane, 1952 チビマルヒゲナガハナノミ

Macroebria lewisi Nakane, Sci. Rep. Saihyo Univ. (1):37-39, 1952.

Types. 1♂, Mayasan near Kobe, Honshu 15.VII.1921. J.E.A.Lewis leg. (in coll. Ent. Lab. Kyoto Univ.)

Family Elmidae ヒメドロムシ科

- Stenelmis nipponica* Nomura, 1958 イブシミゾドロムシ
Stenelmis nipponica Nomura, Entom. Rev. Japan 9(2):41-42, pl.8, f.1, 1958.
 Allotype. 4exs. Kakogawa Hyogo Pref. 3,4,u. 15.VI.1954, H.Ishida leg.
- Stenelmis vulgaris* Nomura, 1958 アシナガミゾドロムシ
Stenelmis vulgaris Nomura, Entom. Rev. Japan 9(2):44-45, pl.8, f.3, 1958.

Family Buprestidae タマムシ科

- Buprestis lecontei* E.Saunders ベニオビクロタマムシ
Buprestis unicus Miwa et Chūjō, Ent. World 3(17):272-273, pl.105, f.18, 1935.(ベニオビクロタマムシ)
 Type: Akashi S.Matsumura leg.
- Agrilus ohmomi* Toyama, 1985 オオモモナガタマムシ
Agrilus ohmomi Toyama, Elytra, Tokyo 13(1):31-32, Fig.8.27, 1985.
 Allotype. ♀, Akasai Hyogo Pref. 24.VI.1979. M.Tōyama leg.
 Paratype. ♂, Akasai Hyogo Pref. 24.VI.1979. M.Tōyama leg.
- Agrilus hattorii* Nakane, 1983 ヒメアサギナガタマムシ
Agrilus hattorii Nakane, Rep. Fac. Sci. Kagoshima Univ. (Earth Sci. & Biol.) No.16, p.111-112, Figs.5-7, 1983.
- Agrilus takahashii* Toyama, 1988 タカハシナガタマムシ
Agrilus takahashii Toyama, Kontyu 56(4):754-756, Fig.2.9, 1988.
 Holotype. ♂, allotype ♀, Akasai Hyogo Pref. Japan 24.VI.1979, M.Toyama lgt.
 Paratype. 1♀, Akasai Hyogo Pref. Japan. 23.VI.1979, T.Takahashi lgt.

Family Armatopidae ナガハナノミダマシ科

- Eurypogon hisamatsui* Sakai, 1982 ヒサマツナガハナノミダマシ
Eurypogon hisamatsui Sakai, Tran. Shikoku Ent. Soc. 16(1/2):60-61, Figs.7,11,18, 1982.
 Paratype. 1♀, Mt.Hyonosen, Hyogo Pref. 5-8.VII.1972, Y.Furuki leg.

Family Elateridae コメツキムシ科

- Migiwa (Migiwa) yotsuboshi* Kishii, 1976 ヨツボシミズギワコメツキ
Migiwa (Migiwa) yotsuboshi Kishii, Bull. Heian High School. (20):33-34, figs.68 & 97, 1976.
 Paratype 1♀, Inagawa Itami City 19.X.1958. H.Ishida leg.
- Ampedius (Ampedius) chigo* Kishii, 1992 チゴクロコメツキ
Ampedius (Ampedius) chigo Kishii, Bull. Heian High School. (36):14-16, Figs.7,43, & 51, 1992.
 Holotype, 1♂, Mt.Amaishi-yama in Sasayama Town Hyogo Pref. June 25.1985, H.Nomura leg.

Ampedus (Ampedus) hypogestricus Candéze, 1873 アカハラクロコメツキ
ab. takahashi Kishii, 1963

Ampedus (Ampedus) hypogestricus Candéze ab. takahashi, Kishii, 1963. Akitu Vol.II:11, 1963.
Type. Taino-hata in Kobe, lex. 21.VIII.1955. T.Takahashi leg.
Kaibara, Hyogo Pref. lex. 10.V.1953. T.Takahashi leg.

Ampedus (Ampedus) otome Kishii, 1992 オトメアカコメツキ

Ampedus (Ampedus) otome Kishii, Bull. Heian High School. (36):8-11, Fig. 5 & 30, 1992.
Paratype: 1♀, Yashiki in Kaibara, Hyogo Pref. July 23, 1960. M.Takahashi leg.

Dalopius bizen Kishii, 1984 チュウゴクナガクロヒメコメツキ

Dalopius bizen Kishii, Bull. Heian High School (28):28-30, Figs.12,48,57,120,121, & 125, 1984.

Paratype. 1♀, Mt.Hyonosen Hyogo Pref. 27.June.1976, T.Takahashi leg.
1♂, Onzui Hyogo Pref. May.22.1965. K.Tsuji leg.
1♂, Onzui Hyogo Pref. May.13.1973. T.Takahashi leg.

Family Anobiidae シバンムシ科

Hisamatsua japonica Sakai, 1977 ヒサマツシバンムシ

Hisamatsua japonica Sakai, Trans. Shikoku Ent.Soc. 13(3/4):120-122, 1977.
Paratype: 1♂, Tamaze, Takarazuka. Hyogo Pref. 26.V.1968. Y.Miyatake leg.

Oligomerus japonicus Sakai, 1982 アカチャホソシバンムシ

Oligomerus japonicus Sakai, Spec. Iss. Mem Retir. Emper. Prof. M.Chūjō, 1982, pp.46-48.
Paratype. 1♀, Mt.Hyonosen, Hyogo Pref. 21.VII.1958, Takahashi leg.

Caenocara tsuchiguri Sakai, 1984 オオホコリタケシバンムシ

Caenocara tsuchiguri Sakai, Trans. Shikoku Ent. Soc. 16(3):15-17, 1984.
Paratype. 1♂, Seppiko, Hyogo Pref. 23.IX.1972, Y.Furuki leg.

Family Lycidae ベニボタル科

Cautires hyonosen Nakane, 1969 ニセクロベニボタル

Cautires hyonosen Nakane, Fauna Japonica. Lycidae, pp.201-203, Fig.80, 1969.
Holotype. 1♂, Mt.Hyonosen, Hyogo Pref. 30.VII.1952, T.Nakane leg.

Family Biphyllidae ムクゲキスイムシ科

Biphyllus japonicus Sasaji, 1993 クロアシムクゲキスイ

Biphyllus japonicus Sasaji, Mem. Fac. Educ. Fukui Univ. Ser. II. Nat. Sci. No.33:34-36, Fig. 4, 1983.
Paratype. lex., Hyonosen, Hyogo Pref. 26-30.VII.1969, H.Sasaji leg.

Family Cantharidae ジョウカイボン科

Athemus infuscatus Yajima et Nakane, 1969

Athemus infuscatus Yajima et Nakane, Bull. Nat. Sci. Mus. Tokyo 12(2):188, Fig.11, 1969.

Holotype: ♂, Hataganaru, Hyogo Pref. 26.V.1955, T.Nakane leg.

Podabrus hyogoensis Nakane et Makino, 1989

Podabrus hyogoensis Nakane et Makino, Rev. Miyazaki Sangyo-Keiei Univ. 1(2):8, 1989.

Holotype. ♂, Hataganaru, Tajima, Hyogo Pref. Honshu Japan. 26.V.1955, T.Nakane leg.

Paratype. ♂, Hyogo Pref. ?

Podabrus syozoi Nakane et Makino, 1989

Podabrus syozoi Nakane et Makino, Rev. Miyazaki Sangyo-Keiei Univ. 1(2):7, 1989.

Paratype: 1♂, Hataganaru, Tajima, Hyogo Pref. Honshu 24.V.1955, T.Nakane leg.

Podabrus tajimensis Nakane et Makino, 1990

Podabrus tajimensis Nakane et Makino, Frag. Coleop. (45/48):187, 1990.

Holotype. ♂, Hataganaru Tajima Hyogo Pref. Honshu Japan. 24.V.1955, T.Nakane leg.

Paratypes. 2♂, Hataganaru, 26.V.1955, T.Nakane leg. 1♂, without exact data.

Mikadocantharis japonica serio Nakane, 1992 ヒメジョウカイ亜種

Mikadocantharis japonica serio Nakane, Kita Kyushu no Konchu 39(2):77-78, pl.8, f.13,19 & 20, 1992.

Paratype. 1♂2♀, Hataganaru near Mt.Hyonosen Hyogo Pref. Honshu 26.V.1955, T.Nakane leg.

1♀, Hataganaru 27.V.1955. T.Nakane leg.

Family Lampyridae ホタル科

Pristolycus sagulatus adachi M.Sato, 1986 スジグロボタル

Pristolycus sagulatus adachi M.Sato, Trans. Shikoku Ent. Soc. 17(4):261, 1986.

Holotype: ♂, Hachikita-kogen, Muraoka-cho, Hyogo Pref. 12.VII.1983, Y.Adachi leg.

Allotype: ♀, same locality as the holotype. lex. same data as the allotype. lex., same locality as the holotype 10.VII.1983, M.Tanikado leg., 2exs. ditto, 15.VII.1974, M.Tanikado leg. lex. ditto. 13.VII.1984, Y.Adachi leg. 1♂, Kozuko Oginosen Hyogo Pref. 30.VII.1984. Y.adachi leg.

Family Nitidulidae ケシクスイ科

Epuraea densepunctata Nakane et Hisamatsu, 1967 セグロヒラタケシクスイ

Epuraea dencepunctata Nakane et Hisamatsu, Fragmenta Col. Pars. 17:67, 1967.

Allotype: ♀, 25.V.1975, T.Nakane leg. Hataganaru Hyogo Pref. Honshu.

Paratype: ♂♀, 24.V.1955, T.Nakane leg. Hataganaru Hyogo Pref. Honshu.

Cyllodes punctidorsum Nakane et Hisamatsu, 1955 ヨツボシアカマルケシクスイ

Cyllodes punctidorsum Nakane et Hisamatsu, Akitu 4(2):27-29, 1955.

Paratype: 1♀, Mt.Hyonosen, Tajima. 18.VII.1940, K.Kurosa leg.

Family Coccinellidae テントウムシ科

Pseudosymnus nakanei (M.Araki, 1963) ナカネヒメテントウ*Scymnus* (*Scymnus*) *nakanei* M.Araki, 1963, Sci. Rep. Kyoto Pref. Univ. (Nat. Sci. Liv. Sci.) 3(5):253-255, fig.

Paratype. Sasayama, Hyogo.

Serangium punctum Miyatake, 1963 ツグロツヤテントウ*Serangium punctum* Miyatake, Trans. Shikoku ent. Soc. 8:13-14, 1963.

Paratype. 1♀, Ooginosen, Hyogo Pref. 11.VI.1961, K.Tsuji leg. (in coll. T.Shibata)

Scymnus (*Pullus*) *chujoi* Sasaji, 1982 チュウジョウヒメテントウ*Scymnus* (*Pullus*) *chujoi* Sasaji, Spec. Iss. Mem. Retir. Emer. Prof. M.Chūjō, pp.69-72, fig. 4, 1982.

Paratype: 1ex., Mt.Hyonosen, Hyogo Pref. 18.VII.1967, H.Sasaji leg.

1ex., Mt.Hyonosen, 26-30.VII.1969, H.Sasaji leg.

Family Cissidae ツツキノコムシ科

Cis mikagensis Nobuchi et Wada, 1955 ミカゲツツキノコムシ*Cis mikagensis* Nobuchi et Wada, Akitu 4(4):106, Fig.2, 1955.

Cotypes. 6♂, 10♀, Mikage Kobe, 6.II.1949, 51♂, 30♀, Mikage, Kobe 30.IV.1955, Y.Wada leg.

Family Melandryidae ナガクチキムシ科

Genus *Nipponomarolia* Miyatake, 1982*Nipponomarolia* Miyatake, Trans. Shikoku Ent. Soc. 16(1/2):29-30, 1982.Type-species: *Nipponomarolia kobensis* Miyatake, 1982.*Nipponomarolia kobensis* Miyatake, 1982 ハネナシナガクチキ*Nipponomarolia kobensis* Miyatake, Trans. Shikoku Ent. Soc. 16(1/2):30-33, Figs.1,2,5,7,8, 10,11,13,15,17,18,20,22,23, 1982.

Holotype. ♂, paratypes 5♀♀, Shirakawa-dai, Suma-ku, Kobe. 26.I.1979, M.Nagai leg.

Paratype. 1♀, same locality 22.II.1979, M.Nagai leg. (in coll. Ehime Univ. and Takahashi's collection).

Family Mordellidae ハナノミ科

Tomoxia similaris Nomura, 1967 フタモンハナノミ*Tomoxia similaris* Nomura, Ent. Rev. Japan 19(2):57-59, Text, fig.8, 1967.

Holotype. ♂, allotype. ♀, paratypes. ♂♀, Mt.Ohginosen Hyogo Pref. 16-19.VIII & 8.VIII.1961, K.Tsuji leg.

Mordella (s. str.) *truncatoptera* Nomura, 1958 キレバネクロハナノミ*Mordella* (s. str.) *truncatoptera* Nomura, Tōhō Gakuho (7):8-10, Taf. I, f.6: Taf. III, f.4 & 19, 1958.

Paratypen. Hyonosen Hyogo Pref. 2♀♀, 1♂, 20.VII.1940, K.Kurosa leg. (in Chūjō's coll.)

Mordella (s. Str.) *oxyptera* Nomura, 1958 トガリバクロハナノミ

Mordella (s. str.) *oxyptera* Nomura, Tōhō Gakuho (7):10, Taf. I, f.7; Taf. II, f.7; Taf. III, f.5, 1958.

Paratypen. Hyonosen Hyogo Pref. 2♀♀, 20.VII.1940, K.Kurosa leg. in M.Chūjō's Coll.

Hoshihananomia kurosai Chūjō et Nakane, 1955 ウスキボシハナノミ

Hoshihananomia kurosai Chūjō et Nakane, Akitu 4(2):27-29, 1955.

Holotype. 1♂, 18.VII.1940, K.Kurosa leg. Mt.Hyonosen, Mikata-gun Pref. Hyogo, Honshu.

Allotopotype. 1♀, 31.VII.1952, T.Nakane leg. Mt.Hyonosen, Mikata-gun Hyogo Pref. Honshu.

Mordellistena kurosai Chūjō, 1957 クロサヒメハナノミ

Mordellistena kurosai Chūjō, Mushi 30(2):20-21, Fig.6, 1957.

Holotype. 1♂, 19.VI.1937, K.Kurosa leg. Kobe-shi, Hyogo Pref. Honshu Japan.

Glipostenoda trichaphora (Nomura, 1951) クリゲヒメハナノミ

Mordellistena trichaphora Nomura, Tōhō Gakuho (1):55-56, Fig.5, 1951.

Type. 1♂, Rokko Präf. 5.VIII. S.Nomura leg.

Family Oedemeridae カミキリモドキ科

Xanthochroa wadai Nakane, 1954 ワダカミキリモドキ

Xanthochroa wadai Nakane, Sci. Rep. Saikyo Univ. 1(4):33-34, Fig.1, 1954.

Holotype. 1♂, Mayasan, near Kobe, Honshu 26.VI.1949. Y.Wada leg.

Paratype. 1♀, Kobe, Honshu 17.VI.1949, S.Shibanai leg.

Family Cerambycidae カミキリムシ科

Pachypidonia bodemeyeri (Pic, 1934) ヒゲブトハナカミキリ

Leptura bodemeyeri Pic, Echange 50(455):17, 1934. Kobe? Japan.

Phymatodes quadrimaculatus Gressitt, 1935 ヨツボシヒラタカミキリ

Phymatodes quadrimaculatus Gressitt, Kontyu 9(4):171-172, 1935.

Holotype. a unique (No.3992 Calif. Acad. Sci.) Harima, Hyogo Pref. Japan. May. 1916, E.V. Van Dyke collection.

Parechthistatus gibber daisen Miyake et Tsuji, 1980 ダイセンコブヤハズカミキリ

Parechthistatus gibber daisen Miyake et Tsuji, Kita Kyushu no Konchu 27(2):76, 1980.

Paratype. 1♂, 24.VI.1953, T.Okutani leg. Sasayama Taki-gun, Hyogo. 2♀♀, 5.VI.1966, 1♀, 18.VII.1961, K.Tsuji leg. Hyonosen, Hyogo Pref. 1♂, 10.VII.1961, 1♂, 16.VII.1961, 1♀, 12.VI.1961, 1♂, 1♀, 11.VI.1962, K.Tsuji leg.. 3♀♀, 11.VII.1963, H.Yuasa leg., 1♂, 7.VI.1963, Tsuchihashi leg. Ooginosen, Mikata-gun, Hyogo. 1♂, 1♀, 19-23.VII.1959, K.Suzuki leg., 1♂, 16.VII.1961, K.Tsuji leg., 1♀, VII.1958, T.Yamazaki leg. Hataganaru, Oginosen, Hyogo Pref.

Olenecamptus formosanus Pic, 1914 タカサゴシロカミキリ

Olenecamptus formosanus hondoensis Seki, 1941, Ent. World, 9(89):453.

Type. 1♂, suma, Kobe, 5.VII.1933. in Seki's Coll.

Family Chrysomelidae ハムシ科

Donacia katurai Kimoto, 1981 カツラネクイハムシ

Donacia katurai Kimoto, Bull. Osaka Mus. Nat. Hist. (34):24, f.2, 1981.

Holotype. Okuike, Ashiya City, Hyogo Pr. 18.V.1980, K.Katsura (deposited in the collections of Osaka Museum of Natural History (Osaka).

Paratopotypes: 5exs., same data as the holotype (preserved in the collection of Osaka Museum of Natural History)

Paratypes: 14exs., Imoridani, alt.530m. Okuyama-cho, Ashiya City Hyogo Pref. 26.V.1980, K. Harusawa leg. (preserved in the Kimoto's collection and in the collection of Osaka Museum of Natural History)

Plateumaris constricticollis (Jacoby, 1885) オオネクイハムシ

Plateumaris (*Plateumaris*) *constricticollis chugokuensis* Tominaga et Katsura, Bull. Osaka Mus. Nat. Hist. (37):28, pl.8, 1984.

Paratypes. Tonomine alt.830m. Ohkouchi-cho Kanzaki-gun Hyogo Pref. 3exs., 6.VI.1965, I.Hiura, 13♂, 6♀, 24.V.1981, O.Tominaga leg. 9♂, 13♀, O.Tomonaga leg. 6♂, 15♀, K.Katsura leg. 6.VI.1982. 9♀, 29.V.1983, O.Tominaga leg.

Lema (*Lema*) *diversa* Baly, 1873 アカクビボソハムシ

Lema diversa f.*cyaeohumeralis* Heinze, 1943, Stett. Ent. Ztg. 104:106. (Osaka, Rokkusan)

Lilioceris balyi Chūjō, 1962 ベーリークビナガハムシ

Lilioceris balyi Chūjō, Niponicus, Takamatsu 1(18):1-3, 1960.

Holotype, ♂, Hiogo, Honshu, Japan. G.Lewis leg.

Smaragdina nipponensis (Chūjō, 1951) キイロナガツツハムシ

Gymandrophthalma nipponensis Chūjō, Shikoku Ent. Soc. Trans. 2(3):33, f.1, 1951.

Cotype, 1♂, Mt.Mayasan (altitude about 600m), Hyogo-ken, Honshu, Japan. 19.V.1949, S. Iwao leg.

Demotina squamosa Isono, 1990 アラゲサルハムシ

Demotina squamosa Isono, Jpn. J. Ent. 58(2):379-381, fig.3, 1990.

Paratypes. 1ex. Sasabe, Kawanishi City, Hyogo Pref. 5.VI.1979, G.Nakata leg. 1ex., Taisan-ji, Kobe City 20.V.1982, M.Isono leg.

Chaetocnema (*Chaetocnema*) *concinnicollis* Baly, 1874 ヒメドウガネトビハムシ

Chaetocnema (*Chaetocnema*) *concinnicollis kaibarensis* Mader, Mushi 33(7):48, fig.1, 1960.

Type. 1♀, Kaibara, Hikami-gun, Hyogo Pref. Honshu Japan. 5.VII.1951, Y.Yamamoto leg.

Longitarsus boraginicolus Ohno, 1968 ムラサキアシナガトビハムシ

Longitarsus boraginicolus Ohno, Jour. Toyo Univ. Nat. Sci. (9):16-19, 1968.

Paratype. 1♂, Aiya Awaji Is. Hyogo Japan. 5.V.1966, M.Ohno leg.

- Longitarsus komiyai* Ohno, 1968 コミヤアシナガトビハムシ
Longitarsus komiyai Ohno, Jour. Toyo Univ. Nat. Sci. (9):44-47, 1968.
 Paratypes. 1♀, Kaibara, Hyogo Honshu, Japan. 20.VII.1951, Y.Yamamoto leg.
- Longitarsus morrisonus* Chūjō, 1937 コクロアシナガトビハムシ
Longitarsus kimotoi Ohno, Jour. Toyo Univ. Nat. Sci. (9):14-16, 1968.
 Paratype. 1♂, Mt.Minoo, Hyogo, Honshu. 7.VI.1964, M.Ohno leg.
- Luperomorpha tokejii* Chūjō et Ohno, 1965 トケジホソトビハムシ
Luperomorpha tokeji Chūjō et Ohno, Mem. Fac. Lib. Arts & Edu. Kagawa Univ. II (131):9-11, 1965.
 Paratype: 1♂1♀, Mt.Kongodoji, Hyogo Honshu. 24.VI.1956, T.Takahashi & T.Muranishi leg.
- Zipanginia miyatakei* Kimoto, 1971 ムネアカグミトビハムシ
Zipanginia miyatakei Kimoto, Bull. Osaka Mus. Nat. Hist. 25:5, 1971.
 Holotype. Fukusada-Hyonosen, Yabu-gun, Hyogo Pref. 9.VIII.1967, Y.Miyatake leg.
 Paratopotypes. 2exs., same as the holotype.

Family Anthribidae ヒゲナガゾウムシ科

- Enedreytes gotoi* Shibata, 1969 チビクビボソヒゲナガゾウムシ
Enedreytes gotoi Shibata, Ent. Rev. Japan 23(1):28-30, pl.4, f.7,8, 1969.
 Holotype. ♂, Sasabe, Nose, Hyogo Pref. 6.VI.1965, M.Goto leg. (Shibata Coll.)
 Paratype. 2♀♀, 3♀♀, the same locality as holotype 14.VI.1962, 14.VI.1964 & 12.VI.1965, M. Goto leg. (Goto and Shibata Coll.)

Family Curculionidae ゾウムシ科

- Deminaea mori* Kōno, 1939 クワササラゾウ
Deminaea mori Kōno, Ins. Mats. 13(2/3):73-74, fig.2, 1939.
 Paratypes. 1ex., Takasago. S.Matsumura leg.
- Rhadinomerus maebarai* Chūjō et Voss, 1960 マエバラナガクチカクシゾウムシ
Rhadinomerus maebarai Chūjō et Voss, Mem. Fac. Lib. Arts & Educ. Kagawa Univ. 2(94):6, 1960.
 Paratype. Berg.Seppiko, Hyogo Präf. Honshu (2exs., Typus. 14.VII.1957, T.Takahashi leg.)
- Microcrytorhynchus nipponicus* Morimoto et Miyakawa, 1985 ケシクチカクシゾウムシ
Microcrytorhynchus nipponicus Morimoto et Miyakawa, Mushi, 50(3):71-74, fig.29, 1985.
 Paratype. Mt.Maya Kobe, 1♀, 13.VIII.1953, S.Shibanai leg.
- Camptorhinus kurosawai* Morimoto, 1986 クロサワクチカクシゾウムシ
Camptorhinus kurosawai Morimoto, Ent. Pap. pres. Kurosawa, Tokyo pp.328-329, Figs.5,7E, 1986.
 Paratype. Gyonohara, Oogo-cho, Kobe City. 1♂, VI.1964 emerged from twig chestnut tree: Y. Murakami leg.

Orchidophilus ran Morimoto, 1994*Orchidophilus ran* Morimoto, Trans. Shikoku Ent. Soc. 20(3/4):236-241, 1994.

Holotype. Male. Hyogo Pref. XI.11.1979, K.Fujimoto leg. (obtained from bulb of on orchid)

Paratypes. 2 males & 2 females, Miki City, Hyogo Pref. VII.1976, T.Adachi leg. (On *Cymbidium* sp. imported from Taiwan three years ago)

Family Rhynchophoridae オサゾウムシ科

Dryophthorus japonicus Konishi, 1963 スギキクイサビゾウムシ*Dryophthorus japonicus* Konishi, Ins. Mats. 25(2):126-128, 1963.

Paratype. 1ex., Nunobiki, Kobe, Hyogo-ken, 17.V.1959, T.Takahashi leg.

Dryophthorus konishii Morimoto, 1985 アトボソキクイサビゾウムシ*Dryophthorus konishii* Morimoto, Esakia(23):67-69, Fig.1, 1985.

Paratype: Takarazuka, Hyogo Pref. 1♀, 15.VII.1980, H.Nishida leg.