

日本に産するコガネムシ類の分類目録

高橋 寿郎

A SYSTEMATIC CATALOG OF SCARABAEOIDEA FROM JAPAN
 BY
 TAKAHASHI TOSHIO

Superfamily	SCARABEOIDEA	コガネムシ主科
Family	LUCANIDAE	クワガタムシ科
Subfamily	CERUCHINAE	ツヤハダクワガタ亜科
Tribe	CERUCHINI	ツヤハダクワガタ族

Genus *Ceruchus* MAC LEAY, 1819 ツヤハダクワガタ属

Ceruchus MAC LEAY, 1819, Horae ent., 1, p. 115.

(type-species: *Lucanus tenebroides* FABRICIUS, 1792).

Platycerus: LATREILLE, 1807, Gen. Crust. et. Ins. 2, p. 113 (nec GEOFFROY, 1762).

Tarandus DEJEAN, 1837, Cat. ed. 3, p. 134.

Ceruchus lignarius LEWIS, 1883 ツヤハダクワガタ

Ceruchus lignarius LEWIS, 1883, Trans. ent. Soc. London, p. 339, pl. 14, f. 4, 2♂ (Sapporo, Nihosan).

Distr. Japan.

subsp. *lignarius* LEWIS, 1883 ツヤハダクワガタ

Ceruchus lignarius LEWIS, 1883, Trans. ent. Soc. London, p. 339, pl. 14, f. 4, 2♂ (Sapporo, Nihosan).

Distr. Japan (Hokkaido, Honshu-North of Kanto District).

subsp. *monticola* NAKANE, 1978 ミヤマツヤハダクワガタ

Ceruchus lignarius monticola NAKANE, Kita Kyushu no Konchu 24(3):78-79, pl. 10, f. 5, 1978 (Nagano, Yamanashi Pref.).

Distr. Japan (Honshu-Southwest of Kanto District, Chubu, Kinki).

subsp. *nodai* FUJITA, 1987 ミナミツヤハダクワガタ

Ceruchius lignarius nodai FUJITA, Gekkan Mushi(197):6-7, pl. 2, figs. 22-24, 1987. (Mt. Sobosan, Oita Pref. Shikoku, Kyushu).

Distr. Japan (Shikoku, Kyushu).

Subfamily AESALINAE マダラクワガタ亜科

Tribe AESALINI マダラクワガタ族

Genus *Aesalus* FABRICIUS, 1801 マダラクワガタ属
Aesalus FABRICIUS, Syst. Eleuth. 2, p. 154, 1801
 (type-species: *Lucanus scarabaeoides* PANZER, 1794)

Aesalus asiaticus LEWIS, 1883 マダラクワガタ

Aesalus asiaticus LEWIS, Trans. ent. Soc. London, p. 340, pl. 14, f. 5, 1883 (Chiujenzi, Oyama).
 Distr. Japan.

subsp. *asiaticus* LEWIS, 1883 マダラクワガタ

Aesalus asiaticus LEWIS, Trans. ent. Soc. Lond., p. 340, pl. 14, f. 5, 1883 (Chiujenzi, Oyama).
 Distr. Japan (Hokkaido, Honshu, Idu Is. -Toshima, Mikura-jima, Shikoku, Kyushu, Tsushima).

subsp. *sawai* FUJITA et ICHIKAWA, 1985 ヤクシママダラクワガタ

Aesalus asiaticus sawai FUJITA et ICHIKAWA, 1985, Gekkan Mushi (170):2, f. 1, 2, p. 4-5, 11. (Yakushima Is.).
 Distr. Japan (Yakushima).

Subfamily NICAGINAE マグソクワガタ亜科

Tribe NICAGINI マグソクワガタ族

Genus *Nicagus* LE CONTE, 1862 マグソクワガタ属
Nicagus LE CONTE, Calasif. of N. Amer. Col. I, p. 139, 1862.
 (type-species: *Ochodaeus obscurus* LE CONTE, 1848).

Nicagus japonicus NAGEL, 1928 マグソクワガタ

Nicagus japonicus NAGEL, Ent. Mitteil. XVII, p. 260 (1928) (Ichikishiri-Hokkaido).
 Distr. Japan (Hokkaido, Honshu).

Subfamily FIGULINAE チビクワガタ亜科

Tribe FIGULINI チビクワガタ族

Genus *Figulus* MAC LEAY, 1819 チビクワガタ属
Figulus MAC LEAY, 1819, Horae Soc. ent. Ross. 1, p. 109.
 (type-species: *Lucanus striatus* OLIVER, 1789).

- Figulus binodulus* WATERHOUSE, 1873 チビクワガタ
Figulus binodulus WATERHOUSE, Ent. Monthl Mag., IX, p. 277, 1873 (S. Japan).
 Distr. Japan (Honshu, Izu Is.-Mikura-jima, Hachijyo-jima, Shikoku, Kyushu).
 Taiwan, China, Indo-china Pen.
- Figulus boninensis* NAKANE et Y. KUROSAWA, 1953 オガサワラチビクワガタ
Figulus boninensis NAKANE et Y. KUROSAWA, Bull. Nat. Sci. Mus. No. 33:110-111, 1953 (Bonin Is.).
 Distr. Japan (Bonin Is.-Chichi-jima, Haha-jima).
- Figulus daitoensis* FUJITA et ICHIKAWA, 1986 ダイトウマメクワガタ
Figulus daitoensis FUJITA et ICHIKAWA, 1986, Gekkan Mushi(184):24-31 & Cover Page (Minami-dai-tojima, Kitadaitojima, Daito Islands, Okinawa Pref.).
 Distr. Japan (Minamidaito-jima, Kitadaito-jima, -Daito Is. Okinawa Pref.).
- Figulus punctatus* WATERHOUSE, 1873 マメクワガタ
Figulus punctatus WATERHOUSE, Ent. Monthly Mag., IX, p. 278, 1873 (S. Japan).
 Distr. Japan (Honshu, Shikoku, Kyushu, Izu Is., Tsushima, Nakanoshima-Tokara, Yakushima, Amami-Oshima), Taiwan.
- Figulus yujii* FUJITA, 1994 イオウマメクワガタ
Figulus yujii FUJITA, Gekkan Mushi(280):15, fig. 1, 2, 1994 (Naka-iwojima Is.).
 Distr. Japan (Naka-iwo-jima -Volcano Island, Tokyo).

Tribe NIGIDINI ツノヒヨウタンクワガタ族

- Genus *Nigidius* MAC LEAY, 1819 ツノヒヨウタンクワガタ属
Nigidius MAC LEAY, 1819, Horae ent. I, p. 108.
 (type-species: *Nigidius cornatus* MAC LEAY, 1819).
 Platycerus: GUÉRIN-MENEVILLE, 1829, '44, Icon. Rénge., 3, p. 109 (nec GEOFFROY, 1762).
Endora CASTELNAU, 1840, Hist. Nat. Ins. Coléopt., 2, p. 174 (pars.).
Hadronigidius KRAATZ, 1869, Dtsch. ent. Z., 40, p. 65 (pars).

- Nigidius lewisi* BOILEAU, 1905 ルイスツノヒヨウタンクワガタ
Nigidius lewisi BOILEAU, Naturaliste, XXVII, p. 61, 1905 (Iles Liou-Kiou).
 Distr. Japan (Honshu, Shikoku, Kyushu, Yakushima), Ryukyu Is. (Tokara, Amami and Okinawa groups), Hainan.

Subfamily LUCANINAE クワガタムシ亜科

Tribe PLATYCERINI ルリクワガタ族

Genus *Platycerus* GEOFFROY, 1762 ルリクワガタ属
Platycerus GEOFFROY, 1762. Hist. Ins. environs, Paris, 1, p. 62.
 (type-species: *Scarabeus caraboides* LINNÆ, 1758).
Systemocerus WEISE, 1883, Cat. Coleop. Europae et Caucase, p. 93.
Systemus SHARP et MUIR, 1912, Trans. ent. Soc. London, 1912, p. 573.

- Platycerus acuticollis* Y. KUROSAWA, 1969 コルリクワガタ
Platycerus acuticollis Y. KUROSAWA, Bull. Nat. Sci. Mus. Tokyo 12(3):478-482, fig. 1b, c, 2d-f, pl. 1, fig. 2, 3, 5, 6, 8, 9, 1969 (Hōshi spa. Gunma Pref.).
 Distr. Japan (Hokkaido, Honshu, Shikoku, Kyushu), Korea.
 subsp. *acuticollis* Y. KUROSAWA, 1969 コルリクワガタ
Platycerus acuticollis Y. KUROSAWA, Bull. Nat. Sci. Mus. Tokyo 12(3):478-482, fig. 1b, c, 2d-f, pl. 1, fig. 2, 3, 5, 6, 8, 9, 1969 (Gunma Pref.).
 Distr. Japan (Honshu-North of Kita Kanto, Niigata).
 subsp. *akitai* FUJITA, 1987 キンキコルリクワガタ
Platycerus acuticollis akitai FUJITA, Gekkan Mushi(197):5, 7, pl. 2, fig. 11-12, 1987.
 Distr. Japan (Honshu-Central Japan, Kinki Dist.).
 subsp. *namedai* FUJITA, 1987 ミナミコルリクワガタ
Platycerus acuticollis namedai FUJITA, Gekkan Mushi(197):5-7, pl. 3, fig. 13-14, 1971.
 Distr. Japan (Shikoku, Kyushu).
 subsp. *takakuwai* FUJITA, 1987 トウカイコルリクワガタ
Platycerus acuticollis takakuwai FUJITA, Gekkan Mushi(197):5, 7, pl. 2, fig. 7-8, 10, 1987.
 Distr. Japan (Central Honshu).
- Platycerus delicatulus* LEWIS, 1883 ルリクワガタ
Platycerus delicatulus LEWIS, Trans. ent. Soc. London, p. 338, t. 14, fig. 3♂, 1883 (Japan).
 Distr. Japan.
 subsp. *delicatulus* LEWIS, 1883 ルリクワガタ
Platycerus delicatulus LEWIS, Trans. ent. Soc. London, p. 338, t. 14, fig. 3♂, 1883.
 Distr. Japan (Hokkaido, Honshu, Shikoku, Kyushu).
 subsp. *unzendakensis* FUJITA et ICHIKAWA, 1982 ウンゼンルリクワガタ
Platycerus delicatulus unzendakensis FUJITA et ICHIKAWA, 1982, Elytra 10(1):9-10, Fig. 1 (Mt. Unzendake, Shimabara Peninsula).
 Distr. Japan (Kyushu-Mt. Unzendake, Shimabara Peninsula, Taradake Nagasaki Pref.).
- Platycerus kawadai* FUJITA et ICHIKAWA, 1982 ホソツヤルリクワガタ
Platycerus kawadai FUJITA et ICHIKAWA, 1982, ELYTRA 10(1):1-8, Fig. 1-3. (Yamanashi, Kanagawa, Shizuoka, Pref.)
 Distr. Japan (Honshu-Kanto Distr. Chubu Distr.).
- Platycerus sugitai* OKUDA et FUJITA, 1987 ニセコルリクワガタ
Platycerus sugitai OKUDA et FUJITA, Gekkan Mushi(192):11-13, pl. 2f. 1-5, 11-13, (Honshu-Odai Mts., Nara, Mie Pref. -Shikoku-Tokushima, Kochi, Ehime Pref. Kyushu-Fukuoka, Oita, Kumamoto, Miyazaki Pref.)
 Distr. Japan (Honshu-Kii Peninsula, Shikoku, Kyushu).

Tribe LUCANINI ミヤマクワガタ族

- Genus *Lucanus* SCOPOLI, 1763 ミヤマクワガタ属
Lucanus SCOPOLI, 1763. Ent. Carn. p. 1.
 (type-species: *Scarabaeus cervus* LINNE, 1758).
Hexaphyllus MULSANT, 1839, Ann. Soc. Agr. Lyon 2, p. 119.
Pseudolucanus HOPE et WESTWOOD, 1845, Cat. Lucan. Coleop. p. 30.

- Lucanus ferriei* PLANET, 1898 アマミヤマクワガタ
Lucanus ferriei PLANET, Le Naturaliste, XX. p. 251, f. 1. ♂, 1898 (Iles Liou-Kiou).
 Distr. Japan (Amami-Oshima).

- Lucanus gamunus* SAWADA et WATANABE, 1960 ミクラミヤマクワガタ
Lucanus gamunus SAWADA et WATANABE, Jour. Agr. Sci. Tokyo Nodai, VI(2):99-102, 1960 (Mikura Is.-Izu Is.).
 Distr. Japan (Mikura-jima, Kōzu-jima).

- Lucanus maculifemoratus* MOTSCHULSKY, 1861 ミヤマクワガタ
Lucanus maculifemoratus MOTSCHULSKY, Etud. Ent. X, p. 9, 1861 (Japan).
 Distr. Japan, Kuril Is. (Kunashiri).
 forma *maculifemoratus* MOTSCHULSKY, s. str. ミヤマクワガタ
Lucanus maculifemoratus MOTSCHULSKY, Etud. Ent. X, p. 9, 1861 (Japan).
Lucanus cantori (nec HOPE) MOTSCHULSKY, Et. Ent. IX, p. 16, 1860 (Japan).
Lucanus sericans SNELLEN VAN VOLLEHOVEN, Tijdschr. Ent. 4, p. 103, 1861 (Java).
Lucanus montivagus MOLLENKAMP. Ins. ent. Z. Guben(6), p. 128, 1912 (S.-O. Borneo).
Lucanus balachowskyi LACROIX, Bull. Soc. Ent. France, 73, p. 180, fig. 1968 (Mukoda, Kyushu).
 Distr. Japan (Hokkaido, Honshu, Sado, Shikoku, Kyushu).

- forma *hopei* PARRY, 1862 エゾミヤマクワガタ
Lucanus hopei PARRY, Proc. Ent. Soc. London, p. 108, ♂, 1862 (Japan).
Lucanus elegans PLANET, Le Naturalist, 20, p. 19, 253, f. 2♂, 3♀, 1898 (Yeso).
 Distr. Japan (Hokkaido, Honshu, Sado, Kyushu).

- forma *nakanei* Y. KUROSAWA, 1976 フジミヤマクワガタ
Lucanus maculifemoratus f. *nakanei* Y. KUROSAWA, Bull. natn. Sci. Mus. Tokyo (A)2, p. 189, 1976.
 Distr. Japan (Honshu, Izu-Oshima, Kozu-jima, Shikoku).

- subsp. *adachii* TSUKAWAKI, 1995 イズミヤマクワガタ
Lucanus maculifemoratus adachii TSUKAWAKI, Gekkan Mushi(292):14-16, fig. 1-4, 1995.
 Distr. Japan (Izu Is., -Oshima, Kozu-jima, Nii-jima, Toshima, Miyake-jima).

Tribus ODONTOLABINI マルバネクワガタ族

- Genus *Neolucanus* THOMPSON, 1862 マルバネクワガタ属

Neolucanus THOMSON, 1862, Ann. Soc. ent. France(4)2, p. 415.

(type-species: *Odontolabis baladeva* Hope, 1842).

Odontolabis HOPE et WESTWOOD, 1847, Hand. d. Ent., 5, p. 357 (pars).

Chalcodes: ARROW, 1935, Trans. ent. Soc. London, 83, p. 107 (pars).

Anoplocnemus BURMEISTER, 1847, Handb. d. Ent. 5, p. 357 (pars).

Neolucanus insularis MIWA, 1929 チャイロマルバネクワガタ

Neolucanus insularis MIWA, Ins. Mats., 3(2/3):73, f. 1, 1929 (Ishigaki-jima).

Distr. Japan (Ryukyu Is.-Yaeyama group, Ishigaki-jima, Iriomote-jima).

Neolucanus insulicola Y. KUROSAWA, 1976 ヤエヤママルバネクワガタ

Neolucanus saundersi insulicola Y. KUROSAWA, Bull. Natn. Sci. Mus. Tokyo((A)2, p. 190, 1976).

Distr. Japan.

subsp. *donan* MIZUNUMA, 1985 ヨナグニマルバネクワガタ

Neolucanus insulicola donan MIZUNUMA, Gekkan Mushi(171):18-23, f. 5 (Yonaguni-jima).

Distr. Japan (Yonaguni-shima).

subsp. *insulicola* Y. KUROSAWA, 1976 ヤエヤママルバネクワガタ

Neolucanus saundersi insulicola Y. KUROSAWA, Bull. natn. Sci. Mus. Tokyo(A), 2, p. 190, 1976.

Distr. Japan (Ishigaki-jima, Iriomote-jima).

Neolucanus okinawanus SAKAINO, 1984 オキナワマルバネクワガタ

Neolucanus protogenetivus okinawanus SAKAINO, Elytra, 12(1):10, fig. 1a-f. 2a, 3a, 4a, 1984 (Okinawa Is.).

Neolucanus okinawanus SAKAINO, MIZUNUMA et NAGAI, Lucanid Beetles World, pl. 23, f. 142-1~3, p. 222, 1994.

Distr. Japan (Ryuku-Okinawa Is.).

Neolucanus protogenetrives Y. KUROSAWA, 1976 アマミマルバネクワガタ

Neolucanus saundersi protogenetrivus Y. KUROSAWA, Bull. Natn. Sci. Mus. Tokyo(A)2, p. 190, 1976 (Amami-Oshima).

Distr. Japan.

subsp. *hamai* MIZUNUMA, 1994 ウケジマルバネクワガタ

Neolucanus protogenetrivus hamai MIZUNUMA, MIZUNUMA et NAGAI, Lucanid Beetles World, pl. 138, No. 141-4, text figs. 20a-e, p. 10, 222, 1994 (Uke-jima).

Distr. Japan (Amami Is.-Uke-jima).

subsp. *protogenetrivus* Y. KUROSAWA, 1976 アマミマルバネクワガタ

Neolucanus saundersi protogenetrivus Y. KUROSAWA, Bull. natn. Sci. Mus. (A)2, p. 190, 1976 (Amami-Oshima).

Distr. Japan (Amami-Oshima, Tokuno-shima).

Tribe CLADOGNATHINI ノコギリクワガタ族

Genus *Prismognathus* MOTSCHULSKY, 1860 オニクワガタ属

Prismognathus MOTSCHULSKY, 1860, Schrenk's Reisen in Amur-Lande, 2, p. 138.

(type-species: *Prismognathus subaeneus* MOTSCHULSKY, 1860).

Cyclorasis THOMSON, 1860, Ann. Soc. ent. France(4), 2, p. 397.

Dorcus: ARROW, 1935, Trans. ent. Soc. London, 88, p. 109 (pars).

Prismognathus angularis WATERHOUSE, 1874 オニクワガタ

Prismognathus angularis WATERHOUSE, Ent. Monthl. Mag. XI, p. 6, 1874 (Kawachi).

Distr. Japan, Sakhalin.

subsp. *angularis* WATERHOUSE, 1874 オニクワガタ

Prismognathus angularis WATERHOUSE, Ent. Monthl. Mag. XI, p. 6, 1874 (Kawachi).

Distr. Japan (Hokkaido, Rishiri-to, Honshu, Shikoku, Kyushu), Sakhalin.

subsp. *morimotoi* Y. KUROSAWA, 1975 ミナミキユウシュウオニクワガタ

Prismognathus angularis morimotoi Y. KUROSAWA, Mem. Nat. Sci. Mus. (8):157-158, pl. 15, 1975. (Mt.

Aoi-dake, Miyazaki Pref.).

Distr. Japan (S. Kyushu).

subsp. *tokui* Y. KUROSAWA, 1975 ヤクシマオニクワガタ

Prismognathus tokui Y. KUROSAWA, Mem. Nat. Sci. Mus. (8):156-157, pl. 15, 1975 (Yakushima).

Prismognathus angularis tokui Y. KUROSAWA, MIZUNUMA et NAGAI, Lucanid Beetles World, p. 238, 1994.

Distr. Japan (Yakushima).

Prismognathus dauricus (MOTSCHULSKY, 1860) キンオニクワガタ

Metopodontus dauricus MOTSCHULSKY, in Schrenk's Reise Amurl-Lande, 2, p. 137, t. 9, f. 11(♀), 1860 (env. du fort Mariinsk, Daourie).

Prismognathus subaeneus MOTSCHULSKY, in Schrenk's Reise Amurl-Lande, 2, p. 138, t. 9, f. 12(♂), 1860 (bords du fl. Amour).

Cyclorasis jekel PARRY, Trans. ent. Soc. London, p. 41, pl. IX, f. 4♂, 1864 (Chowsan, Korea).

Distr. Japan (Tsushima), Korea, Quel-part, Manchuria, E. Siberia, N. China.

Genus *Prosopocoilus* HOPE et WESTWOOD, 1845 ノコギリクワガタ属

Prosopocoilus HOPE et WESTWOOD, 1845, Cat. Lucan. Coleopt., p. 4

(type-species: *Lucanus caviformis* HOPE et WESTWOOD, 1845).

Metopodontus HOPE et WESTWOOD, 1845, ibid. p. 4.

Cladognathus BURMEISTER, 1847, Handl. d. Ent. 5, p. 364.

Psalidognathus MOTSCHULSKY, 1857, Etud. ent. 6, p. 29 (nec GREY, 1832).

Psalidoremus MOTSCHULSKY, 1861, ibid. 10, p. 13 (nom. nov. for *Psalidognathus* MOTSCHULSKY, 1857).

Hoplitocernaum JAKOWLEW, 1896, Horae Soc. ent. Ross., 30, p. 172.

Prosopocoelus VAN ROON, 1910, in Junk, Coleopt. Cat. (8), p. 25.

Metopotropus OBERTHUR et HOULBERT, 1913, Insects., 3, p. 416.

Cyclotropus OBERTHUR et HOULBERT, 1913, ibid. 3, p. 449.

Pelecognathus OBERTHUR et HOULBERT, 1915, ibid. 5, p. 28.

Homoderinus KRIESCHE, 1926, Stett. ent. Zgt., 87, p. 384.

Dorcus: ARROW, 1935, Trans. ent. Soc. London, 83, p. 109 (pars).

Cladognathinus DIDER et SEGUY, 1952, Rev. fr. Ent., 19, p. 225.

- Prosopocoilus dissimilis* (BOILEAU, 1898) リュウキュウノコギリクワガタ
Psalidoremus dissimilis BOILEAU, Bull. Soc. Ent. France, p. 95, f. ♂ & ♀, 1898 (Iles Liou-Kiou).
 Distr. Japan.
- subsp. *elegans* (INAHARA, 1958) トカラノコギリクワガタ
Psalidoremus elegans INAHARA, Ent. Monthl. Mag., 94, p. 12, pl. 1, f. 1, 26&36, 1958 (Takarajima).
 Distr. Japan (Ryuku Is. - Tokara group).
- subsp. *dissimilis* (BOILEAU, 1898) リュウキュウノコギリクワガタ
Psalidoremus dissimilis BOILEAU, 1898, Bull. Soc. Ent. France, p. 95, f. ♂ & ♀, 1898 (Iles Liou-Kiou).
 Distr. Japan (Ryuku Is.).
- subsp. *kumejimaensis* ICHIKAWA et FUJITA, 1985 クメジマノコギリクワガタ
Prosopocoilus dissimilis kumejimaensis ICHIKAWA et FUJITA, 1985, Gekkan Mushi (170):3, f. 41, 42, p. 7-8, 12 (Kumejima Is.).
 Distr. Japan (Kumejima Is.).
- subsp. *makinoi* ICHIKAWA et FUJITA, 1985 トクノシマノコギリクワガタ
Prosopocoilus dissimilis makinoi ICHIKAWA et FUJITA, 1985, Gekkan Mushi (170):3, f. 36, 37, p. 7, 11 (Tokunoshima Is.).
 Distr. Japan (Amami Is., -Tokunoshima Is.).
- subsp. *okinawanus* NOMURA, 1962 オキナワノコギリクワガタ
Prosopocoilus dissimilis okinawanus NOMURA, Toño Gakuho (12):37-38, pl. 1, f. 5, 1962 (Okinawa Is.).
 Distr. Japan (Ryukyu Is. - Okinoerabu-jima, Okinawa, Kerama-jima, Kume-jima, Kouri-jima).
- subsp. *okinoerabuanus* ICHIKAWA et FUJITA, 1985 オキノエラブノコギリクワガタ
Prosopocoilus dissimilis okinoerabuanus ICHIKAWA et FUJITA, 1985, Gekkan Mushi (170):3, f. 38, 39, p. 7, 11 (Okinoerabu Is.).
 Distr. Japan (Amami Is. - Okinoerabu-jima)
- Prosopocoilus hachijoensis* NOMURA, 1960 ハチジョウノコギリクワガタ
Prosopocoilus (Metopodontus) inclinatus hachijoensis NOMURA, Toño Gakuho (10):40, 1960 (Hachijo-jima).
 Distr. Japan (Hachijo-jima).
- Prosopocoilus inclinatus* (MOTSCHULSKY, 1857) ノコギリクワガタ
Lucanus inclinatus MOTSCHULSKY, Et. Ent. VI, p. 29, f. 11, 1857 (Shimoda).
Cladognathus mandibularis THOMSON, Ann. Soc. Ent. Fr. II (4):417, 1862.
Psalidoremus inflexus HAROLD, 1875, Abh. naturw. Ver. Bremen, 4, p. 288 (Hiogo).
 Distr. Japan (Hokkaido, Miyake-jima, Mikura-jima, Shikoku, Kyushu, Thushima, Osumi-Kuroshima, Tanegashima, Yakushima), Korea.
- Prosopocoilus pseudodissimilis* Y. KUROSAWA, 1976 ヤエヤマノコギリクワガタ
Prosopocoilus motschulskyii pseudodissimilis Y. KUROSAWA, Bull. Natn. Sci. Mus. Tokyo (A) 2, p. 190, fig. 4, 1976 (Ishigaki-jima & Iriomote-jima).
 Distr. Japan (Ryukyu Is. - Yaeyama group).

Tribe PSEUDORCINI ネプトクワガタ族

Genus *Aegus* MacLEAY, 1819 ネプトクワガタ属*Aegus* MacLEAY, 1819, Horae ent. I, p. 112.(type-species. *Aegus chelififer* MacLEAY, 1819).*Alcinus* FAIRMAIRE, 1849, Rev. Mag. Zool. (2) I, p. 416 (nec LOEW, 1848).*Paraegus* GAHAN, 1888, Proc. ent. Soc. London, 1888, p. 359.*Xenostomus* BOILEAU, 1898, Bull. Soc. ent. France, 1898, p. 264.*Eubussea* ZACHER, 1913, Arb. Biol. Anst. Berlin, 9, p. 93 (nom. nov. for *Alcinus* FAIRMAIRE, 1849).*Elsion* KRIESCHE, 1920, Arch. Naturg. A. (86), p. 95.*Malietao* KRIESCHE, 1920, ibid., A(86), p. 104.*Odontagus* KRIESCHE, 1935, Koleopt. Rudschau, 21, p. 174.*Aegus laevicollis* E. SAUNDERS, 1854 ネプトクワガタ*Aegus laevicollis* SAUNDERS, Trans. ent. Soc. London, p. 54, t. 4, f. 8, ♂, 1854 (Tea districts of China).*Aegus punctiger* E. SAUNDERS, 1854, ibid., (2), 3, p. 55, pl. 3, f. 6 (Tea district of China).*Aegus labilis* E. SAUNDERS, 1864, ibid., (3), 2, p. 54, pl. 11, f. 8 (Himalaya).

Distr. Japan, Taiwan, China, Birma, N. India, Himalaya.

subsp. *abei* ICHIKAWA et IMANISHI, 1976 トカラネプトクワガタ*Aegus laevicollis abei* ICHIKAWA et IMANISHI, Elytra 3(1/2):10-11, pl. 1, 2, 1976 (Akuseki-jima, Tokara Is.)

Distr. Japan (Tokara Is. - Akuseki-jima, Suwanose-jima).

subsp. *fujitai* ICHIKAWA et IMANISHI, 1876 ハチジョウネプトクワガタ*Aegus laevicollis fujitai* ICHIKAWA et IMANISHI, Elytra, 3(1/2):10, 12, pl. 1, 2, 1976 (Is. Hachijo).

Distr. Japan (Izu Is. - Hachijo-jima).

subsp. *ishigakiensis* NOMURA, 1960 ヤヤマネプトクワガタ*Aegus laevicollis ishigakiensis* NOMURA, Tōhō Gakuho(10):43, 1960 (Ishigaki-jima).

Distr. Japan (Ishigaki-jima, Iriomoe-jima).

subsp. *mizunumai* ICHIKAWA et FUJITA, 1985 ヨナグニネプトクワガタ*Aegus laevicollis mizunumai* ICHIKAWA et FUJITA, 1985, Gekkan Mushi(170):2, f. 10-13, pl. 8, 12 (Yonaguni-jima Is.).

Distr. Japan (Yonaguni-jima Is.).

subsp. *nakanei* ICHIKAWA et IMANISHI, 1976 オキナワネプトクワガタ*Aegus laevicollis nakanei* ICHIKAWA et IMANISHI, Elytra 3(1/2):9, 11, pl. 1, 2, 1976 (Okinawa).

Distr. Japan (Ryukyu Is. - Okinawa).

subsp. *subnitidus* WATERHOUSE, 1873 ネプトクワガタ*Aegus subnitidus* WATERHOUSE, Ent. Monthl. Mag., IX, p. 227, 1873 (Japan).

Distr. Japan (Honshu, Izu Is., Shikoku, Kyushu, Yakushima, Tanegashima, Tsushima, Ryukyu Is. (Tokara Group - Nakanoshima)).

subsp. *tamanukii* ICHIKAWA et IMANISHI, 1976 エラブネプトクワガタ*Aegus laevicollis tamanukii* ICHIKAWA et IMANISHI, Elytra, 3(1/2):10-11, pl. 1, 2, 1976 (Okinoerabu-jima).

Distr. Japan (Okinoerabu-jima).

subsp. *taurulus* DIDIER, 1928 アマミネブトクワガタ

Aegus laevicollis taurulus DIDIER, Lucanid du Globe, I. p. 55, 1928 (Iles Lieou-k'ieous: Oshima).
Distr. Japan (Amami-Oshima).

Aegus ogasawarensis OKAJIMA et KOBAYASHI, 1975 オガサワラネブトクワガタ

Aegus ogasawarensis OKAJIMA et KOBAYASHI, Bull. Nat. Sci. Mus. Ser. A, (Zool.) 1(2):119-121,
1975 (Haha-jima).
Distr. Japan (Bonin Is.-Haha-jima).

Tribe DORCINI クワガタ族

Genus *Rhaetulus* WESTWOOD, 1871 シカクワガタ属

Rhaetulus WESTWOOD, 1871, Trans. ent. Soc. London, 1871, p. 353, pl. 8, f. 4
(type-species: *Rhaetulus crenatus* WESTWOOD, 1871).
Dorcus ARROW, 1943, Proc. ent. Soc. London (13):12, p. 142 (pars).

Subgenus *Rhaetulus* s. str. シカクワガタ亜属

Rhaetulus (s. str.) *recticornis* Y. KUROSAWA, 1964 アマミシカクワガタ

Rhaetulus crenatus recticornis Y. KUROSAWA, Kontyu 32(3):444-446, f. 2, 1964 (Tokuno-shima).
Distr. Japan (Ryukyu Is.-Amami-Oshima, Tokuno-shima).

Genus *Dorcus* MAC LEAY, 1819 クワガタ属

Dorcus MAC LEAY, 1819, Horae etc. 1, p. 111 (type-species: *Scarabaeus parallelipedus* LINNÉ, 1758).
Dynodorcus DIDIER, 1931, Etud. Coleopt. Lucan. (8), p. 197.

Dorcus amamianus (NOMURA, 1964) アマミコクワガタ

Macrodercas amamianus NOMURA, Entom. Rev. Japan, 12(2):47, pl. 3, f. 2, 1964 (Ikari-Amami-Oshima).

Distr. Japan.

subsp. *amamianus* (NOMURA, 1964) アマミコクワガタ

Macrodercas amamianus NOMURA, Entom. Rev. Japan 12(2):47, pl. 3, f. 2, 1964 (Ikari-Amami-Oshima).

Macrodercas okinawanus amamianus NOMURA, Y. KUROSAWA, Check List Coleop. Jap. No. 1:7, 1976.

Macrodercas amamianus amamianus (NOMURA): MIZUNUMA et NAGAI, Lucanid Beetles World, pl. 90,
f. 374-10~15, p. 263, 1994.

Distr. Japan (Ryukyu Is.-Amami-Oshima).

subsp. *kubotai* (FUJITA et ICHIKAWA, 1985) トクノシマコクワガタ

Macrodercas okinawanus kubotai FUJITA et ICHIKAWA, 1985, Gekkan Mushi(170):2, f. 17, 19, p. 9, 12
(Tokunoshima Is.).

- Dorcus amamianus kubotai* (FUJIMA et ICHIKAWA), MIZUNUMA et NAGAI, Lucanid Beetles of the World, pl. 90, f. 374-6~8, p. 263, 1994.
Distr. Japan (Tokunoshima Is., Amami Is. Kagoshima Pref.).
- subsp. *nomurai* (MIZUNUMA, 1994) リュウキュウコクワガタ
Macroдорcas rectus okinawanus NOMURA, Entom. Rev. Japan, XVII(2):47, pl. 3, f. 1, 1964 (Yona, Okinawa).
Dorcus amamiananus nomurai MIZUNUMA, MIZUNUMA et NAGAI, Lucanid Beetles of the World, pl. 90, f. 374-1~5, p. 263, 1994.
Distr. Japan (Ryukyu Is.-Okinawa group).
- subsp. *yaeyamaensis* (HORI, 1991) ヤエヤマコクワガタ
Macroдорcas okinawanus yaeyamaensis HORI, Elytra 19(1):75-76 (Iriomote-jima).
Dorcus amamianus yaeyamaensis (HORI), MIZUNUMA et NAGAI, Lucanid Beetles of the World, p. 263, 1994.
Distr. Japan (Iriomote-jima).
- Dorcus consentaneus* (ALBERS, 1866) チョウセンヒラタクワガタ
Eurytrachelus consentaneus ALBERS, Deut. Ent. Zeit., XXX:28, 1886 (Pekin).
Distr. Japan (Tsushima), Korea, China.
- Dorcus curvidens* (HOPE, 1840) オオクワガタ
Lucanus curvidens HOPE, Linn. Soc. London, I. 1840, p. 78.
Distr. Bhutan, Himalayae, Darjeeling Dist.
- subsp. *binodulosus* WATERHOUSE, 1874 オオクワガタ
Platyprosopus hopei SAUNDERS, Trans. ent. Soc. London, III, p. 50 (1854) (Tea districts of China).
Dorcus hopei HAROLD, Abhandl. Naturw. ver. Bremen, IV, p. 287, 1875 (Japan).
Dorcus binodulosus WATERHOUSE, Ent. Monthl. Mag. XI, p. 6, 1874, test.
Platyprosopus striatopunctatus SAUNDERS, Trans. ent. Soc. London, p. 51, t. 4, f. 5, ♂.
Platyprosopus striatus SAUNDERS, Trans. ent. Soc. London, p. 53, t. 4, f. 4, ♀:test Pary.
Dorcus curvidens binodulosus WATERHOUSE, MIZUNUMA et NAGAI, Lucanid Beetles World, pl. 95, f. 394~25-30, p. 266, 1994.
Distr. Japan (Hokkaido, Honshu, Shikoku, Kyushu, Tsushima), Korea, China, Taiwan(?).
- Dorcus damoiseaui* (MAES, 1982) ダモアソヒラタクワガタ
Erytrachelus damoiseaui MAES, 1942, Bull. Inst. r. Sci. nat. Belg. Bruxelles, 53(24):7.
Distr. Japan (Cluba?).
- Dorcus japonicus* NAKANE et S. MAKINO, 1985 ヤマトサビクワガタ
Gnaphaloryx velutinus: TAKAI, 1981, Satsuma 30(85):137, 4figs.
Dorcus japonicus NAKANE et S. MAKINO, 1985, Gekkan Mushi(169):21, 22-23, fig. 1, 5, 9, 12 (Tokunoshima, Cape Sata).
Distr. Japan (S. Kyushu, Tokunoshima).
- Dorcus metacostatus* KIKUTA, 1985 スジプトヒラタクワガタ
Eurytrachelus costatus BOILEAU, Naturalista, XX, p. 45, f. ♂, 8♀, 1898.

- Dorcus (Serrognathus) costatus*, NOMURA, Tōhō Gakuho(10):43, 1960.
Serrognathus costatus, Y. KUROSAWA, Check List Coleop. Jap. (1):9, 1976.
Dorcus metacostatus KIKUTA, Gekkan Mushi(173):25, 1985.
 Distr. Japan (Ryukyu Is.-Amami group).

Dorcus montivagus (LEWIS, 1883) ヒメオオクワガタ

Macrodercus montivagus LEWIS, Trans. ent. Soc. London, p.337, pl. XIV, f. 2♂, 1883 (Chiuzenji, Junsai, Nanaye).

Distr. Japan, Korea.

subsp. *adachii* (FUJITA et ICHIKAWA, 1987) キュウシュウヒメオオクワガタ

Nipponodorcus montivagus adachii FUJITA et ICHIKAWA, Gekkan Mushi(193):17-20 (Miyazaki, Fukuoka, Kumamoto Pref.).

Dorcus montivagus adachii: MIZUNUMA et NAGAI, Lucanid Beetles World, pl.91, f. 379-6~7, p. 264, 1994.

Distr. Japan (Kyushu).

subsp. *montivagus* (LEWIS, 1883) ヒメオオクワガタ

Macrodercus montivagus LEWIS, Trans. ent. Soc. London, p.337, pl. XIV, f. 2♂, 1883 (Chiuzenji, Junsai Nanaye).

Eurytrachelus ezoensis MIWA, Ins. Mats., II (1):27, 1927.

Dorcus montivagus MIWA, Trans. Nat. Hist. Soc. Formosa, XXIII (128/129):363-364, 1933.

Nipponodorcus montivagus NOMURA, Tōhō Gakuho(10):41, 1960.

Distr. Japan (Hokkaido, Honshu, Izu-Oshima, Shikoku, Kyushu), Korea.

Dorcus rectus (MOTSCHULSKY, 1857) コクワガタ

Macrodercus rectus MOTSCHULSKY, Etud. Ent., p.29, ♂ (1857) (Shimoda)

Distr. Japan, Korea, China, Taiwan.

subsp. *kobayashii* (FUJITA et ICHIKAWA, 1985) トカラコクワガタ

Macrodercus rectus kobayashii FUJITA et ICHIKAWA, 1985, Gekkan Mushi(170):2f. 21~23, p.9, 12 (Nakanoshima Is.).

Distr. Japan (Nakanoshima Is.-Tokara Is., Kagoshima Pref.).

subsp. *miekoae* (YOSHIDA, 1991) ハチジョウコクワガタ

Macrodercus rectus miekoae YOSHIDA, Gekkan Mushi(241):40~42, 1991 (Hachijo-jima Is.).

Distr. Japan (Hachijo-jima, Izu Islands, Tokyo Met.).

subsp. *rectus* (MOTSCHULSKY, 1857) コクワガタ

Macrodercus rectus MOTSCHULSKY, Etud. Ent., p.29, ♂, 1857 (Shimoda).

Eurytrachelus diabolicus THOMSON, Ann. Soc. Ent. Fr., (4) II, p.243, 1862 (Japan).

Dorcus niponensis VOLLENHOVEN, Tijdschr. Ent. IV, p.113, t.7, f.3, 1867 (Japan).

Macrodercus rugipennis MOTSCHULSKY, Etud. Ent. p.16, ♀, 1861 (Japan).

Dorcus binervis MOTSCHULSKY, Etud. Ent., p.16, ♀, 1860 (Japan).

Distr. Japan (Hokkaido, Honshu, Sado Is., Shikoku, Kyushu, Tsushima, Yakushima, Tanegashima, Kuroshima, Kuchinoerabu-jima, Ryukyu Is.-Tokara group), Korea, China.

Dorcus rubrofemoratus (SNELLEN VAN VOLLENHOVEN, 1865) アカアシクワガタ

Eurytrachelus rubrofemoratus SNELLEN VAN VOLLENHOVEN, 1865, Tijdschr. Ent. 8, p.152, pl.2, figs. 1, 2 (Japan).

Hemisodorcus arrowi BOILEAU, 1991, Trans. ent. Soc. London, 1911, p.441 (Burma).

Eurytrachellus haitschunus DIDIER et SÉGUY, 1952, Rev. fr. Ent., 19(4), p. 227, f. 5 (Fokien, China).

Distr. Japan (Hokkaido, Honshu, Shikoku, Kyushu, Tsushima), Korea, China, Tibet, Burma.

Dorcus striatipennis (MOTSCHULSKY, 1861) スジクワガタ

Macrodorcas striatipennis MOTSCHULSKY, Etud. Ent. p. 17, 1861 (Yeso).

Distr. Japan, Korea, China, Formosa.

subsp. *koyamai* NAKANE, 1978 ヤクシマスジクワガタ

Macrodorcas striatipennis koyamai NAKANE, Kita Kyushu no Konchu 24(3):77-78, pl. 10, Fig. 2, A, 1978 (Yakushima).

Dorcus striatipennis koyamai, MIZUNUMA et NAGAI, Lucanid Beetles World, pl. 90, f. 372-8~10, p. 260, 1994.

Distr. Japan (Yakushima).

subsp. *striatipennis* (MOTSCHULSKY, 1861) スジクワガタ

Macrodorcas striatipennis MOTSCHULSKY, Etud. Ent. p. 17, 1861 (Yeso).

Eurytrachellus striatipennis LEWIS, Trans. ent. Soc. London, p. 333, 338, 1883 (Oyayama and Tanegashima).

Macrodorcas cribellatus MOTSCHULSKY, Etud. Ent. p. 17, ♂, 1867.

Macrodorcas opacus WATERHOUSE, Ent. Monthly Mag. VII. p. 208, 1870 (Hakodate).

Macrodorcas vanvolxeni LEWIS, Ann. Mag. Nat. Hist. (5), 4, p. 462, 1879.

Distr. Japan (Hokkaido, Rishirito, Rebunto, Honshu, Sado, Awashima, Mikurajima, Shikoku, Kyushu, Tsushima, Yakushima), Kurile Is., Korea, China, Taiwan.

Dorcus titanus (BOISDUVAL, 1835) ヒラタクワガタ

Lucanus titanus BOISDUVAL, Voyage l'Australabe, Coleoptera II, 1835, p. 327, t. 6, f. 19♂.

Platyperosapus platymelus E. SAUNDERS, Trans. ent. Soc. Lond., ser. III, p. 50, t. 3, f. 7, 1854 (China).

Dorcus lateralis ♀, SAUNDERS, Trans. ent. Soc. Lond., p. 46, 1854 (China).

Dorcus obscurus ♀, SAUNDERS, l. c., p. 52, t. 4, f. 6, 1854.

Distr. Japan, Ryukyu Is. Korea, S. Manchuria, Taiwan, China, Tonkin, Burma.

subsp. *castanicolor* MOTSCHULSKY, 1861 ツシマヒラタクワガタ

Serrogathus castanicolor MOTSCHULSKY, Etud. Ent. X, 2, p. 12, ♂, 1861.

Dorcus (Serrogathus) titanus castanicolor, NOMURA, Tōhō Gakuho(10):42, 1960 (Tsushima).

Distr. Japan (Tsushima), Korea, S. Manchuria.

subsp. *daitoensis* FUJITA et ICHIKAWA, 1986 ダイトウヒラタクワガタ

Serrogathus titanus daitoensis FUJITA et ICHIKAWA, 1986, Gekkan Mushi(189):28-29.

Distr. Japan (Minamidaito-jima, Kitadaito-jima -Daito Islands, Okinawa Pref.).

subsp. *elegans* (BOILEAU, 1899) アマミヒラタクワガタ

Eurytrachellelus elegans BOILEAU, Bull. Soc. Ent. Fr. p. 177, 1899 (Loo-Choo).

Distr. Japan (Ryukyu Is. -Amami group).

subsp. *hachijoensis* (FUJITA et OKUDA, 1989) ハチジョウヒラタクワガタ

Serrogathus titanus hachijoensis FUJITA et OKUDA, 1989, Gekkan-Mushi(224):24-26, Figs. 3-5, 8, 1989.

Distr. Japan (Hachijo-jima -Izu Islands).

subsp. *okinawanus* (KRIEBSCHKE, 1922) オキナワヒラタクワガタ

Eurytrachellus titanus var. *okinawanus* KRIEBSCHKE, Stett. Ent. Zeit., LXXIII, p. 115-137, 1922.

- Distr. Japan (Okinawa-honto, Kume-jima, Minami-Daito-jima, Ie-jima, Kouri-jima).
 subsp. *okinoerabuensis* FUJITA et ICHIKAWA, 1985 オキノエラブヒラタクワガタ
Serrognathus titanus okinoerabuensis FUJITA et ICHIKAWA, 1985, Gekkan Mushi(170):2, f. 26, p. 10, 131 (Okinoerabujima).
 Distr. Japan (Okinoerabu-jima -Amami Is.).
 subsp. *pilifer* (SNELLEN VAN VOLLENHOVEN, 1861) ヒラタクワガタ
Serrognathus pilifer SNELLEN VAN VOLLENHOVEN, Tijdschr. Ent. IV, p. 112, t. 6, f. 14, 1861 (Japan).
Serrognathus platymelus pilifer, Y. KUROSAWA, Check List Coleop. Jap. No. 1:9, 1976.
Dorcus (Serrognathus) titanus pilifer, NOMURA, Tōhō Gakuho(10):42, 1960.
Dorcus titanus pilifer (VOLLENHOVEN, 1861), MIZUNUMA et NAGAI, Lucanid Beetles World, pl. 102, f. 403-39~43, p. 269, 1994.
 Distr. Japan (Honshu, N. Izu Is., Shikoku, Kyushu, Yakushima, Tanegashima, Ryukyu Is., -Tokura group. Amami Is. -Uke-jima).
 subsp. *sakishimanus* (NOMURA, 1964) サキシマヒラタクワガタ
Dorcus (Serrognathus) titanus sakishimanus NOMURA, Tōhō Gakuho(14):62-63, pl. 1, f. 1~3, 1964.
 Distr. Japan (Ryuku Is. Yaeyama group. Yonaguni-jima).
 subsp. *takaraensis* FUJITA et ICHIKAWA, 1985 タカラヒラタクワガタ
Serrognathus titanus takaraensis FUJITA et ICHIKAWA, 1985, Gekkan Mushi(170):2, f. 24, p. 9, 13 (Takarajima Is.).
 Distr. Japan (Takara-jima -Tokara Is.).
 subsp. *tokunoshimaensis* FUJITA et ICHIKAWA, 1985 トクノシマヒラタクワガタ
Serrognathus titanus tokunoshimaensis FUJITA et ICHIKAWA, 1985, Gekkan Mushi(170):2, f. 27, 28, p. 9-10, 13 (Tokunoshima Is., Yoronjima Is.).
 Distr. Japan (Tokunoshima, Yoron-jima -Amami Is.).

Family PASSALIDAE クロツヤムシ科

Subfamily AULACOCYCLINAE ツノクロツヤムシ亜科

- Genus *Cylindrocaulus* FAIRMAIRE, 1880 ツノクロツヤムシ属
Cylindrocaulus FAIRMAIRE, Le Naturaliste, 1880, p. 164 (type-species. *Cylindrocaulus bucerus* FAIRMAIRE, 1880).
Auritulus ZANG, 1905, Notes Lyden Mus., 25, p. 229.
Aurikulus ARROW, 1907, Trans. ent. Soc. London. 1907, p. 446.
Puritulus GREVEN, 1914, Mem. Indian Mus. 3, p. 331.

- Cylindrocaulus patalis* (LEWIS, 1883) ツノクロツヤムシ
Aulacocyclus patalis LEWIS, Trans. ent. London., 1883, p. 341.
 Distr. Japan (Shikoku, Kyushu).