

Tribe RHYPARINI カクマグソコガネ族

Genus *Rhyparus* WESTWOOD, 1843 カクマグソコガネ属
Rhyparus WESTWOOD, Proc. Ent. Soc. Lond. 1843, p. 93.
 (type-species: *Rhyparus desjardinsi* WESTWOOD, 1843)

Rhyparus helepholoides FAIRMAIRE, 1893 ヒメセスジカクマグソコガネ
Rhyparus helepholoides FAIRMAIRE, Note Lyden Mus. XV, p. 145, 1893 (Borneo).
Rhyparus amamianus NAKANE, Ins. Mats., 20(3/4):123-124, 1956 (Amami-Oshima).
 Distr. Tokara Is. (Suwanose-jima, Takara-jima, Nakanoshima), Amami-Oshima, Okinoerabu-jima, Okinawa-honto, Ishigaki-jima, Iriomote-jima, Miyako-jima), Taiwan, Borneo.

Rhyparus kitanoi Y. MIYAKE, 1982 キュウシュウカクマグソコガネ
Rhyparus kitanoi Y. MIYAKE, Kita Kyushu no Konchu 29(2):65-68, Fig. 1-8, 1982 (Cape Sata, Ohsumi, Meshima, Danjo Is., Akamatsu Valley, Shimabara City).
 Distr. Japan (Kyushu-Mainland and Danjo Is.).

Rhyparus peninsularis ARROW, 1905 セスジカクマグソコガネ
Rhyparus peninsularis ARROW, Ann. Mag. Nat. Hist. (7) XV, p. 537, 1905.
Rhyparus azumai NAKANE, Ins. Mats., 20(3/4):122-123, fig., 1956 (Kii, Hiko, Chikugo).
 Distr. Japan (Honshu, Nii-jima, Miyake, Mikura, Hachijyo-jima, Shikoku, Kyushu, Yakushima, Tanega-shima, Nakano-shima, Takara-jima, Tokara Is., Okinawa, Goto Is., Danjyo-Is., Tsushima, Hekura-jima, Ishigaki-jima), Taiwan.

Subfamily AEGIALIINAE ニセマグソコガネ亜科

Genus *Aegialia* LATREILLE, 1807 ニセマグソコガネ属
Aegialia LATREILLE, Gen. Crust. et Ins. II, 1807, p. 96.
 (type-species: *Scarabaeus arearia* FABRICIUS, 1787)

Aegialia nitida WATERHOUSE, 1875 ニセマグソコガネ
Aegialia nitida WATERHOUSE, Trans. ent. Soc. Lond., p. 95, 1875 (Hakodate).
 Distr. Japan (Hokkaido, Honshu, Kyushu).

Genus *Caelius* LEWIS, 1895 トゲマグソコガネ属
Caelius LEWIS, Ann. Mag. Nat. Hist. (6) XVI, p. 382, f. 5, 1895.
 (type-species: *Caelius denticollis* LEWIS, 1895)

Caelius denticollis LEWIS, 1895 トゲマグソコガネ
Caelius denticollis LEWIS, Ann. Mag. Nat. Hist. ser. 6, 16, p. 381, 1895 (Miyanosita, Kiga, Nikko).

Distr. Japan (Honshu, Kyushu).

Genus *Psammoporus* THOMSON, 1863 ナガニセマグソコガネ属
Psammoporus THOMSON, Skand. Col. (5) p. 72, 1863.
 (type-species: *Scarabaeus sabuleti* PANEEB, 1797)

Psammoporus comis (LEWIS, 1895) ナガニセマグソコガネ

Psammobius comis LEWIS, Ann. Mag. Nat. Hist. (6)16:384, 1895.

Aegialia (Dimalia) hybrida REITTER, Verh. Nat. Ver. Brün. XXX 189[1892]:251.

Psammoporus freyi PORTROVITZ, Arb. Mus. Frey. 12(1):136, 1961.

Distr. Japan (Hokkaido, Honshu).

Psammoporus kamtschaticus (MOTSCHULSKY, 1860) アラメニセマグソコガネ

Aegiolia kamtschatica MOTSCHULSKY, 1860, Dr. Schrenk's Reisen u Forsch im Amur-Lande II, 2,
 Lief.:132, pl.9, f.3 (Kamtschatka & Daourie).

Psammoporus nakanei MASUMOTO, Pap. Ent. Pres Nakane, Tokyo pp.144-164, figs.1&4, 1986.

Distr. Japan (Hokkaido, Honshu), Kuriles, Kamtschatka, Sachalin, E.Siberia.

Psammoporus tsukamotoi MASUMOTO, 1986 キタアラメニセマグソコガネ

Psammoporus tsukamotoi MASUMOTO, Pap. Ent. Pres. Nakane Tokyo p.146-147, figs.2&5, 1986 (Mt.

Rishiri, Rishiri Is., Horomitoge, Sōunkyo, Mt.Poroshiridake, Hidaka, -Hokkaido).

Distr. Japan(Hokkaido, Rishiri Is.)

Subfamily GLAPHYRINAE ヒゲフトハナムグリ亜科

Genus *Amphicoma* LATREILLE, 1807 ヒゲフトハナムグリ属

Amphicoma LATREILLE, Genera Crust. et Insect, 2:118, 1807.

Anthypna LATREILLE, Genera Crust. et Insect, 2:119, 1807.

Anthynoides YAWATA, Trans. Kansai Ent. Soc.12(1):33-35, 1942.

(type-species: *Melolontha abdominalis* FABRICIUS, 1781)

Amphicoma pectinata (LEWIS, 1895) ヒゲフトハナムグリ

Anthypna pectinata LEWIS, Ann. Mag. Nat. Hist. (6)XVI, p. 358, 1895 (Tokio).

Distr. Japan (Honshu, Shikoku).

Amphicoma splendens (YAWATA, 1942) オオヒゲフトハナムグリ

Anthynoides splendens YAWATA, Trans. Kansai Ent. Soc. 12(1):35, 1942 (Yonakuni Is.).

Distr. Japan (Ishigaki Is. Iriomote Is., Yonaguni Is.).