

- Psammobius comis* Lewis, 1895, Ann. Mag. Nat. Hist. (6) 16:384.  
*Aegialia (Dimalia) hybrida* Reitter, 1892, Verh. Nat. Ver. Brun. XXX, 189:251.  
*Psammoporus freyi* Portrovitz, 1961, Arb. Mus. Frey. 12 (1):136.  
 Distr. Japan (Hokkaido, Honshu).

- Psammoporus kamtschaticus* (Motschulsky, 1860) アラメニセマグソコガネ  
*Aegiolia kamtschatica* Motschulsky, 1860, Dr. Schrenk's Reisen u Forsch im Amur-Lande II, 2, Lief.:132, pl.9, f.3. (Kamtschatka & Daoure)  
*Psammoporus nakanei* Masumoto, 1986, Pap. Ent. Pres. Nakane, Tokyo pp.144-164, figs.1&4.  
 Distr. Japan (Hokkaido, Honshu), Kuriles, Kamtschatake, Sachalin, E.Siberia.

- Psammoporus tsukamotoi* Masumoto, 1986 キタアラメニセマグソコガネ  
*Psammoporus tsukamotoi* Masumoto, 1986, Pap. Ent. Pres. Nakane Tokyo p.146-147, figs.2&5. (Mt. Rishiri, Rishiri Is., Horomito, Soumkyo, Mt. Poroshiridake, Hidaka-Hokkaido)  
 Distr. Japan (Hokkaido, Rishiri Is.).

## Subfamily GLAPHYRINAE ヒゲブトハナムグリ亜科

- Genus *Amphicoma* Latreille, 1807 ヒゲブトハナムグリ属  
*Amphicoma* Latreille, 1807, Genera Crust. et. Insect, 2:118.  
*Anthypna* Latreille, 1807, Genera Crust. et. Insect, 2:119.  
*Anthynoides* Yawata, 1942, Trans. Kansai Ent. Soc. 12 (1):33-35.  
 (type-species: *Melolontha abdominalis* Fabricius, 1781)

- Amphicoma pectinata* (Lewis, 1895) ヒゲブトハナムグリ  
*Anthypna pectinata* Lewis, 1895, Ann. Mag. Nat. Hist. (6) XVI, p.358. (Tokio)  
 Distr. Japan (Honshu, Shikoku).

- Amphicoma splendens* (Yawata, 1942) オオヒゲブトハナムグリ  
*Anthypnoides splendens* Yawata, 1942, Trans. Kansai Ent. Soc. 12 (1):35. (Yonakuni Is.)  
 Distr. Japan (Ishigaki Is., Iriomote Is., Yonaguni Is.).

## Subfamily MELOLONTHINAE コフキコガネ亜科

### Tribe HOPLIINI アシナガコガネ族

- Genus *Hoplia* Illiger, 1803 アシナガコガネ属  
*Hoplia* Illiger, 1803, Mag. Ins. II, p.226.  
 (type-species: *Scarabaeus farinosus* Linne, 1761)  
*Hyperis* Dejean, 1833, Cat. Col. ed. 3, p.167.  
*Echyrus* Erichson, 1847, Nat. Ins. Detsch. III, p.705, nota.

Subgenus *Euchromoplia* Medvedev, 1952

*Euchromoplia* Medvedev, 1952, Fauna U.S.S.R. 10 (2): 235, 1952.

(type-species : *Scarabaeus aureolus* Pallas, 1875)

*Hoplia* (*Euchromoplia*) *communis* Waterhouse, 1875 アシナガコガネ

*Hoplia communis* Waterhouse, 1875, Trans. ent. Soc. London, p. 100. (Nagasaki, Yokohama)

*Hoplia communis* f. *maculatus* Bates, 1889, Ent. mon. Mag. 25, p. 298.

Distr. Japan (Honshu, Sado Is., Izu-Oshima, Shikoku, Kyushu, Yakushima).

Subgenus *Hoplia* Illiger, 1803, s.str.

*Hoplia* (s. str.) *hakonensis* Sawada, 1938 ハコネアシナガコガネ

*Hoplia moerens* var. *hakonensis* Sawada (part.), 1938, Nippon no Kochu 2 (1): 39, pl. VI, f. 10, (Hakone)

Distr. Japan (Honshu-Izu, Hakone, Toyama, Niigata).

*Hoplia* (s. str.) *moerens* Waterhouse, 1875 クロアシナガコガネ

*Hoplia moerens* Waterhouse, 1875, Trans. ent. Soc. London, p. 100. (Hiogo, Nagasaki)

*Hoplia moerens* f. *nigrofusca* Nomura, 1968, Ent. Rev. Japan 20 (1/2): 58.

*Hoplia moerens* f. *flavicans* Nomura, 1968, Ent. Rev. Japan 20 (1/2): 58.

*Hoplia moerens ohbayashii* Nomura, 1968, Ent. Rev. Japan 20 (1/2): 59.

Distr. Japan (Honshu, Shikoku, Kyushu).

*Hoplia* (s. str.) *reini* Heyden, 1879 ラインアシナガコガネ

*Hoplia reini* Heyden, 1879, Dtsch. Ent. Zeit., XXIII, p. 339. (Kiushiu)

Distr. Japan (Kyushu).

*Hoplia* (s. str.) *shiraki* Nomura, 1959 シラキアシナガコガネ

*Hoplia* (s. str.) *shiraki* Nomura, 1959, Tōhō Gakuho (9): 39, pl. 1/2, f. 1-3. (Okinawa Is.)

Distr. Japan (Okinawa Is.).

Genus *Ectinohoplia* Redtenbacher, 1868 ヒメアシナガコガネ属

*Ectinohoplia* Redtenbacher, 1868, Reise Novara-Expedition, Zool. II, Col. p. 63.

(type-species : *Hoplia obducta* Motschulsky, 1857)

*Ectinohoplia gracilipes* (Lewis, 1895) キイロアシナガコガネ

*Hoplia gracilipes* Lewis, 1895, Ann. Mag. Nat. Hist. (6) XVI, p. 389. (Oshima)

Distr. Japan (Kyushu, Yakushima, Amami-Oshima, Tokunoshima).

*Ectinohoplia obducta* (Motschulsky, 1857) ヒメアシナガコガネ

*Hoplia obducta* Motschulsky, 1857, Etud. ent., p. 33. (Japan, Shimoda)

*Hoplia sabulicola* Motschulsky, 1857, Etudes ent. 6, p. 34.

*Ectinohoplia variolosa* Waterhouse, 1875, Trans. ent. Soc. London, p. 99, pl. 1, f. 2. (Nagasaki)

*Ectinohoplia obducta* var. *caminaris* Reitter, 1903, Verh. naturw. Ver. Brunn. 41, p. 107.

Distr. Japan (Hokkaido, Honshu, Sado Is., Shikoku, Kyushu, Goto Is., Tsushima, Yakushima, Hekura-jima), Korea, China.

*Ectinohoplia rufipes* (Motschulsky, 1860) カバイロアシナガコガネ

*Decamera rufipes* Motschulsky, 1860, in Schrenk's Amur-Reise, II, p.133, t.9, f.4. (Daourie, dords du fl. Amur).

Distr. Japan (Hokkaido, Chishima, Honshu, Shikoku, Tsushima), Sachalin, Korea.

## Tribe SERICINI ビロウドコガネ族

Genus *Maladera* Mulsant et Rey, 1870 ビロウドコガネ属

*Maladera* Mulsant et Rey, 1870, Ann. Soc. Agric. Lyon (4), 3, p.343.

(type-species : *Scarabaeus holosericeus* Scopoli, 1772)

*Aserica* Lewis, 1895, Ann. Mag. Nat. Hist. (6) XVI, p.394.

(type-species : *Autoserica secreta* Brenske, 1897)

*Autoserica* Brenske, 1857, Berl. Ent. Zeit. p.377.

(type-species : *Serica piceorufa* Fairmaire, 1888)

Subgenus *Maladera* Mulsant et Reay, 1870, s.str.*Maladera* (s. str.) *amamiana* Nomura, 1959 アマミビロウドコガネ

*Maladera kamiyai amamiana* Nomura, 1959 Tōhō Gakuho (9): 40, pl.II, f.4&5. (Amami-Oshima)

Distr. Japan (Amami-Oshima).

*Maladera* (s. str.) *cariniceps* (Moser, 1915) スジビロウドコガネ

*Autoserica cariniceps* Moser, 1915, Deut. Ent. Zeit. p.341.

Distr. Japan (Kyushu, Tsushima), Korea, China.

*Maladera* (s. str.) *castanea* (Arrow, 1913) アカビロウドコガネ

*Aserica castanea* Arrow, 1913, Ann. Mag. Nat. Hist. (8) 12, p.398. (Kobe, Japan, N.China)

Distr. Japan (Hokkaido, Chishima, Honshu, Tobishima, Awashima, Sado, Izu-Is., Oshima, Toshima, Nii-jima, Shikinejima, Kozujima, Miyake-jima, Mikura-jima, Hachijyo-jima, Hachijyo-kojima, Aogashima, Shikoku, Kyushu, Goto Is., Tsushima, Yakushima).

*Maladera* (s. str.) *ejimai* Y. Miyake et Imasaka, 1987 ダンジョビロウドコガネ

*Maladera* (s.str.) *ejimai* Y. Miyake et Imasaka, 1987, Ent. Rev. Japan 42(3):137-139, figs.1-5. (Meshima Is.)

Distr. Japan (Danjo Islands).

*Maladera* (s. str.) *hiranoi* Y. Miyake, 1986 トクノシマビロウドコガネ

*Maladera* (s.str.) *hiranoi* Y. Miyake, 1986, Lamellicornia (2):3-5, Text. fig.3. (Tokunoshima Is.)

Distr. Japan (Tokunoshima Is.).

*Maladera* (s. str.) *imasakai* Y. Miyake et Yamaya, 1995 ヤンバルビロウドコガネ

*Maladera imasakai* Y. Miyake et Yamaya, 1995, Bull. Nagaoka Mun. Sci. Museum (30):34-35, figs.3&10. (Okinawa Is.)

Distr. Japan (Okinawa Is.).

*Maladera* (s. str.) *impressithorax* Nomura, 1973 ムナクボピロウドコガネ

*Maladera* (s.str.) *impressithorax* Nomura, 1973 Tōhō Gakuho (23):130–131, pl.1, f.9. (Higashi–nakama, Amami–Oshima)

Distr. Japan.

subsp. *impressithorax* Nomura, 1973 ムナクボピロウドコガネ

*Maladera* (s.str.) *impressithorax* Nomura, 1973, Tōhō Gakuho (23):130–131, pl.1, f.9. (Higashi–nakama, Amami–Oshima)

Distr. Japan (Amami–Oshima).

subsp. *okinocerabuana* H. Kobayashi, 1978 オキノエラブピロウドコガネ

*Maladera* (s.str.) *okinocerabuana* H. Kobayashi, 1978, New Entomol. 27(4):15, fig.2. (Okinoerabu Is.)

Distr. Japan (Okinoerabu–jima, Okinawa Is.).

*Maladera* (s. str.) *japonica* (Motschulsky, 1860) ピロウドコガネ

*Serica japonica* Motschulsky, 1860, Etud. Ent. IX, p.15. (Japan)

Distr. Japan.

subsp. *japonica* (Motschulsky, 1860) s. str. ピロウドコガネ

*Serica japonica* Motschulsky, 1860, Etud. Ent. IX, p.15. (Japan)

Distr. Japan (Hokkaido, Honshu, Tobishima, Awashima, Sado Is., Izu Is., –Toshima, Shikoku, Kyushu, Hiradoshima, Tsushima, Yakushima).

subsp. *yaeyamana* Nomura, 1963 ヤエヤマピロウドコガネ

*Maladera kamiyai yaeyamana* Nomura, 1963, Ent. Rev. Japan, 15(2):27, f.1. (Iriomote Is.)

Distr. Japan (Miyako–jima, Ishigaki–jima, Iriomote–jima).

*Maladera* (s. str.) *kamiyai* (Sawada, 1937) カミヤピロウドコガネ

*Serica kamiyai* Sawada, 1937, Nippon no Kochu 1(1):27, pl.IV, f.3a, 3b, 6, pl.VI, f.3, 10. (Daisen, Yamato, Matsuyama, Yamanakako, Hakone, Yamato–Kamikitayama–mura, Formosa–Musaya?, Arisan?)

Distr. Japan (Honshu, Okinoshima, Shikoku, Kyushu, Goto Is., Yakushima).

*Maladera* (s. str.) *kusuii* Y. Miyake, 1986 イヘヤジマピロウドコガネ

*Maladera* (s.str.) *kusuii* Y. Miyake, 1986, LAMELLICORNIA, Tokyo (2):2–3, Text–fig.2. (Iheyajima Is.)

Distr. Japan (Iheya–jima).

*Maladera* (s. str.) *okinawaensis* H. Kobayashi, 1978 オキナワピロウドコガネ

*Maladera* (s.str.) *okinawaensis* H. Kobayashi, 1978, New Entomol. Nagano 27(4):14–15, f.1. (Okinawa–honto, Mt. Yonaha–dake)

Distr. Japan (Okinawa Is.).

*Maladera* (s. str.) *opima* Nomura, 1967 オオマルピロウドコガネ

*Maladera (Aserica) opima* Nomura, 1967, Ent. Rev. Japan 19(2):52–53, T.f.1, pl.7, f.1. (Mt. Hateruma, Iriomote–jima)

Distr. Japan (Miyako–jima, Ishigaki–jima, Iriomote–jima).

*Maladera* (s. str.) *orientalis* (Motschulsky, 1857) ヒメピロウドコガネ

*Serica orientalis* Motschulsky, 1857, Etud. Ent. VI, p.33. (Japan)

*Serica salebrosa* Brenske, 1897, Berl. Ent. Zeit. p.428. (Yokohama, Hakone, Echizen, Kiushiu)

Distr. Japan (Hokkaido, Honshu, Tobishima, Awashima, Sado, Izu Is.,—Toshima, Nijima, Shikoku, Kyushu), Sakhalin, China, Mongol.

*Maladera* (s. str.) *oshimana* Nomura, 1962 リュウキュウヒロウドコガネ

*Maladera orientalis oshimana* Nomura, 1962, Tōhō Gakuho (12):38, f.3. (Amami—Oshima)

Distr. Japan.

subsp. *okinawana* Nomura, 1964 ヒメリュウキュウヒロウドコガネ

*Maladera cariniceps okinawana* Nomura, 1964, Ent. Rev. Japan 16(2):56, f.1. (Okinawa Is. & Kumejima)

Distr. Japan (Okinawa—jima, Kumejima).

subsp. *oshimana* Nomura, 1962 リュウキュウヒロウドコガネ

*Maladera orientalis oshimana* Nomura, 1962, Tōhō Gakuho (12):38, f.3. (Amami—Oshima)

*Maladera cariniceps oshimana* Nomura, 1964, Ent. Rev. Japan 16(2):51.

Distr. Japan (Amami—Oshima, Tokunoshima).

subsp. *sakishimana* Nomura, 1964 サキシマヒロウドコガネ

*Maladera cariniceps sakishimana* Nomura, 1964, Ent. Rev. Japan 16(2):51, f.2. (Iriomote—jima & Ishigaki—jima)

Distr. Japan (Miyako—jima, Ishigaki—jima, Iriomote—jima, Yonaguni—jima).

*Maladera* (s. str.) *renardi* (Ballion, 1870) オオヒロウドコガネ

*Serica renardi* Ballion, 1870, Moscou, p.339. (E.Siberia, Permske)

*Serica motschulsky* Brenske, 1897, Berl. Ent. Zeit. p.370. (Korea)

*Serica sibirica* Brenske, 1897, Berl. Ent. Zeit. p.372. (Vladivostok, Chabrofka)

*Serica spissigrada* Murayama, 1937, Ann. Zool. Japan, p.16. (Suigen)

Distr. Japan (Honshu, Sado, Izu Is., Hachijyo—jima, Shikoku, Kyushu), Korea, China, E.Siberia.

*Maladera* (s. str.) *satoi* Nomura, 1961 トカラヒロウドコガネ

*Maladera* (s. str.) *satoi* Nomura, 1961, Tōhō Gakuho (11):73, f.a—d. (Nakanoshima)

Distr. Japan (Osumi—Kuroshima, Tokara—Nakanoshima, Kuchinoshima).

*Maladera* (s. str.) *secreta* (Brenske, 1897) マルガタヒロウドコガネ

*Autoserica secreta* Brenske, 1897, Berl. Ent. Zeit. p.341. (Tsuruga, Nagahama, Fushiki, Shimonoseki, Kiushu, Nagasaki, Hagi, Hiogo, Yokohama)

*Autoserica takaona* Nijima et Kinoshita, 1927, Res. Bull. Coll. Exp. Forest Coll. Agr. Hokkaido Imp. Univ. Japan, IV, pp.11,80, pl.III, f.2. (Awa, Takao—san)

*Autoserica uyei* Nijima et Kinoshita, 1927, Res. Bull. Coll. Exp. Forest Coll. Agr. Hokkaido Imp. Univ. Japan IV, pp.12,80, pl.1, f.8, pl.iii, f.3. (Oita)

Distr. Japan (Honshu, Izu Is.—Oshima, Shikoku, Kyushu, Hirato—jima, Tsushima), Taiwan, China.

#### Subgenus *Eumaladera* Nomura, 1967

*Eumaladera* Nomura, 1967, Ent. Rev. Japan, 19(2):53.

(type—species : *Maladera nitididorsis* Nomura, 1967)

*Maladera* (*Eumaladera*) *nitidiceps* Nomura, 1967 チビヒロウドコガネ

*Maladera* (*Eumaladera*) *nitidiceps* Nomura, 1967, Ent. Rev. Japan 19(2):55—56, Taf.3, pl.7, f.3&4. (Iriomote

Is.)

Distr. Japan (Iriomote-jima, Yonaguni-jima).

*Maladera (Eumaladera) nitididorsis* Nomura, 1967 ツヤズビロウドコガネ

*Maladera (Eumaladera) nitididorsis* Nomura, 1967, Entom. Rev. Japan 19(2):54-55, f.2, pl.7, f.2. (Amami-Oshima)

Distr. Japan (Amami-Oshima).

Genus *Hoplomaladera* Nomura, 1974 ミソビロウドコガネ属

*Hoplomaladera* Nomura, 1974 Tōhō Gakuho (24):82, 92.

(type-species : *Hoplomaladera shibatai* Nomura, 1974)

*Hoplomaladera saitoi* H. Kobayashi, 1975 ミソビロウドコガネ

*Hoplomaladera saitoi* H. Kobayashi, 1975, New Entoml. 24(2/3):9-10. (Kanpira, Iriomote-jima)

Distr. Japan (Iriomote-jima).

Genus *Gastroserica* Brenske, 1897 シマビロウドコガネ属

*Gastroserica* Brenske, 1897, Berl. Ent. Zeit. p.412.

(type-species : *Serica marginalis* Brenske, 1894)

*Gastroserica brevicornis* (Lewis, 1895) コヒゲシマビロウドコガネ

*Serica brevicornis* Lewis, 1895, Ann. Mag. Nat. Hist. (6)XVI, p.393. (Nikko, Shinkano)

*Microserica nikkoensis* Brenske, 1897, Berl. Ent. Zeitsch. XLII, p.435. (Nikko)

Distr. Japan (Honshu, Shikoku, Kyushu).

*Gastroserica higonia* (Lewis, 1859) ヒゴシマビロウドコガネ

*Serica higonia* Lewis, 1859, Ann. Mag. Nat. Hist. (6)XVI, p.394. (Hitoyoshi, Konose, Yuyama)

Distr. Japan (Kyushu).

Genus *Gastromaladera* Nomura, 1973 オオシマビロウドコガネ属

*Gastromaladera* Nomura, 1973, Tōhō Gakuho (23):122-123.

(type-species : *Gastroserica major* Nomura, 1959)

*Gastromaladera major* (Nomura, 1959) オオシマビロウドコガネ

*Gastromaladera major* Nomura, 1959, Tōhō Gakuho (9):40-41. (Amami-Oshima)

Distr. Japan (Amami-Oshima, Tokuno-shima).

Genus *Paraserica* Reitter, 1896 ハイイロビロウドコガネ属

*Paraserica* Reitter, 1896, Wien Ent. Zeit. XV, Heft.IV.V, p.183.

(type-species : *Serica grisea* Motschulsky, 1866)

*Paraserica grisea* (Motschulsky, 1866) ハイイロビロウドコガネ

*Serica grisea* Motschulsky, 1866, Bull. Mosc. I, p.171. (Japan)

Distr. Japan (Hokkaido, Honshu, Shikoku, Awa-shima, Sado-gashima, Hirato-shima, Kyushu).

Genus *Pachyserica* Brenske, 1897 ウスグモビロウドコガネ属

*Pachyserica* Brenske, 1897, Berl. Ent. Zeitscher, p.420.

(type-species : *Pachyserica rubrobasalis* Brenske, 1897)

*Pachyserica yanoi* Nomura, 1959 ヤノウスグモビロウドコガネ

*Pachyserica yanoi* Nomura, 1959, Tōhō Gakuho (9):41, pl.2, f.6-7. (Ishigaki-jima)

Distr. Japan (Ishigaki-jima, Iriomote-jima).

Genus *Serica* MacLeay, 1819 ヒゲナガビロウドコガネ属

*Serica* MacLeay, 1819, Horae Ent. I:146.

(type-species : *Scarabaeus brunneus* Linne, 1758)

*Trichoserica* Reitter, 1896, Wien ent. Ztg., 15, p.181, 183.

*Ophthalmoserica* Brenske, 1897, Berl. ent. Zeitschr. 42, p.356. (Subg.)

*Serica boops* Waterhouse, 1875 ヒゲナガビロウドコガネ

*Serica boops* Waterhouse, 1875, Trans. ent. Soc. London, p.101. (Maiyasan, Hyogo)

*Ophthalmoserica nijimai* Kontkanen, 1956, Suomen Hyoterstieteellinen Aikakauskirja 22 (2):No.2, p.60.  
(Karizawa, Odaira)

*Ophthalmoserica inexpectata* Kontkanen, 1956, Suomen Hyontieteellinen Aikakauskirja 22 (2):60. (Odaira)  
Distr. Japan (Honshu, Izu Is.-Oshima, Toshima, Miyakejima, Mikura-jima, Hachijyo-jima, Hachijyo-kojima, Shikoku, Kyushu).

*Serica brevitarsis* Nomura, 1972 コヒゲナガビロウドコガネ

*Serica brevitarsis* Nomura, 1972, Tōhō Gakuho (22):117-118, Text figs. 5&6, pl.I, f.5a, pl.3, f.5: pl.4, f.5.  
(Hirakura)

Distr. Japan.

subsp. *brevitarsis* Nomura, 1972 コヒゲナガビロウドコガネ

*Serica brevitarsis* Nomura, 1972, Tōhō Gakuho (22):117-118, Text figs. 5&6, pl.I, f.5a, pl.3, f.5: pl.4, f.5.  
(Hirakura)

Distr. Japan (W.Honshu-Kinki Dist.).

subsp. *rectipes* Nomura, 1972 ヒメコヒゲナガビロウドコガネ

*Serica brevitarsis rectipes* Nomura, 1972, Tōhō Gakuho (22):118, Text figs. 7&8, pl.1, f.5b. (Mt.Tsurugi,  
Tokushima Pref.)

Distr. Japan (W.Honshu, Shikoku, Kyushu).

*Serica echigoana* (Nakane et Baba, 1960) エチゴビロウドコガネ

*Ophthalmoserica echigoana* Nakane et Baba, 1960, Entom. Rev. Japan 12 (1):6. (Kurokawa)  
Distr. Japan (N.Honshu).

*Serica foobowana* Sawada, 1937 フウボウビロウドコガネ

*Serica foobowana* Sawada, 1937, Nippon no Kochu 1 (1):20, f.3, pl.IV, f.9, pl.V, f.2, pl.VI, f.6. (Mt.Ohdaiga-

hara)

Distr. Japan (Honshu).

*Serica incurvata* (Nomura, 1971) アシマガリヒロウドコガネ

*Trichoserica incurvata* Nomura, 1971, Ent. Rev. Japan 23(2):67-68, Text. figs.3, pl.5, f.3&4. (Yunotaira Spa, Gumma Pref.)

Distr. Japan (Hokaido, Honshu).

*Serica karafutoensis* Nijima et Kinoshita, 1923 エソヒロウドコガネ

*Serica karafutoensis* Nijima et Kinoshita, 1923, Res. Bull. Exp. Forest, Coll. Agr. Hokkaido Imp. Univ. Japan 2(2):17, 219, pl.III, f.5. (Sachalin)

Distr. Japan, Sachalin.

subsp. *honshuensis* Nomura, 1972 ホンシュウヒロウドコガネ

*Serica karafutoensis honshuensis* Nomura, 1972, Tōhō Gakuho (22):130-131, pl.130-131, pl.2, f.18c & 18d, pl.3, f.18. (Renge Spa, Niigata Pref.)

Distr. Japan (Honshu).

subsp. *karafutoensis* Nijima et Kinoshita, 1923 エソヒロウドコガネ

*Serica karafutoensis* Nijima et Kinoshita, 1923, Res. Bull. Exp. Forest, Coll. Agr. Hokkaido Imp. Univ. Japan II(2):17, 219, pl.III, f.5. (Sachalin)

Distr. Japan (Hokkaido), Kurile Is., Sachalin.

*Serica nigrovariata* Lewis, 1895 クロホシヒロウドコガネ

*Serica nigrovariata* Lewis, 1895, Ann. Mag. Nat. Hist. XVI, p.392. (Maebashi)

*Serica nigrovariata* var. *nigripensis* Sawada, 1937, Nippon no Kochu 1(1):15, pl.II, f.3a,b. (Hakubazan, Myōkozan)

Distr. Japan (Hokkaido, Honshu).

*Serica nipponica* (Nomura, 1959) ヤマトヒロウドコガネ

*Ophthalmoserica nipponica* Nomura, 1959, Tōhō Gakuho (9):46, pl.II, f.14. (Shiga, Gifu, Saitama, Gunma, Yamagata Pref.)

Distr. Japan (Honshu).

*Serica nitidiceps* (Nomura, 1971) ツヤズヒロウドコガネ

*Trichoserica nitidiceps* Nomura, 1971, Ent. Rev. Japan 23(2):69-70, Text. figs.5, pl.5, f.7. (Mt.Sobo, Oita Pref.)

Distr. Japan (Shikoku, Kyushu).

*Serica nitididorsis* (Nomura, 1971) ホソヒゲナガヒロウドコガネ

*Trichoserica elongata nitididorsis* Nomura, 1971, Ent. Rev. Japan 23(2):70-71. (Mt.Kuju, Oita Pref.)

Distr. Japan.

subsp. *nitididorsis* (Nomura, 1971) ホソヒゲナガヒロウドコガネ

*Trichoserica elongata nitididorsis* Nomura, 1971, Ent. Rev. Japan 23(2):70-71. (Mt.Kuju, Oita Pref.)

Distr. Japan (Kyushu).

subsp. *opacidorsis* Nomura, 1972

*Serica nitididorsis opacidorsis* Nomura, 1972, Tōhō Gakuho (22):127, pl.2, f.14a,b, pl.3, f.14, pl.4, f.4. (Saga-shio, Yamanashi Pref.)



*Ophthalmoserica elongata* Nomura, 1959, Tōhō Gakuho (9):47–48, pl.II, f.16. (Yamanashi, Nagano, Gunma Pref.)

Distr. Japan (Honshu, Shikoku).

*Serica ovata* (Nomura, 1971) マルヒゲナガヒロウドコガネ

*Trichoserica ovata* Nomura, 1971, Ent. Rev. Japan 23 (2):70, Text. fig.6, pl.5, f.8&9. (Okutama)

Distr. Japan (Honshu).

*Serica pilosa* (Nomura, 1971) ケブカヒロウドコガネ

*Trichoserica pilosa* Nomura, 1971, Ent. Rev. Japan 23 (2):66–67, Text. f.2, pl.5, f.1&2. (Mt. Ishizuchi, Ehime Pref.)

Distr. Japan (Shikoku, Kyushu).

*Serica planifrons* Nomura, 1972 ツヤケシヒロウドコガネ

*Serica planifrons* Nomura, 1972, Tōhō Gakuho (22):123–124, pl.1, f.10, pl.3, f.10, pl.4, f.10a&b. (Mt. Kiri-shima Kagoshima Pref.)

*Trichoserica opacifrons* Nomura, 1971, Ent. Rev. Japan 23 (2):68–69, Text. f.4, pl.5, f.5, 26. (Kyushu, Yakushima)

Distr. Japan (Shikoku, Kyushu).

*Serica rosinae* Pic, 1904

*Serica (Ophthalmoserica) rosinae* Pic, 1914, l'Echange, XX:35. (Sibirien).

Distr. Japan, China (Manchuria), E. Siberia.

subsp. *kurosawai* (Nomura, 1959) クロサワヒロウドコガネ

*Ophthalmoserica kurosawai* Nomura, 1959, Tōhō Gakuho (9):45, pl.II, f.12. (Yakushima)

Distr. Japan (Yakushima).

*Serica takagii* Sawada, 1937 ハラグロヒロウドコガネ

*Serica boops* var. *takagii* Sawada, 1937, Nippon no Kochu 1 (1):18. (Oku–Nikko)

*Serica boops* var. *unicolor* Sawada, 1937, Nippon no Kochu 1 (1):18. (Nikko)

*Ophthalmoserica sawadai* Nomura, 1959, Tōhō Gakuho (9):43–44, pl.II, f.9. (Nagano, Gunma, Yamanashi Pref.)

Distr. Japan (Hokkaido, Honshu).

*Serica tokejii* (Nomura, 1959) トケジヒロウドコガネ

*Ophthalmoserica tokejii* Nomura, 1959, Tōhō Gakuho (9):47, pl.II, f.15. (Mt. Takachiho, Miyazaki Pref.)

Distr. Japan (Kyushu).

*Serica trichofemorata* (Nomura, 1959) モモケヒロウドコガネ

*Ophthalmoserica trichofemorata* Nomura, 1959, Tōhō Gakuho (9):44, pl.II, f.10&11. (Mt. Gomanodan Waka-yama, Yamanashi, Gunma, Kanagawa Pref.)

Distr. Japan (Honshu, Kyushu).

*Serica yoshidai* (Nomura, 1959) ヨシダヒロウドコガネ

*Ophthalmoserica yoshidai* Nomura, 1959, Tōhō Gakuho (9):45–46, pl.II, f.13. (Mt. Tsurugi, Tokushima Pref.)

Distr. Japan (Shikoku).

Genus *Nipponoserica* Nomura, 1973 カバイロピロウドコガネ属

*Nipponoserica* Nomura, 1973, Tōhō Gakuho (23):139.

(type-species : *Serica similis* Lewis, 1895)

*Nipponoserica daisensis* (Sawada, 1937) ダイセンピロウドコガネ

*Serica similis* var. *daisensis* Sawada, 1937, Nippon no Kochu 1(1):24, pl.III, f.3a,b,c. (Mt.Daisen)

Distr. Japan.

subsp. *daisensis* (Sawada, 1937) ダイセンピロウドコガネ

*Serica similis* var. *daisensis* Sawada, 1937, Nippon no Kochu 1(1):24, pl.III, f.3a,b,c. (Daisen)

Distr. Japan (Honshu).

subsp. *lewisi* (Chapin, 1938) ルイスカバイロピロウドコガネ

*Serica lewisi* Chapin, 1938, Journ. Wash. Acad. Sci. 28(2):68, f.5&6. (Hitoyoshi)

Distr. Japan (Kyushu).

*Nipponoserica gomadana* Nomura, 1976 ゴマダンピロウドコガネ

*Nipponoserica gomadana* Nomura, 1976, Tōhō Gakuho (26):187–188, pl.VI, fig.37. (Mt.Gomanodan Waka-yama Pref.)

Distr. Japan (Honshu).

*Nipponoserica kunitachiana* Nomura, 1976 クニタチピロウドコガネ

*Nipponoserica kunitachiana* Nomura, 1976, Tōhō Gakuho (26):190, pl.VII, f.42. (Kunitachi, Tokyo Met.)

Distr. Japan (Honshu).

*Nipponoserica peregrina* (Chapin, 1938) ワタリピロウドコガネ

*Serica peregrina* Chapin, 1938, Jour. Nash. Acad. Sci. XXVIII(2):68, figs.3&4. (Long I., N.America)

Distr. Japan (Honshu), N.America.

*Nipponoserica pubiventris* Nomura, 1976 ハラゲピロウドコガネ

*Nipponoserica pubiventris* Nomura, 1976, Tōhō Gakuho (26):189–190, pl.VII, figs.40,41. (Kiyosato, Yamaguchi Pref.)

Distr. Japan (Honshu).

*Nipponoserica setiventris* Nomura, 1976 イワワキピロウドコガネ

*Nipponoserica setiventris* Nomura, 1976, Tōhō Gakuho (26):188–189, pl.VII, fig.39. (Mt. Iyawaki, Osaka Pref.)

Distr. Japan (Honshu).

*Nipponoserica similis* (Lewis, 1895) カバイロピロウドコガネ

*Serica similis* Lewis, 1895, Ann. Mag. Nat. Hist. (6) XVI, p.391. (Nagasaki, Hitoyoshi, Nikko, Wada-toge)

Distr. Japan (Shikoku, Kyushu, Tsushima).

Genus *Sericania* Motschulsky, 1860 チャイロコガネ属

*Sericania* Motschulsky, 1860, Schrenck's Reisen im Amur-Lande, 2, p.256.

(type-species : *Sericania fusolineata* Motschulsky, 1860)

*Mesoserica* Brenske, 1897, Berl. ent. Zeitschr. 42, p.355.

*Sericania aikyoi* Sawada, 1955 アイキョウチャイロコガネ

*Sericania aikyoi* Sawada, 1955, Jour. Agr. Sci. Tokyo Nogyo Daigaku 2 (4):573-576, pl.XLI, f.12,16. (Nido-age, Niigata, Asamakogen, Kuridaira, Kirizumi-Gunma Pref.)  
Distr. Japan (Honshu).

*Sericania alterata* Sawada, 1938 ヒラタチャイロコガネ

*Sericania alterata* Sawada, 1938, Nippon no Kochu 2 (1):12,19, pl.II, f.1, pl.III, f.5,6, pl.IV, f.3. (Kawai, Kami-kitayama, Yamato, Minogo Onomichi, Totoromi Osaka)  
Distr. Japan (Honshu).

*Sericania akitai* H. Hirasawa, 1987 フジワラチャイロコガネ

*Sericania akitai* H. Hirasawa, 1987, LAMELLICORNIA, Tokyo (3):13-14, fig.1. (Mt. Fujiwara-Mts. Suzuka, Mie Pref.)  
Distr. Japan (Honshu).

*Sericania angulata* (Lewis, 1895) クロチャイロコガネ

*Serica angulata* Lewis, 1895, Ann. Mag. Nat. Hist. (6) XVI, p.392. (Oyayama)  
*Sericania shinanoensis* Nijima et Kinoshita, 1923, Res. Bull. Coll. Agr. Ex. Forest Hokkaido Imp. Univ. Sapporo Japan, II, 2, pp.34,219, Taf.II, f.7.  
Distr. Japan (Shikoku, Kyushu).

*Sericania awana* Nomura, 1976 アワチャイロコガネ

*Sericania* sp. Miyake, Hiura, Mizoguchi & Nishioka, 1958, Konchu Kagaku (7):13, fig.6.  
*Sericania awana* Nomura, 1976, Tōhō Gakuho (26):175, pl.1, fig.9. (Koyadaira, Tokushima)  
Distr. Japan (Shikoku).

*Sericania babai* Nomura, 1976 ババチャイロコガネ

*Sericania babai* Nomura, 1976, Tōhō Gakuho (26):177, pl.II, f.14, 1976. (Mt. Shinbotake, Niigata Pref.)  
Distr. Japan (Honshu).

*Sericania chikuzensis* Sawada, 1938 チクゼンチャイロコガネ

*Sericania chikuzensis* Sawada, 1938, Nippon no Kochu 2 (7):70, fig.1a-c, ♀. (Mt. Wakasugi)  
*Sericania tohokuensis hayasii* Nomura, 1959, Tōhō Gakuho (9):42, ♂. (Hoki-Daisen)  
Distr. Japan (Honshu, Shikoku, Kyushu).

*Sericania elongata* Nomura, 1976 ホソチャイロコガネ

*Sericania elongata* Nomura, 1976, Tōhō Gakuho (26):182-183, pl.IV, f.30. (Mt. Ishizuchi)  
Distr. Japan (Honshu, Shikoku).

*Sericania fulgida* Nijima et Kinoshita, 1927 ツヤチャイロコガネ

*Sericania fulgida* Nijima et Kinoshita, 1927, Res. Bull. Coll. Agr. Ex. Forest Hokkaido Imp. Univ., Sapporo Japan, IV, pp.14,81, Taf.I, f.59, Taf.III, f.4. (Chuzenji, Nikko)  
*Sericania testacea* Sawada, 1938, Nippon no Kochu 2 (1):12,21, ♀. (Oshimizu, Nikko)  
Distr. Japan.

subsp. *fulgida* Nijima et Kinoshita, 1927, s. str. ツヤチャイロコガネ

*Sericania fulgida* Nijima et Kinoshita, 1927, Res. Bull. Coll. Agr. Ex. Forest Hokkaido Imp. Univ., Sapporo

Japan, IV, pp.14,81, Taf.I, f.59, Taf.III, f.4. (Chuzenji, Nikko)

*Sericania testacea* Sawada, 1938, Nippon no Kochu 2(1):12,21, ♀, 1938. (Oshimizu, Nikko)

Distr. Japan (Honshu).

subsp. *lineata* Sawada, 1939 スジチャイロコガネ

*Sericania fulgida* var. *lineata* Sawada, 1939, Nippon no Kochu 3(1):48, ♀. (Mt.Odaigahara)

Distr. Japan (Honshu, Shikoku).

*Sericania fuscolineata* Motschulsky, 1860 クロスジチャイロコガネ

*Sericania fuscolineata* Motschulsky, 1860, Schrenk's Amur-Reisen, II, p.136, t. f.10. (bords du fl.Amur)

Distr. Japan, Sakhalin, E.Siberia, Korea, China.

subsp. *ezoensis* Nomura, 1976 エソスジチャイロコガネ

*Sericania fuscolineata ezoensis* Nomura, 1976, Tōhō Gakuho (26):184. (Wakkasakinai)

Distr. Japan (Hokkaido), Sakhalin.

subsp. *fuscolineata* Motschulsky, 1860 s. str. クロスジチャイロコガネ

*Sericania fuscolineata* Motschulsky, 1860, Schrenk's Amur-Reisen, II, p.130, t. f.10. (bords du fl.Amur)

Distr. Japan (Tsushima), Korea, E.Siberia, Manchuria.

subsp. *nipponensis* Nomura, 1976, ヤマトチャイロコガネ

*Sericania fuscolineata nipponensis* Nomura, 1976, Tōhō Gakuho (26):194. (Mt.Daisen)

Distr. Japan (W.Honshu, Shikoku).

*Sericania galloisi* Nijima et Kinoshita, 1927 ガロアチャイロコガネ

*Serica galloisi* Nijima et Kinoshita, 1927, Res. Bull. Col. Agr. Ex. Forest Hokkaido Imp. Univ., Sapporo Japan, IV, pp.15,82, Taf.I, f.38, Taf.III, f.5. (Chuzenji, Nikko)

Distr. Japan (Honshu).

*Sericania hidana* Nijima et Kinoshita, 1923 ヒダチャイロコガネ

*Sericania hidana* Nijima et Kinoshita, 1923, Res. Bull. Col. Agr. Ex. Forest Hokkaido Imp. Univ., Sapporo Japan, II, 2, p.32,218, Taf.II, f.9,9a. (Hida)

Distr. Japan (Honshu).

*Sericania hiranoi* Y. Miyake, 1988 ヒラノチャイロコガネ

*Sericania hiranoi* Y. Miyake, 1988, Ent. Rev. Japan 43(1):77-78, fig.1, 1988. (Omogo-kei, Ehime Pref.)

Distr. Japan (Shikoku).

*Sericania hirosei* Y. Miyake et Nakamura, 1995 ヒバチャイロコガネ

*Sericania hirosei* Y. Miyake et Nakamura, 1995, HIBAKAGAKU (164):9-12, fig.1-3. (Takano-Hiroshima Pref. Inbara-Shimane Pref.)

Distr. Japan (Honshu).

*Sericania imadatei* Sawada, 1955 イマダテチャイロコガネ

*Sericania imadatei* Sawada, 1955, Jour. Agr. Sci. Tokyo Nogyo Daigaku 2(4):567-569, pl.XL, f.11,14, pl.XLI, f.5,6. (Kasuga-Nara, Shigagoe-Shiga)

Distr. Japan (Honshu, Shikoku).

*Sericania kadowakii* Nakane, 1983 オキナワチャイロコガネ

*Sericania kadowakii* Nakane, 1983, Frag. Coleop. (35/37):141, figs.7. (Oki Is., Shimane Pref.)

Distr. Japan (Oki Is.).

*Sericania kamiyai* Sawada, 1938 カミヤチャイロコガネ

*Sericania kamiyai* Sawada, 1938, Nippon no Kochu 2(1):16, 22, pl.2, f.7, pl.3, f.7, pl.4, f.7, 1938.

(Mt. Hakkodasan)

Distr. Japan (Hokkaido, Honshu).

*Sericania kirai* Sawada, 1938 キラチャイロコガネ

*Sericania kirai* Sawada, 1938, Nippon no Kochu 2(2):69, 1938. (Mt. Hirano, Fukuoka Pref.)

Distr. Japan (Honshu, Shikoku, Kyushu).

*Sericania kobayashii* Nomura, 1976 コバヤシチャイロコガネ

*Sericania kobayashii* Nomura, 1976, Tōhō Gakuho (26):173, pl.1, f.2. (Mt. Gomanodan, Wakayama Pref.)

Distr. Japan (Honshu).

*Sericania kompira* Y. Miyake et Sano, 1996 コンピラチャイロコガネ

*Sericania kompira* Y. Miyake et Sano, 1996, Ent. Rev. Japan 51(2):117, fig.1-4. (Mt. Zozusan, Kotohira Town, Kagawa Pref.)

Distr. Japan (Shikoku).

*Sericania lewisi* Arrow, 1913 ルイスチャイロコガネ

*Sericania lewisi* Arrow, 1913, Ann. Mag. Nat. Hist. (8)XII, p.397. (Yokohama, Chuzenji, Nikko)

*Sericania lewisi* var. *yamamotoi* Sawada, 1938, Nippon no Kochu 2(1):13, 22. (Nebazawa in Oku-Nikko)

Distr. Japan (Honshu).

*Sericania marginata* Nomura, 1973 フチグロチャイロコガネ

*Sericania marginata* Nomura, 1973, Ent. Rev. Japan 25(1/2):14-18, text. fig.3: pl.4, f.3&4. (Azusayama, Nagano Pref.)

Distr. Japan (Honshu).

*Sericania matsuyamana* Sawada, 1938 マツヤマチャイロコガネ

*Sericania matsuyamana* Sawada, 1938, Nippon no Kochu 2(2):70, f.3a,b, ♂. (Matsuyama, Nara Pref.)

Distr. Japan (Honshu).

*Sericania matusitai* Sawada, 1955, マツシタチャイロコガネ

*Sericania matusitai* Sawada, 1955, Jour. Agr. Sci. Tokyo Nogyo Daigaku 2(4):569-571, pl.XL, f.15, 16, pl.XLI, f.7, 8, p.15. (Gifu-park)

Distr. Japan (Honshu).

*Sericania mimica* Lewis, 1895 ナヘドコチャイロコガネ

*Sericania mimica* Lewis, 1895, Ann. Mag. Nat. Hist. (6)XVI, p.390. (Miyanoshita)

*Sericania quinquefoliata* Sawada, 1938, Nippon no Kochu 2(1):16, 23, pl.II, f.8, pl.IV, f.8. (Okutama)

*Sericania takaowana* Sawada, 1938, Nippon no Kochu 2(1):17, 24, pl.II, f.9, pl.III, f.9, pl.IV, f.9. (Mt. Takao, Tokyo Met.)

Distr. Japan (Honshu, Shikoku).

- Sericania minuscula* Nomura, 1976 ヒメチャイロコガネ  
*Sericania minuscula* Nomura, 1976, Tōhō Gakuho (26):183, pl.V, f.31. (Mt. Ichinodake, Fukuoka Pref.)  
 Distr. Japan (Kyushu).
- Sericania miyakei* Nomura, 1960 ミヤケチャイロコガネ  
*Sericania miyakei* Nomura, 1960, Tōhō Gakuho (10):60, 1960. (Tashiro, Fukuoka Pref.)  
 Distr. Japan (Kyushu).
- Sericania ohirai* Sawada, 1960, オオヒラチャイロコガネ  
*Sericania ohirai* Sawada, 1960, Jour. Agr. Sci. Tokyo Nodai 6(1):9–12, pl.1. (Mt. Hongu Aichi Pref.)  
 Distr. Japan (Honshu).
- Sericania ohtakei* Sawada, 1955, オオタケチャイロコガネ  
*Sericania ohtakei* Sawada, 1955, Jour. Agr. Sci. Tokyo Nogyo Daigaku II(4):565–567, pl.XI, f.6–10, pl.XLI, f.3, 4. (Tokio–Mt. Takao, Asakawa, Setagaya, Tokiwa near Okazaki in Aichi)  
 Distr. Japan (Honshu).
- Sericania ohtsukai* Y. Miyake, 1988 オオツカチャイロコガネ  
*Sericania ohtsukai* Y. Miyake, 1988, Ent. Rev. Japan 43(1):78–80, fig.2. (Kumamoto Pref.)  
 Distr. Japan (Kyushu).
- Sericania opaca* Nomura, 1973 イツツバクロチャイロコガネ  
*Sericania quadrifoliata opaca* Nomura, 1973, Ent. Rev. Japan 26(1/2):16–17, text, fig.2. (Mt. Tsurugi, Shikoku, Kyushu)  
 Distr. Japan (Shikoku, Kyushu).
- Sericania quadrifoliata* (Lewis, 1895) ヨツバチャイロコガネ  
*Serica quadrifoliata* Lewis, 1895, Ann. Mag. Nat. Hist. (6) XVI, p.393. (Nikko)  
*Sericania shinanoensis* Nijima et Kinoshita, 1923, Res. Bull. Coll. Exp. Forest. Coll. Agr., Hokkaido Imp. Univ. Japan 2(2):34, 219, pl.II, f.7.  
 Distr. Japan (Honshu, Kyushu).
- Sericania sachalinensis* (Matsumura, 1911) カラフトチャイロコガネ  
*Mesoserica sachalinensis* Matsumura, 1911, Jour. Col. Agr. Tohoku Imp. Univ., Sapporo 4(1):118. (Saghalien)  
*Sericania kurilensis* Medvev, 1912, Fauna U.S.S.R. Col. 10(2):121.  
 Distr. Japan (Hokkaido, Honshu), Saghalien, Kurile Is.
- Sericania serripes* Nomura, 1973 スジアシクロチャイロコガネ  
*Sericania serripes* Nomura, 1973, Ent. Rev. Japan 25(1/2):14–15, text, fig.1, pl.4, f.1&2. (Mt. Kuju, Oita Pref.)  
 Distr. Japan (Honshu, Kyushu).
- Sericania shikokuana* Nakane, 1954 シコクチャイロコガネ  
*Sericania quadrifoliata shikokuana* Nakane, 1954, Trans. Shikoku Ent. Soc. IV(1):12. (Mt. Ishizuchi)  
*Sericania angulata shikokuana* Nomura, 1960, Tōhō Gakuho (10):60.

Distr. Japan (Shikoku).

*Sericania sinuata* Nomura, 1959 エソチャイロコガネ

*Sericania sinuata* Nomura, 1959, Tōhō Gakuho (9):42–44, pl.2, f.8. (Maruyama, Hokkaido)

Distr. Japan (Hokkaido).

*Sericania suturalis* Nomura, 1976 セスジチャイロコガネ

*Sericania suturalis* Nomura, 1976, Tōhō Gakuho (26):182, pl.IV, f.29, 1976. (Mt. Misaka, Yamanashi Pref.)

Distr. Japan (Honshu).

*Sericania tohokuensis* Sawada, 1955 トウホクチャイロコガネ

*Sericania tohokuensis* Sawada, 1955, Jour. Sci. Agr. Tokyo Nogyo Daigaku 2 (4):571–573, pl.XL, f.17, 18, pl.XLI, f.9, 10, 11. (Kakunodate—Akita, Ogunii—Yamagata, Hirusawa, Takatomicho, Yamagata, Mt. Senakaaburi, Higashiyama—mura Fukushima)

Distr. Japan (Honshu).

*Sericania yamauchii* Sawada, 1938 ヤマウチチャイロコガネ

*Sericania yamauchii* Sawada, 1938, Nippon no Kochu 2 (1):12, 18, pl.III, f.1, 4, pl.IV, f.1, 2. (Mt. Hiko)

*Sericania hasegawai* Murayama, 1941, Annot. Zool. Japan, 20, p.37. (Korea, Koto)

Distr. Japan (Shikoku, Kyushu), Korea, Manchuria.

## Tribe RHYZOTROGINI クロコガネ族

Genus *Apogonia* Kirby, 1818 カンショコガネ属

*Apogonia* Kirby, 1818, Trans. Linn. Soc. Lond., XII, p.401.

(type—species : *Apogonia gemellata* Kirby, 1818)

*Apogonia amida* Lewis, 1896 ヒメカンショコガネ

*Apogonia amida* Lewis, 1896, Ann. Mag. Nat. Hist. (6) XVII, p.322. (Nagasaki and Kyushu)

Distr. Japan (Honshu, Shikoku, Kyushu, Iki, Hekura—jima), Taiwan, China.

*Apogonia bicarinata* Lewis, 1896 フタスジカンショコガネ

*Apogonia bicarinata* Lewis, 1896, Ann. Mag. Nat. Hist. (6) 17, p.333. (Nagasaki)

Distr. Japan, Ryukyu Is., Taiwan.

subsp. *bicarinata* Lewis, 1896, s. str. フタスジカンショコガネ

*Apogonia bicarinata* Lewis, 1896, Ann. Mag. nat. Hist. (6) 17, p.333. (Nagasaki)

Distr. Japan (Kyushu, Kuroshima, Nakao—shima, Takara—jima, Akuseki—jima, Amami—Oshima, Tokunoshima, Okinoerabu—jima).

subsp. *okinawana* Nomura, 1964 オキナワカンショコガネ

*Apogonia bicarinata okinawana* Nomura, 1904, Tōhō Gakuho (14):63. (Okinawa Is.)

Distr. Japan (Okinawa Is.).

subsp. *yaeyamana* Nomura, 1965 ヤエヤマカンショコガネ

*Apogonia bicarinata yaeyamana* Nomura, 1965, Ent. Rev. Japan 18 (1):3. (Iriomote Is., Ishigaki Is.)

Distr. Japan (Ishigaki—jima, Iriomote—jima).

- Apogonia bicavata* Arrow, 1913      リュウキュウカンショコガネ  
*Apogonia bicavata* Arrow, 1913, Ann. Mag. Nat. Hist. (8) XII, p.399. (Okinawa)  
 Distr. Japan (Yakushima, Tokara Is., Okinawa, Kume-jima, Tokasiki-shima).
- Apogonia cupreoviridis* Kolbe, 1886      チョウセンカンショコガネ  
*Apogonia cupreoviridis* Kolbe, 1886, Arch. f. Nat. LII, p.193. (Soul, Fusan)  
 Distr. Japan, Ryukyu Is., Korea, Quel-part, Manchuria.  
 subsp. *cupreoviridis* Kolbe, 1886, s. str.      チョウセンカンショコガネ  
*Apogonia cupreoviridis* Kolbe, 1886, Arch. f. Nat. LII, p.193. (Soul, Fusan)  
 Distr. Japan (Goto Is.), Korea, Quel-part, Manchuria.  
 subsp. *miyakoana* Nomura, 1965      ミヤコカンショコガネ  
*Apogonia bicarinata miyakoana* Nomura, 1965, Ent. Rev. Japan 18 (1):3. (Miyako Is.)  
 Distr. Japan (Miyako-jima).
- Apogonia ikedai* H. Kobayashi, 1983      イケダカンショコガネ  
*Apogonia ikedai* H. Kobayashi, 1983, New Entomol. 32 (2):21-23. (Namekawa spa., Yonezawa, Yamagata Pref.)  
 Distr. Japan (Honshu).
- Apogonia isiharai* Sawada, 1940      イシハラカンショコガネ  
*Apogonia isiharai* Sawada, 1940, Journ. Agr. Sci. Tokyo Nodai 1 (3):272-273, pl.X, f.4. (Ashizuri-misaki, Tosa)  
 Distr. Japan, Tokara Is.  
 subsp. *ishiharai* Sawada, 1940 s. str.      イシハラカンショコガネ  
*Apogonia isiharai* Sawada, 1940, Journ. Agr. Sci. Tokyo Nodai 1 (3):272-273, pl.X, f.4. (Ashizuri-misaki, Tosa)  
 Distr. Japan (Shikoku).  
 subsp. *iriei* Y. Miyake, 1986      イリエカンショコガネ  
*Apogonia isiharai iriei* Y. Miyake, 1986, LAMELLICORNIA (2):1.  
 Distr. Japan (Nakanoshima Is.).  
 subsp. *yakushimana* Nomura, 1959      ヤクシマカンショコガネ  
*Apogonia isiharai yakushimana* Nomura, 1959, Tōhō Gakuho (9):48, pl.III, f.18. (Yakushima Is.)  
 Distr. Japan (Yakushima, Tokara, Akuseki-jima).
- Apogonia kamiyai* Sawada, 1940      カミヤカンショコガネ  
*Apogonia kamiyai* Sawada, 1940, Jour. Agr. Sci. Tokyo Nogyo Daigaku 1 (3):276, pl.X, f.10. (Sijukei, Formosa)  
 Distr. Japan (Yonaguni Is., Ishigaki Is., Miyako Is.), Taiwan.
- Apogonia major* Waterhouse, 1875      オオカンショコガネ  
*Apogonia major* Waterhouse, 1875, Trans. ent. Soc. London, p.103. (Nagasaki)  
 Distr. Japan (Okinoshima, Kochi Pref., Kyushu, Goto Is., Danjyo Is., Hirato-jima, Tsushima).
- Apogonia shibuyai* Sawada, 1950      シブヤカンショコガネ  
*Apogonia shibuyai* Sawada, 1950, Jour. Agr. Sci. Tokyo Nodai 2 (2):264, pl.XXVII, f.9, pl.XXVII, f.11. (Naze, Amami-Oshima)



Distr. Japan (Amami—Oshima, Tokuno—shima).

**Genus *Miridiba* Reitter, 1902 クリイロコガネ属**

*Miridiba* Reitter, 1902, Verh. Nat. Ver. Brunn, 40. (Best.—Tab.50), p.163, 170.

(type—species : *Rhyzotrogus trichophorus* Fairmaire, 1891)

*Neodontocnema* Arrow, 1948, Proc. R. Ent. Soc. London (B) 17, p.50.

*Hippotrichia* Arrow, 1948, Proc. R. Ent. Soc. London (B) 17, p.51.

***Miridiba castanea* (Waterhouse, 1875) クリイロコガネ**

*Holotrichia castanea* Waterhouse, 1875, Trans. ent. Soc. London, p.108. (Kawachi)

Distr. Japan (Honshu, Shikoku, Kyushu), Korea, Quel—part, Amur, China.

***Miridiba trichophora* (Fairmaire, 1891)**

*Rhyzotrogus trichophorus* Fairmaire, Ann. Soc. Ent. Belg. 35, 1891, Compt. rend. p.199. (China)

*Miridiba trichophora* Ito, 1988, LAMELLICORNIA (4):21—22, fig.1,2. (Iriomote—jima)

Distr. Japan (Iriomote—jima), China.

**Genus *Holotrichia* Hope, 1837 クロコガネ属**

*Holotrichia* Hope, 1837, Col. Man. 1, p.99, 100.

(type—species : *Melolontha serrata* Fabricius, 1792)

**Subgenus *Holotrichia* Hope, 1837 s. str.**

***Holotrichia* (s. str.) *amamiana* (Nomura, 1964) アマミクロコガネ**

*Lachnosterna amamiana* Nomura, 1964, Ent. Rev. Japan 16 (2):52—53, pl.7, f.3. (Amami—Oshima)

Distr. Japan (Amami Oshima, Tokuno—shima).

***Holotrichia* (s. str.) *aritai* (Nomura, 1964) アリタクリイロコガネ**

*Lachnosterna aritai* Nomura, 1964, Tōhō Gakuho (14):63—64, pl.I, f.5. (Iriomote Is.)

Distr. Japan (Ishigaki—jima, Iriomote—jima).

***Holotrichia* (s. str.) *convexopyga* Moser, 1912 マルオクロコガネ**

*Holotrichia convexopyga* Moser, 1912, Ann. Soc. Ent. Belgique LXI, p.435. (China: Kiukiang, Japan: Kobe)

*Lachnosterna convexopyga tametomo* Nomura, 1969, Ent. Rev. Japan 21 (2):72, 92. (Miyake—jima).

Distr. Japan (Honshu, Izu Is.—Toshima, Kozu—jima, Shikine—jima, Miyake—jima, Shikoku, Kyushu), China.

***Holotrichia* (s. str.) *danjoensis* Y. Miyake et Imasaka, 1982 ダンジョコガネ**

*Holotrichia danjoensis* Y. Miyake et Imasaka, 1982, Ent. Rev. Japan 37 (1):75—77, pl.3. (Meshima Is. Danjo Islands)

Distr. Japan (Danjo Island near Kyushu)

***Holotrichia* (s. str.) *diomphalia* (Bates, 1888) チョウセンクロコガネ**

*Lachnosterna diomphaliid* Bates, 1888, Proc. Zool. Soc. London, p.373. (Fusan)

Distr. Japan (Kyushu : ex Arrow. Tsushima : ex Murayama) , Korea, Quel-part. E.Siberia, Manchuria, N.China.

*Holotrichia* (s. str.) *kiotonensis* Brenske, 1894 クロコガネ

*Holotrichia kiotonensis* Brenske, 1894, Menn. Soc. Ent. Belg. p.19 et 68. (Kioto)

*Holotrichia kiotonensis* var. *waterhouse* Brenske, 1894, Mem. Soc. ent. Belg. 2, p.19 et 68. (Japan)

*Lachnosterna inelegan* Lewis, 1865, Ann. Mag. Nat. Hist. p.396. (Nagasaki, N.China)

Distr. Japan (Hokkaido, Honshu, Sado, Awashima, Shikoku, Kyushu, Kuroshima, Tsushima) , Korea, Sakhalin, E.Siberia, Manchuria, China.

*Holotrichia* (s. str.) *loochooana* (Sawada, 1950) リュウキュウクロコガネ

*Lachnosterna loochooana* Sawada, 1950, Jour. Agr. Sci. Tokyo Nogyo Daigaku II (2) :265, 301, pl.26, f.14. (Ishigaki Is.)

Distr. Japan (Ryukyu Is.).

subsp. *loochooana* (Sawada, 1950), s. str. リュウキュウクロコガネ

*Lachnosterna loochooana* Sawada, 1950, Jour. Agr. Sci. Tokyo Nogyo Daigaku II (2) :265, 301, pl.26, f.14. (Ishigaki Is.)

Distr. Japan (Miyako-jima, Ishigaki-jima, Iriomote-jima, Irabu-jima) .

subsp. *okinawana* (Nomura, 1964) オキナワクロコガネ

*Lachnosterna loochooana okinawana* Nomura, 1964, Ent. Rev. Japan 15 (2) :63, pl.7, f.4. (Okinawa Is.)

Distr. Japan (Okinawa Is.).

subsp. *umebayashii* Y. Miyake, 1986 オキノエラブクロコガネ

*Holotrichia loochooana umebayashii* Y. Miyake, 1986, LAMELLICORNIA (2) :1-2. (Okinoerabujima Is.)

Distr. Japan (Okinoerabu-jima Is.).

*Holotrichia* (s. str.) *parallela* (Motschulsky, 1854) オオクロコガネ

*Ancylonycha parallela* Motschulsky, 1854, Etud. ent. 3, p.64. (Shingai)

*Holotrichia morosa* Waterhouse, 1875, Trans. ent. Soc. London, p.104. (Nagasaki, Chee-foo)

Distr. Japan (Honshu, Shikoku, Kyushu, Tsushima) , Korea, Quel-part, Sakhalin, Manchuria, China, Tibet.

*Holotrichia* (s. str.) *picea* Waterhouse, 1875 コクロコガネ

*Holotrichia picea* Waterhouse, 1875, Trans. ent. Soc. London, p.103. (Nagasaki, Hakodate)

*Lachnosterna picea izuensis* Nomura, 1969, Ent. Rev. Japan 21 (2) :73. (Oshima, Toshima, Kozujima, Mikura-jima, Izu Is.)

Distr. Japan (Hokkaido, Honshu, Awashima, Izu Is.-Oshima, Toshima, Shikine-jima, Kozu-jima, Mikurajima, Shikoku, Kyushu) , Korea, Manchuria, Mongolia, China.

*Holotrichia* (s. str.) *tokara* (Nakane, 1956) トカラクロコガネ

*Lachnosterna tokara* Nakane, 1956, Bull. Osaka Munici Mus. Nat. Hist. (7) :5-6, pl.I, f.2, pl.II, f.2, 1956. (Takarajima, Nakanoshima, Tokara Is.)

Distr. Japan (Tokara Is.-Takara-jima, Nakanoshima, Akuseki-jima) .

Subgenus *Eotrichia* Medvedev, 1951

*Eotrichia* Medvedev, 1951, Fauna SSSR 10 (1) :308.

(type-species : *Holotrichia titanus* Reitter, 1902)

*Holotrichia (Eotrichia) niponensis* (Lewis, 1895) オオチャイロコガネ

*Lachnosterma niponensis* Lewis, 1895, Ann. Mag. Nat. Hist. (6) XVI, p. 399. (Nagasaki, Goto Is., Fusan in Korea)

*Holotrichia titanus* Reitter, 1902, Verh. Nat. Ver. XL, p. 178. (Ussuri)

Distr. Japan (Kyushu, Goto Is. : ex. Lewis), Korea, E. Siberia, China.

Genus *Pollaplonyx* Waterhouse, 1875 オオキイロコガネ属

*Pollaplonyx* Waterhouse, 1875, Trans. ent. Soc. London, 1875, p. 105.

(type-species : *Pollaplonyx flavidus* Waterhouse, 1875)

*Anomalochela* Nose, 1913, Dtsch. ent. Z., 1913, p. 60.

*Pollaplonyx flavidus* Waterhouse, 1875 オオキイロコガネ

*Pollaplonyx flavidus* Waterhouse, 1875, Trans. ent. Soc. London, p. 105–106, pl. III, f. 6, ♂. (Kumamoto)

Distr. Japan (Honshu, Shikoku, Kyushu).

Genus *Sophrops* Fairmaire, 1887 ヒメクロコガネ属

*Sophrops* Fairmaire, 1887, Ann. Soc. ent. Berl. Compt. rend. p. 106.

(type-species : *Sophrops parviceps* Fairmaire, 1887)

*Microtrichia* Brenske, 1900, Stett. ent. Ztg., 61, p. 341.

(type-species : *Microtrichia puttalana* Brenske, 1900)

*Sophrops kawadai* (Nomura, 1959) アマミヒメクロコガネ

*Microtrichia kawadai* Nomura, 1959, Tōhō Gakuho (9): 48–49, pl. III, f. 19&20. (Amami–Oshima)

Distr. Japan (Ryukyu Is.).

subsp. *kawadai* (Nomura, 1959) s. str. アマミヒメクロコガネ

*Microtrichia kawadai* Nomura, 1959, Tōhō Gakuho (9): 48–49, pl. III, f. 19&20. (Amami–Oshima)

Distr. Japan (Amami–Oshima).

subsp. *okinawaensis* Nomura, 1977 オキナワヒメクロコガネ

*Sophrops kawadai okinawaensis* Nomura, 1977, Tōhō Gakuho (22): 77, fig. 1. (Okinawa Is.)

Distr. Japan (Okinawa Is.).

*Sophrops konishii* Nomura, 1970 ヤエヤマヒメクロコガネ

*Sophrops konishii* Nomura, 1970, Ent. Rev. Japan (22): 67, figs. 6a–b, pl. 5, f. 6. (Ishigaki Is., Iriomote Is.)

Distr. Japan (Ryukyu Is.).

subsp. *konishii* Nomura, 1970 s. str. ヤエヤマヒメクロコガネ

*Sophrops konishii* Nomura, 1970, Ent. Rev. Japan (22): 67, fig. 6a–b, pl. 5, f. 5. (Ishigaki Is., Iriomote Is.)

Distr. Japan (Ishigaki–jima, Iriomote–jima).

subsp. *yonaguniensis* Nomura, 1970 ヨナグニヒメクロコガネ

*Sophrops konishii yonaguniensis* Nomura, 1970, Ent. Rev. Japan XXII, p. 68, fig. 6c–d. (Yonaguni Is.)

Distr. Japan (Yonaguni–jima).

*Sophrops takatoshi* T. Ito, 1989 ミヤコヒメクロコガネ

*Sophrops takatoshi* T. Ito, 1989, LAMELLICORNIA (5): 9–10, figs. 1, 2. (Miyakojima Is.)

Distr. Japan (Miyako–jima Is.).

Genus *Hexataenius* Fairmaire, 1891 ヒゲナガクロコガネ属  
*Hexataenius* Fairmaire, 1891, Ann. Soc. Ent. Belg. XXXV, p. IX.  
 (type-species : *Hexataenius protensus* Fairmaire, 1891)

*Hexataenius protensus* Fairmaire, 1891 ヒゲナガクロコガネ  
*Hexataenius protensus* Fairmaire, 1891, Ann. Soc. Ent. Belg., XXXV, p. X. (Chang Yang)  
 Distr. Japan (Kyushu), China.

Genus *Brahmina* Blanchard, 1850 アカチャコガネ属  
*Brahmina* Blanchard, 1850, Cat. Col. Ent. 1850, p. 140.  
 (type-species : *Melolontha cylindrica* Gyllenhal, 1817)  
*Rhizocolax* Motschulsky, 1861, Schrenk's Reisen in Amurl. 2, p. 130.

*Brahmina sakishimana* Nomura, 1965 サキシマアカチャコガネ  
*Brahmina sakishimana* Nomura, 1965, Entom. Rev. Japan 18 (1): 3-4, pl. 1, f. 4. (Iriomote Is.)  
 Distr. Japan (Iriomote-jima).

*Brahmina yasuii* Nomura, 1970 ビロウドアカチャコガネ  
*Brahmina yasuii* Nomura, 1970, Entom. Rev. Japan 22 (2): 68-69, pl. 6, f. 6. (Iriomote-jima)  
 Distr. Japan (Iriomote-jima).

Genus *Heptophylla* Motschulsky, 1857 ナガチャコガネ属  
*Heptophylla* Motschulsky, 1857, Etud. Ent. 6, p. 32.  
 (type-species : *Heptophylla picea* Motschulsky, 1857)  
*Hypochrus* Fairmaire, 1891, Ann. Soc. ent. Belg., 35, Compt rend, p. 201.  
 (type-species : *Hypochrus brevicollis* Fairmaire, 1891)

*Heptophylla picea* Motschulsky, 1857 ナガチャコガネ  
*Heptophylla picea* Motschulsky, 1857, Etud. Ent. VI, p. 33. (Japan : Shimoda)  
*Heptophylla transversa* Motschulsky, 1860, Etud. Ent. (9): 15. (Japan)  
*Heptophylla picea maenarii* Nomura, 1969, Ent. Rev. Japan (21): 73, 92.  
*Heptophylla picea f. toshimana* Nomura, 1969, Ent. Rev. Japan (21): 72.  
*Heptophylla tosana* Miyatake, 1963, Trans. Shikoku Ent. Soc. (8): 23.  
*Heptophylla picea iriei* Kusui, 1971, Ent. Rev. Japan (23): 117.  
 Distr. Japan (Hokkaido, Kurile Is., Honshu, Tobishima, Awashima, Idu-Oshima, Toshima, Nii-jima, Miyake-jima, Mikura-jima, Kyushu, Hirado-jima, Goto Is., Tsushima, Koshiki-jima, Yakushima), Korea.

## Tribe LEUCOPHOLINI ケブカアカチャコガネ族

Genus *Dasylepida* Moser, 1913 ケブカアカチャコガネ属  
*Dasylepida* Moser, 1913, Dtsch. ent. 2, 1913, p. 287.  
 (type-species : *Lepidiota nana* Sharp, 1876)

- Dasylepida ishigakiensis* (Niiijima et Kinoshita, 1927) ケブカアカチャコガネ  
*Brahmina ishigakiensis* Niiijima et Kinoshita, 1927, Res. Bull. Coll. Exp. Forest Coll. Agr. Hokkaido Imp. Univ. Japan. IV, p.22, 83, pl.I, f.18, pl.III, f.2. (Ishigaki-jima)  
*Dasylepida nana ishigakiensis* Nomura, 1970, Ent. Rev. Japan 22 (2): 62. (Ishigaki Is., Iriomote Is.)  
 Distr. Japan (Ishigaki-jima, Iriomote-jima)

## Tribe MELOLONTHINI コフキコガネ族

- Genus *Melolontha* Fabricius, 1775 コフキコガネ属  
*Melolontha* Fabricius, 1775, Syst. Ent., p.31.  
 (type-species : *Scarabaeus melolontha* Linne, 1758)  
*Hoplosternus* Guérin (emend), 1938, Voy. Favorite (Mag. Zool. 8), p.63. (Oplosternus)  
 (type-species : *Melolontha nepalensis* Hope, 1831)

- Melolontha frater* Arrow, 1913 オオコフキコガネ  
*Melolontha frater* Arrow, 1913, Ann. Mag. Nat. Hist. (8):12, p.400. (S. Japan : Nara, Kyoto, Kii Wada, Kobe)  
 Distr. Japan, Taiwan, Korea, E. Siberia.  
 subsp. *frater* Arrow, 1913 s. str. オオコフキコガネ  
*Melolontha frater* Arrow, 1913, Ann. Mag. Nat. Hist. (8):12, p.400. (S. Japan : Nara, Kyoto, Kii Wada, Kobe)  
 Distr. Japan (Honshu, Sado, Izu Is., - Niiijima, Oshima, Shikine-jima, Kozu-jima, Shikoku, Kyushu, Goto Is., Iki, Yakushima)

- Melolontha japonica* Burmeister, 1855 コフキコガネ  
*Melolontha japonica* Burmeister, 1855, Handb. Ent. IV, 2, p.420 ♂. (Japan)  
*Hoplosternus japonicus* Harold, 1875, Abh. Nat. ver. Bremen, IV, p.291.  
*Hoplosternus Haroldi* Moser, 1913, Deutsch Ent. Zeitschr. p.290.  
*Melolonthus japonica* var. *gotenbaensis* Niiijima et Kinoshita, 1923, Res. Bull. Coll. Exp. Forest, Coll. Agr. Hokkaido Imp. Univ., Japan, II, p.62.  
 Distr. Japan (Honshu, Sado, Izu Is., - Nii-jima, Kozu-jima, Miyako-jima, Shikoku, Kyushu, Iki, Tsushima).

- Melolontha masafumii* Nomura, 1952 オキナワコフキコガネ  
*Melolontha masafumii* Nomura, 1952, Tōhō Gakuho (2):29, pl.1, f.4, pl.2, f.10, pl.3, f.1. (Ishigaki Is.)  
 Distr. Japan (Miyako-jima, Ishigaki-jima, Iriomote-jima).

- Melolontha satsumaensis* Niiijima et Kinoshita, 1923 サツマコフキコガネ  
*Melolontha satsumaensis* Niiijima et Kinoshita, 1923, Res. Bull. Coll. Exp. Forest. Coll. Agr., Hokkaido Imp. Univ. Japan, Sapporo, II, 2, pp.62, 223, pl.2, f.5, pl.4, f.19, pl.VII, f.13. (Kagoshima, Miyazaki, Kochi)  
 Distr. Japan.  
 subsp. *satsumaensis* Niiijima et Kinoshita, 1923, s. str. サツマコフキコガネ  
*Melolontha satsumaensis* Niiijima et Kinoshita, 1923, Res. Bull. Coll. Exp. Forest. Coll. Agr., Hokkaido Imp. Univ. Japan, Sapporo, II, 2, pp.62, 223, pl.II, f.5, pl.IV, f.19, pl.VII, f.13. (Kagoshima, Miyazaki, Kochi)  
 Distr. Japan (Kyushu, Yakushima, Tanegashima).

subsp. *shikokuana* Nomura, 1977 シコクコフキコガネ

*Melolontha satsumaensis shikokuana* Nomura, 1977, Tōhō Gakuho (27):78, fig.3,8&9. (Imabari)

Distr. Japan (Shikoku).

*Melolontha tamina* Nomura, 1964 アマミコフキコガネ

*Melolontha tamina* Nomura, 1964, Ent. Rev. Japan 16 (2):54–55, pl.7, f.6–9, text fig.4, 1964. (Amami–Oshima).

Distr. Japan (Amami–Oshima, Tokuno–shima, Kikaiga–shima).

Genus *Tricholontha* Nomura, 1952 ケブカコフキコガネ属

*Tricholontha* Nomura, 1952, Tōhō Gakuho (2):26.

(type–species : *Tricholontha papagena* Nomura, 1952)

*Tricholontha papagena* Nomura, 1952 ケブカコフキコガネ

*Tricholontha papagena* Nomura, 1952, Tōhō Gakuho (2) : pl.I, f.2, R : pl.II, f.IV, pl.III, f.4. (Okinawa)

Distr. Japan (Okinawa Is., Tokuno–shima).

Genus *Polyphylla* Harris, 1842 ヒゲコガネ属

*Polyphylla* Harris, 1842, Rep. Ins. Massachusetts, p.30.

(type–species : *Scarabaeus fullo* Linne, 1758)

*Macronoxia* Crotch, 1873, Check List. North Amer. Col. p.61.

Subgenus *Gynexophylla* Medvedev, 1951

*Gynexophylla* Medvedev, 1951, Fauna SSSR, 10 (1):86.

(type–species : *Polyphylla laticollis* Lewis, 1887)

*Polyphylla* (*Gynexophylla*) *laticollis* Lewis, 1887 ヒゲコガネ

*Polyphylla laticollis* Lewis, 1887, Ent. Monthly Mag., p.231, ♂. (Sakami : between Fujisan and Yokohama)

Distr. Japan, Korea, China.

subsp. *laticollis* Lewis, 1887, s. str. ヒゲコガネ

*Polyphylla laticollis* Lewis, 1887, Ent. Monthly Mag., p.231, ♂. (Sakami : between Fujisan and Yokohama)

Distr. Japan (Honshu, Shikoku, Kyushu).

Subgenus *Granida* Motschulsky, 1861

*Granida* Motschulsky, 1861, Etud. ent. 10, p.8.

(type–species : *Granida albolineata* Motschulski, 1861)

*Polyphylla* (*Granida*) *albolineata* (Motschulsky, 1861) シロスジコガネ

*Granida albolineata* Motschulsky, 1861, Etud. Ent. X, p.8. (Japan)

Distr. Japan (Hokkaido, Honshu, Sado, Izu Is.–Oshima, Nii–jima, Kozu–jima, Miyake–jima, Shikou, Kyushu, Iki, Goto Is.).

*Polyphylla* (*Granida*) *schoenfeldti* Brenske, 1890 オキナワシロスジコガネ

*Polyphylla schoenfeldti* Brenske, 1890, Ent. Nachr., XIII, p.198. (Liukiu Iseln : Oshima)

Distr. Japan (Takara–jima, Amami–Oshima, Tokuno–shima, Okinoerabu–jima, Yoron, Okinawa, Kume–

jima, Kerama Is.).

Subfamily RUTELINAE スジコガネ亜科

Tribe ADORETINI コイチャコガネ族

Genus *Adoretus* Laporte, 1840 コイチャコガネ属

*Adoretus* Laporte, 1840, Hist. Nat. Col. 2:142.

(type-species : *Adoretus hirtellus* Laporte, 1840)

Subgenus *Adoretus* Laporte, 1840, s.str.

*Adoretus* (s. str.) *falciungulatus* Nomura, 1965 シャミセンコイチャコガネ

*Adoretus* (s.str.) *falciungulatus* Nomura, 1965, Entom. Rev. Japan 18 (1):6-7, pl.1, f.8 et 9, text f.4-7.

(Iriomote Is., Ishigaki Is.)

Distr. Japan (Iriomote Is., Ishigaki Is.).

Subgenus *Chaetaboretus* Ohaus, 1914

*Chaetaboretus* Ohaus, 1914, Deutsch Ent. Zeit., 1914, p.475 u 492.

(type-species : *Adoretus timoriensis* Ohaus, 1914)

*Adoretus* (*Chaetadoretus*) *formosanus* Ohaus, 1914

*Adoretus formosanus* Ohaus, 1914, Dtsch. Ent. Zeit., 1914 : 503, f.38.

Distr. Japan, Taiwan.

subsp. *sakishimanus* H. Kobayashi, 1982 サキシマコイチャコガネ

*Adoretus* (C.) *formosanus sakishimanus* H. Kobayashi, 1982, New Entom. 31 (3):53. (Loochoo Archipelago)

Distr. Japan (Ishigaki-jima, Iriomote-jima).

Subgenus *Lepadoretus* Reitter, 1903

*Lepadoretus* Reitter, 1903, Verh. Nat. Ver. Brunn., XLI, p.30.

(type-species : *Adoretus tenuimaculatus* Waterhouse, 1875)

*Adoretus* (*Lepadoretus*) *sinicus* Burmeister, 1855 シナコイチャコガネ

*Adoretus sinicus* Burmeister, 1855, Handb. Ent. IV (2):474.

Distr. Japan (Ishigaki-jima, Miyako-jima, Iriomote-jima, Hateruma-jima, Yonaguni-jima), Taiwan, China, Korea.

*Adoretus* (*Lepadoretus*) *tenuimaculatus* Waterhouse, 1875 コイチャコガネ

*Adoretus tenuimaculatus* Waterhouse, 1875, Trans. ent. Soc. London, p.112. (Japan)

Distr. Japan (Honshu, Shikoku, Kyushu), Saishu-to, Korea, Taiwan, China, Burma, Hawaii.