

jima, Kerama Is.).

Subfamily RUTELINAE スジコガネ亜科

Tribe ADORETINI コイチャコガネ族

Genus *Adoretus* Laporte, 1840 コイチャコガネ属

Adoretus Laporte, 1840, Hist. Nat. Col. 2:142.

(type-species : *Adoretus hirtellus* Laporte, 1840)

Subgenus *Adoretus* Laporte, 1840, s.str.

Adoretus (s. str.) *falciungulatus* Nomura, 1965 シャミセンコイチャコガネ

Adoretus (s.str.) *falciungulatus* Nomura, 1965, Entom. Rev. Japan 18 (1):6-7, pl.1, f.8 et 9, text f.4-7.

(Iriomote Is., Ishigaki Is.)

Distr. Japan (Iriomote Is., Ishigaki Is.).

Subgenus *Chaetaboretus* Ohaus, 1914

Chaetaboretus Ohaus, 1914, Deutsch Ent. Zeit., 1914, p.475 u 492.

(type-species : *Adoretus timoriensis* Ohaus, 1914)

Adoretus (*Chaetadoretus*) *formosanus* Ohaus, 1914

Adoretus formosanus Ohaus, 1914, Dtsch. Ent. Zeit., 1914 : 503, f.38.

Distr. Japan, Taiwan.

subsp. *sakishimanus* H. Kobayashi, 1982 サキシマコイチャコガネ

Adoretus (C.) *formosanus sakishimanus* H. Kobayashi, 1982, New Entom. 31 (3):53. (Loochoo Archiperago)

Distr. Japan (Ishigaki-jima, Iriomote-jima).

Subgenus *Lepadoretus* Reitter, 1903

Lepadoretus Reitter, 1903, Verh. Nat. Ver. Brunn., XLI, p.30.

(type-species : *Adoretus tenuimaculatus* Waterhouse, 1875)

Adoretus (*Lepadoretus*) *sinicus* Burmeister, 1855 シナコイチャコガネ

Adoretus sinicus Burmeister, 1855, Handb. Ent. IV (2):474.

Distr. Japan (Ishigaki-jima, Miyako-jima, Iriomote-jima, Hateruma-jima, Yonaguni-jima), Taiwan,

China, Korea.

Adoretus (*Lepadoretus*) *tenuimaculatus* Waterhouse, 1875 コイチャコガネ

Adoretus tenuimaculatus Waterhouse, 1875, Trans. ent. Soc. London, p.112. (Japan)

Distr. Japan (Honshu, Shikoku, Kyushu), Saishu-to, Korea, Taiwan, China, Burma, Hawaii.

Tribe PARASTASSINI ヨツバコガネ族

Genus *Ohkubous* Sawada, 1938 ヨツバコガネ属

Ohkubous Sawada, 1938, Nippon no Kochu 2(2):73.

(type-species : *Ohkubous quadridentatus* Sawada, 1938

= *Ohkubous ferrieri quadridentatus* Sharp, 1938)

Ohkubous ferrieri (Nonfried, 1895) ヨツバコガネ

Parastasia ferrieri Nonfried, 1875, Berl. Ent. Zeit. 40, p.289. ('shima)

Distr. Japan, Taiwan.

subsp. *boninensis* Nakane, 1983 オガサワラヨツバコガネ

Ohkubous ferrieri boninensis Nakane, 1983, Frag. Coleop. (35/37):142, fig.9. (Chichijima, Hahajima)

Distr. Japan (Chichijima, Hahajima-Bonin Is.).

subsp. *ferrieri* (Nonfried, 1895) アマミヨツバコガネ

Parastasia ferrieri Nonfried, 1895, Berl. ent. Zeitschr., 40, p.289. (Oshima)

Distr. Japan (Amami-Oshima, Tokuno-shima).

subsp. *ichikawai* Nakane, 1983 イズヨツバコガネ

Ohkubous ferrieri ichikawai Nakane, 1983, Frag. Coleop. (35/37):142, fig.11. (Mikurajima)

Distr. Japan (Mikura-jima, Miyake-jima, Izu Is.).

subsp. *quadridentatus* Sawada, 1938 ヨツバコガネ

Ohkubous quadridentatus Sawada, 1938, Nippon no Kochu 2(2):74, pl.IX. (Shikoku)

Distr. Japan (Hokkaido, Honshu, Shikoku, Okino-shima, Kochi Pref., Kyushu, Tsushima, Yakushima).

subsp. *sakishimana* Nomura, 1965 サキシマヨツバコガネ

Parastasia ferrieri sakishimana Nomura, 1965, Ent. Rev. Japan 18(1):4. (Ishigaki Is.)

Distr. Japan (Ishigaki Is.)

subsp. *tokarana* Nomura, 1964 トカラヨツバコガネ

Paraserica ferrieri tokarana Nomura, 1964, Ent. Rev. Japan 16(2):56-57, pl.7, f.11. (Tokara Is.)

Distr. Japan (Nakanoshima-Tokara Is.).

Genus *Parastasia* Westwood, 1841 オオヨツバコガネ属

Parastasia Westwood, 1841, Ann. Mag. Nat. Hist. VIII, p.204.

(type-species : *Parastasia canaliculata* Westwood, 1841)

Parastasia oberthüri Ohaus, 1900 オオヨツバコガネ

Parastasia oberthüri Ohaus, 1900, Deut. Ent. Zeit., p.245. (Tonkin : Bao-Loc.)

Distr. Japan, Taiwan, Indochina Pen.

subsp. *ishigakiana* Nomura, 1964 オオヨツバコガネ

Parastasia oberthüri ishigakiana Nomura, 1964, Ent. Rev. Japan 16(2):55-56, pl.7, f.10. (Ishigaki Is.)

Distr. Japan (Ishigaki-jima).

Tribe ANOMALINI スジコガネ族

Genus *Popillia* Serville, 1825 マメコガネ属*Popillia* Serville, 1825, Encycl. meth. X, p.367.(type-species : *Trichius bipunctatus* Fabricius, 1787)*Popillia insularis* Lewis, 1895 ツキガタマメコガネ*Popillia insularis* Lewis, 1895, Ann. Mag. Nat. Hist. (6) XVI, p.403. (Loo-Choo)*Popillia circumcinota* Kraatz, 1897, Deutsch Ent. Zeitschr. 2, p.327.*Popillia comma* Nijima et Kinoshita, 1923, Res. Bull. Coll. Exp. Forest, Coll. Agr. Hokkaido Imp. Univ. Japan 2 (2):139, 228, pl.i, f.9. (Formosa)

Distr. Japan (Amami-Oshima, Tokunoshima, Okinawa, Miyako-jima, Iriomote-jima).

Popillia japonica Newman, 1838 マメコガネ*Popillia japonica* Newman, 1838, Ann. Mag. Nat. Hist. (2) II:337. (Japan)

Distr. Japan (Hokkaido, Honshu, Shikoku, Kyushu, Tsushima, Goto Is., Yakushima), N.China, N.America.

Popillia lewisi Arrow, 1913 オキナワマメコガネ*Popillia lewisi* Arrow, 1913, Ann. Mag. Nat. Hist. 8, XII, p.45. (Okinawa Is.)

Distr. Japan (Amami-Oshima, Okinawa Is.).

Genus *Proagopertha* Reitter, 1903 ナラノチャイロコガネ属*Proagopertha* Reitter, 1903, Verh. Nat. Ver. Brunn, XLI, p.50.(type-species : *Anomala lucidula* Feldermann, 1835)*Proagopertha ohbayashii* Nomura, 1965 フタモンコガネ*Proagopertha ohbayashii* Nomura, 1965, Ent. Rev. Japan 18(1):6-7, pl.1, f.5,6, text fig.1-3. (Okinawa Is.)

Distr. Japan (Okinawa Is.).

Proagopertha pubicollis (Waterhouse, 1875) ナラノチャイロコガネ*Anomala pubicollis* Waterhouse, 1875, Trans. ent. Soc. London, p.111. (Nagasaki, Hiogo)

Distr. Japan (Honshu, Shikoku, Kyushu).

Genus *Phyllopertha* Stephens, 1830 ウスチャコガネ属*Phyllopertha* Stephens, 1830, Ill. Brit. Mandib. III, p.223.(type-species : *Scarabaeus horticola* Linne, 1758)*Phyllopertha diversa* Waterhouse, 1875 ウスチャコガネ*Phyllopertha diversa* Waterhouse, 1875, Trans. ent. Soc. London, p.106, pl.III, f.5. (Nagasaki)*Phyllopertha maculicollis* Reitter, 1803, Verh. naturw. Ver. Brunn, 41, p.84.*Phyllopertha diversa koreana* Ohaus, 1915, Stett. ent. Ztg., 76, p.325?.

Distr. Japan (Honshu, Shikoku, Kyushu), Quelpart Is.

Phyllopertha intermixta (Arrow, 1913) アオウスチャコガネ*Anomala intermixta* Arrow, 1913, Ann. Mag. Nat. Hist. (8) XII, p.396. (Nikko, Sapporo, Chuzenji)

Phyllopertha fuscate Nijima et Kinoshita, 1923, Res. Bull. Coll. Exp. Forest, Coll. Agr. Hokkaido Imp. Univ., Sapporo, II, 2, 1923, pp. 129, 227.

Distr. Japan (Hokkaido, Honshu, Shikoku, Kyushu).

Phyllopertha irregularis Waterhouse, 1815 キスジコガネ

Phyllopertha irregularis Waterhouse, 1875, Trans. ent. Soc. London, 1875, p. 107, pl. III, f. 4. (Nagasaki, Kawachi)

Distr. Japan (Honshu, Shikoku, Kyushu).

Genus *Blitopertha* Reitter, 1903 セマダラコガネ属

Blitopertha Reitter, 1903, Verh. Nat. Ver. Brunn, XLI, p. 85, 113.

(type-species : *Melolontha lineata* Fabricius, 1798)

Blitopertha conspurcata (Harold, 1878) カタモンコガネ

Phyllopertha conspurcata Harold, 1878, Deut. Ent. Zeit., XXII, p. 71.

Phyllopertha kiotoensis Nijima et Kinoshita (female), 1923, Res. Bull. Coll. Exp. Forest Coll. Agr. Hokkaido Imp. Univ., Sapporo, II, 2, pp. 126, 226.

Distr. Japan (Hokkaido, Honshu, Shikoku, Kyushu), Korea, Manchuria, China, Siberia.

Blitopertha ohdaiensis (Sawada, 1941) オオダイセマダラコガネ

Phyllopertha ohdaiensis Sawada, 1941, Nippon no Kochu 4(1): 49-50, pl. II, f. 5, 20, pl. III, f. 1, 2, pl. V, f. 7. (Ohdaigahara)

Distr. Japan (Honshu, Shikoku, Kyushu).

Blitopertha okinawaensis (Ohaus, 1925) オキナワセマダラコガネ

Phyllopertha okinawaensis Ohaus, 1925, Archiv. f. Naturg. XCI, p. 130.

Distr. Japan (Okinawa Is.)

Blitopertha orientalis (Waterhouse, 1875) セマダラコガネ

Phyllopertha orientalis Waterhouse, 1875, Trans. ent. Soc. London, p. 108. (Kawachi, Nagasaki, Hakodate)

Phyllopertha xanthogastra Harold, 1881, Mitt. Munch. Ent. Ver. V, p. 90.

Phyllopertha tanbaensis Nijima et Kinoshita, 1923, Res. Bull. Coll. Exp. Forest, Coll. Agr. Hokkaido Imp. Univ. Sapporo II(2): 128, 225, Taf. VI, f. 21.

Distr. Japan (Hokkaido, Honshu, Sado, Nii-jima, Shikine, Kozu, Hachijyo, Torishima-Izu Is., Shikoku, Kyushu, Tsushima, Yakushima), Korea, E. Siberia, Manchuria, Hawaii, N. America (New Jersey).

Genus *Mimela* Kirby, 1825 コガネムシ属

Mimela Kirby, 1825, Trans. Linn. Soc. London, 14: 101.

(type-species : *Mimela chinensis* Kirby, 1825)

Mimela difficilis (Waterhouse, 1875) ツヤスジコガネ

Anomala difficilis Waterhouse, 1875, Trans. ent. Soc. London, p. 11. (Japan)

Anomala difficilis var. *cuprea* Ohaus, 1915, Stett. Ent. Zeit., LXXVI, p. 323.

Anomala lenzi Ohaus, 1915, Stett. Ent. Zeit., LXXVI, p. 321.

Distr. Japan (Hokkaido, Honshu, Shikoku, Kyushu).

Mimela flavilabris (Waterhouse, 1875) ヒメスジコガネ

Anomala flavilabris Waterhouse, 1875, Trans. ent. Soc. London, p.110. (Japan)

Paramimela flavilabris var. *cuprifulgenus* Ohaus, 1915, Stett. ent. Ztg., 76, p.91.

Paramimela flavilabris var. *sculpticollis* Ohaus, 1915, Stett. ent. Ztg., 76, p.91.

Distr. Japan (Hokkaido, Honshu, Shikoku, Kyushu), Kuriles.

Mimela ignicauda Bates, 1866 ベーツツヤコガネ

Mimela ignicauda Bates, 1866, Proc. Zool. Soc. London:345.

Distr. Japan, Taiwan.

subsp. *sakishimana* Nomura, 1973 ベーツツヤコガネ

Mimela ignicauda sakishimana Nomura, 1973, Ent. Rev. Japan 25 (1/2):19-20, Text. fig.7, pl.4, f.8.

Distr. Japan (Iriomote-jima).

Mimela inouei Nomura, 1967 イノウエスジコガネ

Mimela inouei Nomura, 1967, Ent. Rev. Japan 19 (2):55-57, text. f.4, pl.8. (Honshu-Izu Peninsula)

Distr. Japan (Honshu-Izu Peninsula).

Mimela ishigakiensis (Sawada, 1950) イシガキコガネ

Anomala ishigakiensis Sawada, 1950, Jour. Agr. Sci. Tokyo Nogyo Daigaku II (2):272,302, f.1. (Ishigaki Is.)

Distr. Japan (Ishigaki-jima).

Mimela splendens (Gyllenhal, 1817) コガネムシ

Melolontha splendens Gyllenhal, 1817, Sys. Ins. I(3) Append, p.110. (China)

Mimela lucidula Hope, 1835, Trans. ent. Soc. London, I, p.113. (Japan)

Mimela gaschkevitchi Motschulsky, 1857, Etud. Ent. VI, p.32. (Japan)

Mimela simplex Bates, 1866, Proc. Zool. Soc. London, p.345. (Formosa)

Mimela splendens f. *takemurai* Sawano et Kometani, 1939, Ent. World, Tokyo (7)62, p.205.

Mimela splendens var. *murasaki* Chūjō, 1940, Nippon no Kochu 3 (2):76.

Distr. Japan (Hokkaido, Honshu, Sado, Shikoku, Kyushu), Saisyu-to, Korea, Taiwan, China, Burma, Tonkin.

Mimela takemurai Sawada, 1976 タケムラスジコガネ

Mimela takemurai Sawada, 1976, Trans. Kansai Ent. Soc. 12 (1):38-40. (Mt. Takatiho, Kirishima, S. Kyushu)

Distr. Japan (Honshu, Shikoku, Kyushu).

Mimela testaceoviridis Blanchard, 1850 キイロツヤコガネ

Mimela testaceoviridis Blanchard, 1850, Cat. Coll. Ent. Col., p.197. (China)

Mimela chryseis Bates, 1846, Zool. Soc. London, p.345.

Anomala survigera Heyden, 1886, Deut. Ent. Zeit. XXX, p.291.

Distr. Japan (Okinawa Is.), Korea, Taiwan, China.

Mimela yonaguniensis Nomura, 1965 ヨナグニスジコガネ

Mimela sauteri yonaguniensis Nomura, 1965, Ent. Rev. Japan 18 (1):5. (Yonaguni Is.)

Mimela ishigakiensis yonaguniensis Nomura, 1973, Ent. Rev. Japan 25 (1-2):19.

Distr. Japan (Yonaguni-jima, Ishigaki-jima).

Genus *Anomala* Samouelle, 1819 スジコガネ属
Anomala Samouelle, 1819, Ent. uscf. Compend. p.191.
 (type-species : *Scarabaeus dubia* Scopoli, 1763)

Anomala albopilosa (Hope, 1839) アオドウガネ

Euchlora albopilosa Hope, 1839, Proc. Zool. Soc. London, VII, p.70.

Heteroplia multistriata Motschulsky, 1861, Etudes Ent. 10:7.

Distr. Japan, Taiwan, Korea, Saishu-to.

subsp. *albopilosa* (Hope, 1839) アオドウガネ

Euchlora albopilosa Hope, 1839, Proc. Zool. Soc. London, VII, p.70.

Distr. Japan (Honshu, Shikoku, Okino-shima-Kochi Pref., Kyushu, Hirato-jima, Goto Is., Danjo Is., Iki, Tsushima, Hekura-jima).

subsp. *gracilis* Schonfeldt, 1890 アマミアオドウガネ

Anomala albopilosa var. *gracilis* Schonfeldt, 1890, Ent. Nachr. XVI, p.171.

Distr. Japan (Danjo Is., Amami-Oshima, Tokunoshima, Tokara Is.-Kushinoshima, Nakanoshima, Takara-jima, Suwanose-jima, Akuseki-jima, Kakeroma-jima).

subsp. *sakishimana* Nomura, 1964 サキシマアオドウガネ

Anomala aobopilosa sakishimana Nomura, 1964, Tōhō Gakuho (14):65, pl.1, f.6, 1964. (Iriomote Is., Ishigaki Is., Miyako Is.)

Distr. Japan (Ishigaki Is., Iriomote Is., Miyako Is., Hateruma Is., Irabu Is., Shimoji Is.).

f. *chocolata* Y. Miyake, 1986

Anomala albopilosa sakishimana Nomura forma *chocolata* Y. Miyake, 1986, LAMELLICORNIA (2):5. (Ishigaki Is.)

Distr. Japan (Ishigaki Is.).

subsp. *yashiroi* Sawada, 1950 オキナワアオドウガネ

Anomala albopilosa yashiroi Sawada, 1950, Jour. Agr. Sci. Tokyo Nogyo Daigaku II (2):279, 307, pl.26, f.15. (Nara, Okinawa Is.)

Distr. Japan (Yoronto, Okinoerabu, Okinawa-jima, Kume-jima).

subsp. *yonaguniana* Nomura, 1964 ヨナグニアオドウガネ

Anomala albopilosa yonaguniana Nomura, 1964, Tōhō Gakuho (14):65, pl.1, f.7. (Yonaguni Is.)

Distr. Japan (Yonaguni Is.).

Anomala chloroderma Arrow, 1913 オオシマドウガネ

Anomala chloroderma Arrow, 1913, Ann. Mag. Nat. Hist. (8)XI, p.403. (Loo-Choo)

Distr. Japan (Amami-Oshima, Tokunoshima, Okinoerabu-jima).

Anomala costata (Hope, 1839) オオスジコガネ

Euchlora costata Hope, 1839, Proc. Zool. London, VII, p.73. (China)

Anomala costata var. *flavipennis* Ohaus, 1915, Stett. Ent. Zeit., LXXVI, p.90.

Anomala costata var. *incuprea* Ohaus, 1915, Stett. Ent. Zeit., LXXVI, p.91.

Distr. Japan (Hokkaido, Honshu, Shikoku, Kyusyu, Tsushima, Yakushima).

Anomala cpustulatus Hirayama, 1940 リュウキュウスジコガネ

- Anomala cpustulatus* Hirayama, 1940, Genshoku-kochu-Zufu, pl.25, f.6, p.62-63. (Ishigaki-jima)
Distr. Japan.
subsp. *cpustulatus* Hirayama, 1940 リュウキュウスジコガネ
Anomala cpustulatus Hirayama, 1940, Genshoku-kochu-Zufu, pl.25, f.6, p.62-63. (Ishigaki-jima).
Anomala matsumurai Sawada, 1950, Journ. Agr. Sci. Tokyo Nodai II (2):277,305, pl.26, f.11-13, pl.27, f.6.
(Ishigaki Is.)
Distr. Japan (Ishigaki Is., Miyako Is., Iriomote Is., Yonaguni Is.).
subsp. *tokarana* Nomura, 1961 トカラスジコガネ
Anomala matsumurai tokarana Nomura, 1961, Tōhō Gakuho (11):74, pl.1, f.11-14. (Tokara Is.)
Distr. Japan (Tokara Is.).
- Anomala cuprea* (Hope, 1839) ドウガネブイブイ
Euchlora cuprea Hope, 1839, Proc. Zool. Soc. London, VII, p.72.
Distr. Japan (Hokkaido, Honshu, Sado Is., Shikoku, Kyushu, Tanegashima, Yakushima, Okinawa Is.),
S.Saghaliën, Kuriles, Korea, Manchuria, Ussurie.
- Anomala daimiana* Harold, 1877 サクラコガネ
Anomala daimiana Harold, 1877, Deut. Ent. Zeit. XXI, p.364.
Distr. Japan (Hokkaido, Honshu, Izu-Oshima, Shikoku, Kyushu), Korea, China.
- Anomala edentula* Ohaus, 1925 ムシスジコガネ
Anomala edentula Ohaus, 1925, Archiv. f. Naturg., XCI, A, 5, p.128, f.5.
Distr. Japan, Taiwan, China, Indochina Pen.
subsp. *amamiana* Nomura, 1962 アマミムシスジコガネ
Anomala edentula amamiana Nomura, 1962, Tōhō Gakuho (12):39, pl.1, f.7. (Yuwan, Amami-Oshima)
Distr. Japan (Amami-Oshima).
subsp. *okinawana* Nomura, 1965 オキナワムシスジコガネ
Anomala edentula okinawana Nomura, 1965, Ent. Rev. Japan 18(1):6. (Okinawa Is., Kumejima Is.)
Distr. Japan (Okinawa Is., Kumejima Is.).
subsp. *yaeyamana* Nomura, 1965 サキシマムシスジコガネ
Anomala edentula yaeyamana Nomura, 1965, Ent. Rev. Japan 18(1):5-6, pl.1, f.7. (Ishigaki Is., Iriomote Is.)
Distr. Japan (Ishigaki Is., Iriomote Is.).
- Anomala esakii* Sawada エサキスジコガネ
Anomala esakii Sawada, 1950, Journ. Agr. Sci. Tokyo Nodai II (2):273,303, pl.25, f.7-9, pl.26, f.1-6, pl.27,
f.3. (Yonakuni Is., Ishigaki Is.)
Distr. Japan (Ishigaki Is., Yonaguni Is., Iriomote Is.).
- Anomala geniculata* (Motschulsky, 1866) ヒメサクラコガネ
Rhinophlia geniculata Motschulsky, 1866, Bull. Mosc. i, p.171.
Distr. Japan (Hokkaido, Honshu, Sado-Is., Oshima, Kozu-jima, Miyake-jima, Izu Is., Shikoku, Kyushu,
Amami-Oshima), Korea, China.
- Anomala holoserica* (Fabricius, 1787) キンスジコガネ
Melolontha holoserica Fabricius, 1787, Mant. Ins. I, 21. (Siberia)
Distr. Japan, Sahalin, Korea, E.Siberia.

subsp. *japonica* (Machatschke, 1952) キンスジコガネ
Mimela holoserica japonica Machatschke, 1952, Beitr. Ent. 2(4/5):358. (Nikko, Yechigo)
 Distr. Japan (Hokkaido, Honshu, Sado, Shikoku, Kyushu).

Anomala horii Nomura, 1964 ホロイスジコガネ
Anomala horii Nomura, 1964, Tōhō Gakuho (14):65-67, pl.I, f.8. (Yokodate-jima)
 Distr. Japan (Tokara Is.-Yokodate-jima).

Anomala japonica Arrow, 1913 ヤマトアオドウガネ
Anomala japonica Arrow, 1913, Ann. Mag. Nat. Hist. (8)XIII, p.4d. (Niigata & Korea)
 Distr. Japan (Honshu, Tobishima, Sado Is.-Oshima, Toshima, Nii-jima, Shikine-jima, Kozu-jima,
 Miyake-jima, Hachijyo-jima, Hachijyo-kojima, Awogashima, Shikoku, Kyushu, Goto Is., Danjyo
 Is., Hekura-jima, Ogasawara Is.).

Anomala limbifera Ohaus, 1915
Anomala limbifera Ohaus, 1915, Stett. ent. Ztg., 76, p.330, 1915.
 Distr. Japan, Taiwan.

subsp. *yanoi* Nomura, 1959 ヤノスジコガネ
Anomala yanoi Nomura, 1959, Tōhō Gakuho (9):50, pl.III, f.23, 24. (Ishigaki Is.)
Anomala sauteri yanoi Nomura, 1964, Tōhō Gakuho (14):68.
 Distr. Japan (Ishigaki Is., Iriomote Is.).

Anomala lucens Ballion, 1871 ツヤコガネ
Anomala lucens Ballion, 1871, Bull. Mosc. p.155.
Rhombonyx lucidulus Motschulsky, 1866, Bull. Soc. Imp. Nat. Moscou 39(1):171.
Anomala rufocuprea var. *impresibasis* Reitter, 1903, Verh. naturw. Ver. Brunn. 41, p.73.
Anomala difficilis Ohaus, 1908, Deutsche ent. Zeitschr. 52, p.655.
Anomala tokioensis Nijima et Kinoshita, 1923, Res. Bull. Coll. Agr. Hokkaido Imp. Univ. Sapporo Japan
 2(2):105, 225, Taf.1, f.8, Taf.VII, f.11.
 Distr. Japan (Hokkaido, Honshu, Sado, Shikoku, Kyushu, Yakushima), S.Kuril.

Anomala miyakona Nomura, 1977 ミヤコドウガネ
Anomala miyakona Nomura, 1977, Tōhō Gakuho (27):79, f.14. (Miyako-jima)
 Distr. Japan (Miyako-jima).

Anomala mongolica (Faldermann, 1835) ヒメドウガネ
Euchlora mongolica Faldermann, 1835, Mem. Acad. St. Petersb. II, p.379. (Mongolia)
Anomala subaruata Ballion, 1870, Bull. Moscou XLIII, 4, p.345.
Mimela anomala Kraatz, 1879, Deut. Ent. Zeit. XXIII, p.234. (Amur)
 Distr. Japan (Hokkaido, Kyushu), Korea, Manchuko, Mongolia, Amur, Samarukando, E.Siberia.

Anomala nijimae Ohaus, 1925 ニイジマスジコガネ
Anomala nijimae Ohaus, 1925, Archiv. f. Naturg., XCI, A, 5, p.126, f.3, 1925.
 Distr. Japan (Ishigaki Is., Iriomote Is.).

- Anomala octiescostata* (Burmeister, 1844) ヒラタアオコガネ
Phyllopertha octiescostata Burmeister, 1844, Handb. Ent. IV (1), 1844, p.243.
Anomala octocostata Motschulsky, 1860, Etud. Ent., IX, p.14.
 Distr. Japan (Honshu, Shikoku, Kyushu, Hirato-jima, Iki Is., Hekura-jima, Tanegashima, Yakushima, Okinawa Is.).
- Anomala osakana* Sawada, 1942 オオサカスジコガネ
Anomala osakana Sawada, 1942, Trans. Kansai Ent. Soc. 12(1):40. (Osaka)
 Distr. Japan (Honshu, Kyushu, Yakushima).
- Anomala polyanor* Ohaus, 1916 ヒメスジコガネ
Anomala polyanor Ohaus, 1916, Archiv. f. Naturg. A, 4, p.4, 1916. (Formosa)
 Distr. Japan (Senkaku Is.), Taiwan, Korea.
- Anomala puncticollis* Harold, 1877 ハンノヒメコガネ
Anomala puncticollis Harold, 1877, Deut. Ent. Zeit., 21:352, 1877.
Heteroplia multistriata Motschulsky, 1861, Etudes. Ent. 10, p.7, 1861.
 Distr. Japan (Hokkaido, Honshu, Miyake-jima, Shikoku, Kyushu, Tsushima, Ishigaki-jima).
- Anomala rufocuprea* (Motschulsky, 1860) ヒメコガネ
Anomala rufocuprea Motschulsky, 1860, Etud. Ent., IX, p.14. (Japan)
Anomala motschulskyi Harold, 1877, Deut. ent. Zeit. 21, p.351.
Anomala rufocuprea var. *viridicuprea* Ohaus, 1915, Stett. ent. Ztg., 76, p.320.
Anomala rufocuprea var. *viridiaenea* Ohaus, 1915, Stett. ent. Ztg., 76, p.320.
Anomala rufocuprea var. *violacea* Ohaus, 1915, Stett. ent. Ztg., 76, p.320.
Anomala rufocuprea var. *castanipennis* Ohaus, 1915, Stett. ent. Ztg., 76, p.320.
Anomala motschulskyi var. *viridicuprea* Ohaus, 1915, Stett. ent. Ztg., 76, p.321.
Anomala motschulskyi var. *violacea* Ohaus, 1915, Stett. ent. Ztg., 76, p.321.
Anomala motschulskyi var. *rufoviolacea* Ohaus, 1915, Stett. ent. Ztg., 76, p.321.
Anomala motschulskyi var. *aptena* Ohaus, 1915, Stett. ent. Ztg., 76, p.321.
Anomala rufocuprea hachijoensis Nomura, 1969, Ent. Rev. Japan 21(2):74.
 Distr. Japan (Hokkaido, Honshu, Oshima, Toshima, Nii-jima, Kozu, Shikine, Miyake, Mikura-Izu Is., Shikoku, Kyushu, Tsushima, Goto Is., Yakushima, Tokara Is.), Kuriles, Saisyu-to, Korea.
- Anomala schoenfeldti* Ohaus, 1915 チビサクラコガネ
Anomala schoenfeldti Ohaus, 1915, Stett. Ent. Zeit., LXXVI, p.322, 1915.
Anomala schoenfeldti miyakensis Nomura, 1967, Ent. Rev. Japan 19(2):57. (Izu Miyake-jima)
 Distr. Japan (Honshu, Kyushu, Izu Is.-Oshima, Shikine-jima, Miyake-jima, Mikura-jima, Kozu-jima, Yakushima), Korea.
- Anomala shirakii* Nomura, 1959 キベリアオドウガネ
Anomala shirakii Nomura, 1959, Tōhō Gakuho (9):49-50, pl.III, f.21, 22. (Iriomote Is.)
 Distr. Japan (Iriomote Is., Ishigaki Is., Taketomi-jima).
- Anomala sieversi* Heyden, 1887 チョウセンヒラタアオコガネ
Anomala sieversi Heyden, 1887, Horae Soc. Ent. Ross., XI, p.266.

Distr. Japan (Tsushima?), Quelpart Is., Korea, S. Manchuria, China.

Anomala testaceipes (Motschulsky, 1860) スジコガネ

Rhomobonyx testaceipes Motschulsky, 1860, Etud. Ent. IX, p.14. (Japan)

Mimela (Paramimela) testaceipes var. *ochrochalcea* Ohaus, 1915, Stett. ent. Ztg., 76, p.91.

Mimela (Paramimela) testaceipes var. *ochroptera* Ohaus, 1915, Stett. ent. Ztg., 76, p.91.

Mimela (Paramimela) testaceipennis var. *anocybria* Ohaus, 1915, Stett. ent. Ztg., 76, p.92.

Mimela (Paramimela) testaceipennis var. *cyprionoptera* Ohaus, 1915, Stett. ent. Ztg., 76, p.92.

Distr. Japan (Hokkaido, Honshu, Sado, Izu Is.—Oshima, Nii—jima, Toshima, Shikine—jima, Kozi—jima, Shikoku, Kyushu, Goto, Hirato, Iki, Tsushima, Yakushima, Tokara), Saghalin, Korea, China, E. Siberia.

subsp. *yusai* Nomura, 1969

Anomara testaceipes yusai Nomura, 1969, Ent. Rev. Japan 21 (2):73. (Miyake—jima, Mikura—jima, Izu Is.)

Distr. Japan (Miyake—jima, Mikura—jima).

Anomala triangularis Schoenfeldt, 1890 サンカクスジコガネ

Anomala triangularis Schoenfeldt, 1890, Ent. Nachr. XVI, 11, p.171. (Oshima)

Distr. Japan.

subsp. *kyushuensis* Nomura, 1964 キュウシュウスジコガネ

Anomala triangularis kyushuensis Nomura, 1964, Tōhō Gakuho (14):68. (Ohsumi)

Distr. Japan (Kyushu, Hekura—jima).

subsp. *triangularis* Schoenfeldt, 1890 サンカクスジコガネ

Anomala triangularis Schoenfeldt, 1890, Ent. Nachr., XVI, II, p.171. ('shima)

Distr. Japan (Tanegashima, Tokara Is.—Akuseki—jima, Takara—jima, Nakano—shima, Amami—Oshima, Tokuno—shima, Okinoerabu—jima, Yoronoto, Okinawa).

Anomala xanthopleura Arrow, 1913 リュウキュウドウガネ

Anomala xanthopleura Arrow, 1913, Ann. Mag. Nat. Hist. (8)XII, p.402. (Loo—Choo)

Distr. Japan (Amami—Oshima, Okinawa Is. Ishigaki—jima, Kume—jima).

Subfamily DYNASTINAE カブトムシ亜科

Tribe DYNASTINI カブトムシ族

Genus *Allomyrina* Arrow, 1911 カブトムシ属

Allomyrina Arrow, 1911, Ann. Mag. Nat. Hist. (8)XII, p.153.

(type—species : *Scarabaeus dichotomus* Linne, 1771)

Allomyrina dichotoma (Linné, 1771) カブトムシ

Scarabaeus dichotomus Linne, 1771, Mant. Plant. VI, p.529.

Distr. Japan, Taiwan, Korea, China, Indochina.

subsp. *inchachina* Kusui, 1976 クメジマカブトムシ

Allomyrina dichotoma inchachina Kusui, 1976, Ent. Rev. Japan, 29 (1/2):52—53, pl.5. (Kume—jima)